

Sat Jun 27 04:07:53 2015

Rollovers enabled
 RolloverMonth: 12 RolloverDay: 99
 Slippage: 37.50 dollars

Position trading using ASCII daily data
 Reference price(s): weighted average with the following weights:
 (1) Today's high<2.00>
 (2) Today's low<2.00>
 (3) Today's close<1.00>
 (4) Tomorrow's open<0.00>

Compute volatility using: opens within N days
 Compute drawdown on an intra trade basis

Reverse on protective stops: No
 Allow reverse below low filter: No
 High filter type: normal low filter type: floor

Date	Open	High	Low	Close	Entry/Exit	Profit	Cum Profit	Drawdown	Buy Stop	Sell Stop	Profit Obj	Protect Stop	V	KI	V*KI
***** Start of Cash Trading *****															
971223	1.6636	1.6716	1.6583	1.6660					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
971224	1.6669	1.6710	1.6635	1.6680					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
971225	1.6680	1.6725	1.6680	1.6717					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
971226	1.6690	1.6791	1.6680	1.6779					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
971229	1.6694	1.6786	1.6694	1.6713					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
971230	1.6698	1.6721	1.6538	1.6555					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
971231	1.6555	1.6585	1.6411	1.6480					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
980102	1.6465	1.6485	1.6361	1.6455					1.6652	1.6337	0.0000	0.0000	0.0287	0.5500	0.0158
980105	1.6453	1.6460	1.6237	1.6303 SV	1.6244				1.6615	1.6244	1.6084	1.6964	0.0337	0.5500	0.0185
980106	1.6310	1.6353	1.6250	1.6250					1.6593	1.6086	1.6084	1.6964	0.0461	0.5500	0.0254
980107	1.6256	1.6283	1.6188	1.6263					1.6553	1.6029	1.6084	1.6964	0.0476	0.5500	0.0262
980108	1.6253	1.6274	1.6096	1.6127					1.6521	1.5960	1.6084	1.6964	0.0510	0.5500	0.0280
980109	1.6120	1.6238	1.6120	1.6140					1.6426	1.5921	1.6084	1.6847	0.0459	0.5500	0.0252
980112	1.6120	1.6229	1.6117	1.6214					1.6374	1.5968	1.6084	1.6847	0.0369	0.5500	0.0203
980113	1.6210	1.6389	1.6210	1.6337 BV	1.6378	-456.25	-456.25	-456.25	1.6378	1.5985	1.6084	1.6847	0.0357	0.5500	0.0196
980113	1.6210	1.6389	1.6210	1.6337 BV	1.6378				1.6378	1.5985	1.6538	1.5658	0.0357	0.5500	0.0196
980114	1.6347	1.6351	1.6263	1.6288					1.6455	1.6159	1.6538	1.5658	0.0269	0.5500	0.0148
980115	1.6290	1.6350	1.6275	1.6292					1.6451	1.6155	1.6538	1.5658	0.0269	0.5500	0.0148
980116	1.6300	1.6376	1.6279	1.6335					1.6456	1.6160	1.6538	1.5658	0.0269	0.5500	0.0148
980119	1.6335	1.6420	1.6335	1.6375					1.6477	1.6181	1.6538	1.5658	0.0269	0.5500	0.0148
980120	1.6370	1.6391	1.6242	1.6265					1.6542	1.6212	1.6538	1.5658	0.0300	0.5500	0.0165
980121	1.6265	1.6335	1.6209	1.6307					1.6428	1.6184	1.6538	1.5658	0.0222	0.5500	0.0122
980122	1.6308	1.6512	1.6300	1.6492					1.6401	1.6157	1.6538	1.5658	0.0222	0.5500	0.0122
980123	1.6481	1.6744	1.6480	1.6710 SP	1.6538	462.50	6.25	-359.38	1.6559	1.6287	1.6538	1.5772	0.0247	0.5500	0.0136
980126	1.6751	1.6860	1.6517	1.6555					1.6895	1.6368	1.6538	1.5772	0.0479	0.5500	0.0263
980127	1.6513	1.6630	1.6429	1.6446					1.6989	1.6335	1.6538	1.5772	0.0595	0.5500	0.0327
980128	1.6438	1.6473	1.6326	1.6419					1.6840	1.6186	1.6538	1.5772	0.0595	0.5500	0.0327
980129	1.6422	1.6450	1.6368	1.6383					1.6731	1.6076	1.6538	1.5772	0.0595	0.5500	0.0327
980130	1.6385	1.6419	1.6312	1.6330					1.6707	1.6100	1.6538	1.5772	0.0552	0.5500	0.0304
980202	1.6315	1.6390	1.6258	1.6389					1.6620	1.6097	1.6538	1.5772	0.0475	0.5500	0.0261
980203	1.6450	1.6488	1.6368	1.6395					1.6637	1.6037	1.6538	1.5772	0.0545	0.5500	0.0300
980204	1.6457	1.6587	1.6416	1.6562					1.6595	1.6248	1.6538	1.5772	0.0315	0.5500	0.0173
980205	1.6562	1.6585	1.6497	1.6538					1.6663	1.6364	1.6538	1.5772	0.0272	0.5500	0.0150
980206	1.6542	1.6547	1.6415	1.6415					1.6708	1.6373	1.6538	1.5772	0.0304	0.5500	0.0167
980209	1.6426	1.6435	1.6276	1.6297 SV	1.6301				1.6635	1.6301	1.6141	1.7021	0.0304	0.5500	0.0167
980210	1.6298	1.6332	1.6215	1.6250					1.6511	1.6177	1.6141	1.7017	0.0304	0.5500	0.0167
980211	1.6254	1.6355	1.6215	1.6320					1.6460	1.6078	1.6141	1.6970	0.0347	0.5500	0.0191
980212	1.6320	1.6416	1.6308	1.6385					1.6483	1.6101	1.6141	1.6970	0.0347	0.5500	0.0191
980213	1.6388	1.6410	1.6331	1.6398					1.6557	1.6176	1.6141	1.6970	0.0347	0.5500	0.0191
980216	1.6394	1.6421	1.6362	1.6380					1.6556	1.6196	1.6141	1.6970	0.0327	0.5500	0.0180
980217	1.6370	1.6403	1.6297	1.6325					1.6511	1.6267	1.6141	1.6970	0.0222	0.5500	0.0122
980218	1.6340	1.6436	1.6268	1.6373					1.6467	1.6223	1.6141	1.6970	0.0222	0.5500	0.0122
980219	1.6368	1.6413	1.6340	1.6367					1.6478	1.6234	1.6141	1.6970	0.0222	0.5500	0.0122
980220	1.6370	1.6392	1.6339	1.6377					1.6497	1.6253	1.6141	1.6970	0.0222	0.5500	0.0122
980223	1.6365	1.6501	1.6322	1.6455 BV	1.6490	-628.12	-621.87	-987.50	1.6490	1.6246	1.6141	1.6970	0.0222	0.5500	0.0122
980223	1.6365	1.6501	1.6322	1.6455 BV	1.6490				1.6490	1.6246	1.6650	1.5770	0.0222	0.5500	0.0122
980224	1.6459	1.6516	1.6430	1.6497					1.6542	1.6298	1.6650	1.5770	0.0222	0.5500	0.0122
980225	1.6493	1.6512	1.6418	1.6429					1.6600	1.6356	1.6650	1.5777	0.0222	0.5500	0.0122
980226	1.6422	1.6480	1.6370	1.6445					1.6582	1.6334	1.6650	1.5777	0.0225	0.5500	0.0124
980227	1.6425	1.6501	1.6425	1.6436					1.6551	1.6307	1.6650	1.5777	0.0222	0.5500	0.0122
980302	1.6437	1.6616	1.6437	1.6456					1.6580	1.6336	1.6650	1.5777	0.0222	0.5500	0.0122
980303	1.6458	1.6538	1.6442	1.6510					1.6650	1.6374	1.6650	1.5777	0.0251	0.5500	0.0138
980304	1.6508	1.6520	1.6450	1.6471					1.6616	1.6372	1.6650	1.5790	0.0222	0.5500	0.0122
980305	1.6462	1.6513	1.6295	1.6325 SV	1.6360	-443.75	-1065.62	-1431.25	1.6604	1.6360	1.6650	1.5790	0.0222	0.5500	0.0122
980305	1.6462	1.6513	1.6295	1.6325 SV	1.6360				1.6604	1.6360	1.6200	1.7080	0.0222	0.5500	0.0122
980306	1.6322	1.6402	1.6310	1.6338					1.6505	1.6271	1.6200	1.7045	0.0213	0.5500	0.0117
980309	1.6357	1.6381	1.6333	1.6370					1.6514	1.6191	1.6200	1.7045	0.0294	0.5500	0.0162
980310	1.6375	1.6420	1.6350	1.6403					1.6521	1.6198	1.6200	1.7045	0.0294	0.5500	0.0162
980311	1.6402	1.6497	1.6385	1.6479					1.6507	1.6270	1.6200	1.7045	0.0216	0.5500	0.0119
980312	1.6473	1.6593	1.6470	1.6575 BV	1.6566	-681.25	-1746.87	-2112.50	1.6566	1.6331	1.6200	1.7045	0.0213	0.5500	0.0117
980312	1.6473	1.6593	1.6470	1.6575 BV	1.6566				1.6566	1.6331	1.6726	1.5846	0.0213	0.5500	0.0117
980313	1.6563	1.6741	1.6550	1.6705 SP	1.6726	462.50	-1284.37	-1650.00	1.6689	1.6391	1.6726	1.5855	0.0271	0.5500	0.0149
980316	1.6734	1.6748	1.6643	1.6688					1.6888	1.6427	1.6726	1.5855	0.0419	0.5500	0.0230
980317	1.6675	1.6769	1.6658	1.6755					1.6915	1.6473	1.6726	1.5855	0.0401	0.5500	0.0221
980318	1.6760	1.6775	1.6690	1.6706					1.6938	1.6505	1.6726	1.5855	0.0394	0.5500	0.0217
980319	1.6709	1.6710	1.6646	1.6661					1.6933	1.6521	1.6726	1.5855	0.0375	0.5500	0.0206
980320	1.6663	1.6700	1.6606	1.6676					1.6841	1.6509	1.6726	1.5855	0.0302	0.5500	0.0166
980323	1.6673	1.6818	1.6657	1.6781 BV	1.6774				1.6774	1.6541	1.6934	1.6054	0.0212	0.5500	0.0117
980324	1.6781	1.6796	1.6725	1.6739					1.6868	1.6624	1.6934	1.6061	0.0222	0.5500	0.0122
980325	1.6745	1.6767	1.6710	1.6737					1.6878	1.6634	1.6934	1.6061	0.0222	0.5500	0.0122
980326	1.6740	1.6886	1.6735	1.6850					1.6860	1.6616	1.6934	1.6061	0.0222	0.5500	0.0122
980327	1.6852	1.6890	1.6805	1.6817					1.6941	1.6696	1.6934	1.6130	0.0223	0.5500	0.0123
980330	1.6817	1.6848	1.6764	1.6767					1.6977	1.6706	1.6934	1.6130	0.0246	0.5500	0.0135
980331	1.6769	1.6840	1.6710	1.6721					1.6918	1.6679	1.6934	1.6130	0.0217	0.5500	0.0119
980401	1.6723	1.6776	1.6698	1.6707					1.6886	1.6642	1.6934	1.6130	0.0222	0.5500	0.0122
980402	1.6708	1.6737	1.6627												

980416	1.6850	1.6936	1.6814	1.6905	SP	1.6934	462.50	-821.87	-1187.50	1.6952	1.6713	1.6934	1.6137	0.0217	0.5500	0.0119
980417	1.6908	1.6969	1.6816	1.6816						1.7028	1.6734	1.6934	1.6137	0.0268	0.5500	0.0147
980420	1.6832	1.6860	1.6722	1.6757						1.7043	1.6712	1.6934	1.6137	0.0301	0.5500	0.0166
980421	1.6751	1.6810	1.6741	1.6743						1.6950	1.6619	1.6934	1.6137	0.0301	0.5500	0.0166
980422	1.6742	1.6790	1.6690	1.6712						1.6935	1.6603	1.6934	1.6137	0.0301	0.5500	0.0166
980423	1.6712	1.6738	1.6606	1.6643	SV	1.6610				1.6859	1.6610	1.6450	1.7330	0.0227	0.5500	0.0125
980424	1.6648	1.6711	1.6642	1.6655						1.6832	1.6500	1.6450	1.7330	0.0302	0.5500	0.0166
980427	1.6684	1.6773	1.6635	1.6743						1.6849	1.6496	1.6450	1.7330	0.0321	0.5500	0.0177
980428	1.6742	1.6751	1.6653	1.6670						1.6836	1.6587	1.6450	1.7330	0.0226	0.5500	0.0124
980429	1.6670	1.6727	1.6654	1.6703						1.6818	1.6574	1.6450	1.7330	0.0222	0.5500	0.0122
980430	1.6698	1.6747	1.6675	1.6697						1.6815	1.6571	1.6450	1.7330	0.0222	0.5500	0.0122
980501	1.6697	1.6738	1.6580	1.6653						1.6830	1.6586	1.6450	1.7330	0.0222	0.5500	0.0122
980504	1.6678	1.6704	1.6567	1.6659						1.6780	1.6536	1.6450	1.7330	0.0222	0.5500	0.0122
980505	1.6664	1.6679	1.6573	1.6617						1.6762	1.6518	1.6450	1.7330	0.0222	0.5500	0.0122
980506	1.6625	1.6642	1.6580	1.6580						1.6746	1.6502	1.6450	1.7330	0.0222	0.5500	0.0122
980507	1.6612	1.6623	1.6445	1.6490	BP	1.6450	462.50	-359.37	-725.00	1.6727	1.6483	1.6450	1.7300	0.0222	0.5500	0.0122
980508	1.6488	1.6501	1.6340	1.6379	SV	1.6386				1.6664	1.6386	1.6226	1.7106	0.0253	0.5500	0.0139
980511	1.6383	1.6392	1.6292	1.6294						1.6609	1.6216	1.6226	1.7099	0.0357	0.5500	0.0196
980512	1.6291	1.6360	1.6291	1.6322						1.6545	1.6120	1.6226	1.7014	0.0386	0.5500	0.0212
980513	1.6331	1.6372	1.6302	1.6312						1.6538	1.6111	1.6226	1.7014	0.0388	0.5500	0.0213
980514	1.6300	1.6321	1.6205	1.6301	BP	1.6226	462.50	103.13	-262.50	1.6525	1.6139	1.6226	1.7014	0.0351	0.5500	0.0193
980515	1.6299	1.6346	1.6244	1.6262						1.6494	1.6047	1.6226	1.7014	0.0407	0.5500	0.0224
980518	1.6263	1.6280	1.6162	1.6215						1.6444	1.6133	1.6226	1.7014	0.0283	0.5500	0.0156
980519	1.6206	1.6292	1.6206	1.6209						1.6341	1.6098	1.6226	1.7014	0.0221	0.5500	0.0122
980520	1.6211	1.6340	1.6211	1.6317						1.6363	1.6119	1.6226	1.7014	0.0222	0.5500	0.0122
980521	1.6313	1.6343	1.6264	1.6308						1.6406	1.6162	1.6226	1.7014	0.0222	0.5500	0.0122
980522	1.6289	1.6334	1.6274	1.6299						1.6426	1.6182	1.6226	1.7014	0.0222	0.5500	0.0122
980525	1.6318	1.6325	1.6271	1.6279						1.6425	1.6181	1.6226	1.7014	0.0222	0.5500	0.0122
980526	1.6279	1.6385	1.6279	1.6358						1.6416	1.6172	1.6226	1.7014	0.0222	0.5500	0.0122
980527	1.6358	1.6422	1.6290	1.6306						1.6459	1.6215	1.6226	1.7014	0.0222	0.5500	0.0122
980528	1.6308	1.6340	1.6224	1.6283	SV	1.6224				1.6468	1.6224	1.6064	1.6944	0.0222	0.5500	0.0122
980529	1.6275	1.6338	1.6238	1.6318						1.6404	1.6160	1.6064	1.6944	0.0222	0.5500	0.0122
980601	1.6320	1.6424	1.6287	1.6408	BV	1.6416	-637.50	-534.37	-900.00	1.6416	1.6172	1.6064	1.6944	0.0222	0.5500	0.0122
980601	1.6320	1.6424	1.6287	1.6408	BV	1.6416				1.6416	1.6172	1.6576	1.5696	0.0222	0.5500	0.0122
980602	1.6407	1.6407	1.6354	1.6379						1.6488	1.6244	1.6576	1.5696	0.0222	0.5500	0.0122
980603	1.6379	1.6405	1.6320	1.6385						1.6502	1.6258	1.6576	1.5696	0.0222	0.5500	0.0122
980604	1.6385	1.6525	1.6360	1.6368						1.6489	1.6245	1.6576	1.5696	0.0222	0.5500	0.0122
980605	1.6364	1.6394	1.6328	1.6342						1.6565	1.6290	1.6576	1.5696	0.0250	0.5500	0.0137
980608	1.6315	1.6341	1.6312	1.6336						1.6495	1.6220	1.6576	1.5696	0.0250	0.5500	0.0137
980609	1.6336	1.6376	1.6312	1.6363						1.6450	1.6206	1.6576	1.5696	0.0222	0.5500	0.0122
980610	1.6360	1.6380	1.6260	1.6287						1.6470	1.6226	1.6576	1.5696	0.0222	0.5500	0.0122
980611	1.6290	1.6347	1.6270	1.6270						1.6435	1.6191	1.6576	1.5696	0.0222	0.5500	0.0122
980612	1.6270	1.6338	1.6270	1.6318						1.6430	1.6172	1.6576	1.5696	0.0235	0.5500	0.0129
980615	1.6333	1.6364	1.6277	1.6342						1.6429	1.6185	1.6576	1.5696	0.0222	0.5500	0.0122
980616	1.6345	1.6543	1.6345	1.6509						1.6447	1.6203	1.6576	1.5696	0.0222	0.5500	0.0122
980617	1.6510	1.6698	1.6510	1.6673	SP	1.6576	462.50	-71.87	-437.50	1.6607	1.6307	1.6576	1.5789	0.0273	0.5500	0.0150
980618	1.6685	1.6774	1.6630	1.6707						1.6853	1.6382	1.6576	1.5789	0.0428	0.5500	0.0235
980619	1.6712	1.6780	1.6692	1.6743						1.6980	1.6426	1.6576	1.5789	0.0504	0.5500	0.0277
980622	1.6743	1.6757	1.6619	1.6751						1.7018	1.6457	1.6576	1.5789	0.0510	0.5500	0.0280
980623	1.6745	1.6767	1.6630	1.6676						1.6957	1.6444	1.6576	1.5789	0.0466	0.5500	0.0256
980624	1.6676	1.6715	1.6640	1.6678						1.6933	1.6455	1.6576	1.5789	0.0435	0.5500	0.0239
980625	1.6678	1.6740	1.6650	1.6710						1.6826	1.6529	1.6576	1.5789	0.0270	0.5500	0.0148
980626	1.6710	1.6742	1.6575	1.6614	SV	1.6576				1.6820	1.6576	1.6416	1.7296	0.0222	0.5500	0.0122
980629	1.6590	1.6678	1.6590	1.6660						1.6772	1.6528	1.6416	1.7296	0.0222	0.5500	0.0122
980630	1.6662	1.6703	1.6623	1.6672						1.6761	1.6517	1.6416	1.7296	0.0222	0.5500	0.0122
980701	1.6675	1.6675	1.6578	1.6603						1.6787	1.6543	1.6416	1.7296	0.0222	0.5500	0.0122
980702	1.6600	1.6625	1.6553	1.6578						1.6744	1.6500	1.6416	1.7296	0.0222	0.5500	0.0122
980703	1.6588	1.6600	1.6456	1.6460						1.6709	1.6465	1.6416	1.7296	0.0222	0.5500	0.0122
980706	1.6471	1.6482	1.6368	1.6370	BP	1.6416	462.50	390.63	0.00	1.6654	1.6375	1.6416	1.7180	0.0254	0.5500	0.0140
980707	1.6375	1.6421	1.6337	1.6377						1.6583	1.6245	1.6416	1.7180	0.0307	0.5500	0.0169
980708	1.6370	1.6391	1.6350	1.6362						1.6564	1.6193	1.6416	1.7180	0.0338	0.5500	0.0186
980709	1.6360	1.6378	1.6279	1.6312						1.6555	1.6183	1.6416	1.7180	0.0338	0.5500	0.0186
980710	1.6318	1.6340	1.6291	1.6327						1.6502	1.6149	1.6416	1.7180	0.0321	0.5500	0.0177
980713	1.6300	1.6445	1.6295	1.6405						1.6488	1.6148	1.6416	1.7180	0.0309	0.5500	0.0170
980714	1.6405	1.6416	1.6335	1.6343						1.6499	1.6255	1.6416	1.7180	0.0222	0.5500	0.0122
980715	1.6343	1.6408	1.6310	1.6339						1.6491	1.6247	1.6416	1.7180	0.0222	0.5500	0.0122
980716	1.6350	1.6408	1.6343	1.6389						1.6477	1.6233	1.6416	1.7180	0.0222	0.5500	0.0122
980717	1.6395	1.6456	1.6385	1.6445						1.6500	1.6256	1.6416	1.7180	0.0222	0.5500	0.0122
980720	1.6425	1.6496	1.6425	1.6473						1.6547	1.6303	1.6416	1.7180	0.0222	0.5500	0.0122
980721	1.6468	1.6496	1.6426	1.6426						1.6585	1.6341	1.6416	1.7180	0.0222	0.5500	0.0122
980722	1.6426	1.6443	1.6403	1.6426						1.6576	1.6332	1.6416	1.7180	0.0222	0.5500	0.0122
980723	1.6430	1.6518	1.6380	1.6504						1.6546	1.6302	1.6416	1.7180	0.0222	0.5500	0.0122
980724	1.6508	1.6611	1.6504	1.6597	BV	1.6582				1.6582	1.6338	1.6742	1.5862	0.0222	0.5500	0.0122
980727	1.6602	1.6602	1.6548	1.6565						1.6684	1.6447	1.6742	1.5877	0.0216	0.5500	0.0119
980728	1.6573	1.6576	1.6473	1.6473						1.6695	1.6451	1.6742	1.5877	0.0222	0.5500	0.0122
980729	1.6475	1.6496	1.6409	1.6422						1.6636	1.6392	1.6742	1.5877	0.0222	0.5500	0.0122
980730	1.6417	1.6455	1.6350	1.6360						1.6569	1.6324	1.6742	1.5877	0.0222	0.5500	0.0122
980731	1.6360															

980922	1.6800	1.6866	1.6715	1.6852					1.6948	1.6699	1.6955	1.6180	0.0226	0.5500	0.0124	
980923	1.6840	1.6860	1.6772	1.6858					1.6925	1.6681	1.6955	1.6180	0.0222	0.5500	0.0122	
980924	1.6858	1.6995	1.6784	1.6970	SP	1.6955	462.50	575.00	-303.12	1.6946	1.6702	1.6955	1.6180	0.0222	0.5500	0.0122
980925	1.6965	1.7073	1.6925	1.6973	BV	1.7024				1.7024	1.6787	1.7184	1.6304	0.0215	0.5500	0.0118
980928	1.6984	1.7074	1.6925	1.7060						1.7152	1.6835	1.7184	1.6304	0.0288	0.5500	0.0158
980929	1.7058	1.7130	1.7048	1.7082						1.7171	1.6853	1.7184	1.6340	0.0289	0.5500	0.0159
980930	1.7080	1.7110	1.6952	1.6998						1.7276	1.6899	1.7184	1.6362	0.0343	0.5500	0.0189
981001	1.6998	1.7080	1.6946	1.7050						1.7194	1.6855	1.7184	1.6362	0.0308	0.5500	0.0169
981002	1.7050	1.7110	1.6970	1.6995						1.7183	1.6858	1.7184	1.6362	0.0296	0.5500	0.0163
981005	1.7005	1.7005	1.6821	1.6821	SV	1.6909	-396.88	178.13	-700.00	1.7153	1.6909	1.7184	1.6362	0.0222	0.5500	0.0122
981005	1.7005	1.7005	1.6821	1.6821	SV	1.6909				1.7153	1.6909	1.6749	1.7629	0.0222	0.5500	0.0122
981006	1.6821	1.6878	1.6812	1.6818						1.7037	1.6752	1.6749	1.7541	0.0259	0.5500	0.0142
981007	1.6818	1.7090	1.6775	1.7046	BV	1.7010	-353.12	-175.00	-1053.12	1.7010	1.6670	1.6749	1.7538	0.0309	0.5500	0.0170
981007	1.6818	1.7090	1.6775	1.7046	BV	1.7010				1.7010	1.6670	1.7170	1.6290	0.0309	0.5500	0.0170
981008	1.7046	1.7365	1.6984	1.7107	SP	1.7170	462.50	287.50	-590.62	1.7123	1.6787	1.7170	1.6326	0.0305	0.5500	0.0168
981009	1.7110	1.7173	1.6965	1.7045						1.7462	1.6860	1.7170	1.6326	0.0547	0.5500	0.0301
981012	1.6967	1.7033	1.6878	1.6908						1.7365	1.6763	1.7170	1.6326	0.0547	0.5500	0.0301
981013	1.6910	1.7060	1.6872	1.7055						1.7247	1.6645	1.7170	1.6326	0.0547	0.5500	0.0301
981014	1.7040	1.7080	1.6994	1.7045						1.7285	1.6683	1.7170	1.6326	0.0547	0.5500	0.0301
981015	1.7056	1.7118	1.6975	1.7075						1.7339	1.6738	1.7170	1.6326	0.0547	0.5500	0.0301
981016	1.7075	1.7115	1.6961	1.7010						1.7302	1.6802	1.7170	1.6326	0.0455	0.5500	0.0250
981019	1.7025	1.7054	1.6978	1.7000						1.7177	1.6888	1.7170	1.6326	0.0263	0.5500	0.0145
981020	1.7000	1.7110	1.6919	1.7110						1.7135	1.6891	1.7170	1.6326	0.0222	0.5500	0.0122
981021	1.7100	1.7100	1.6962	1.6965						1.7156	1.6912	1.7170	1.6326	0.0222	0.5500	0.0122
981022	1.6965	1.6987	1.6878	1.6941	SV	1.6896				1.7140	1.6896	1.6736	1.7616	0.0222	0.5500	0.0122
981023	1.6941	1.6964	1.6869	1.6886						1.7056	1.6812	1.6736	1.7616	0.0222	0.5500	0.0122
981026	1.6871	1.6879	1.6618	1.6633	BP	1.6736	462.50	750.00	-128.12	1.7037	1.6783	1.6736	1.7606	0.0231	0.5500	0.0127
981027	1.6653	1.6788	1.6632	1.6770						1.6991	1.6460	1.6736	1.7606	0.0482	0.5500	0.0265
981028	1.6765	1.6770	1.6690	1.6741						1.6987	1.6457	1.6736	1.7606	0.0482	0.5500	0.0265
981029	1.6733	1.6815	1.6730	1.6760						1.6997	1.6467	1.6736	1.7606	0.0482	0.5500	0.0265
981030	1.6755	1.6842	1.6726	1.6740						1.6961	1.6579	1.6736	1.7606	0.0347	0.5500	0.0191
981102	1.6731	1.6779	1.6610	1.6637						1.6953	1.6598	1.6736	1.7606	0.0323	0.5500	0.0178
981103	1.6635	1.6664	1.6536	1.6585	SV	1.6539				1.6827	1.6539	1.6379	1.7259	0.0261	0.5500	0.0144
981104	1.6590	1.6609	1.6518	1.6586						1.6723	1.6471	1.6379	1.7259	0.0229	0.5500	0.0126
981105	1.6580	1.6650	1.6508	1.6615						1.6707	1.6429	1.6379	1.7259	0.0252	0.5500	0.0139
981106	1.6608	1.6646	1.6559	1.6600						1.6730	1.6442	1.6379	1.7259	0.0262	0.5500	0.0144
981109	1.6570	1.6662	1.6567	1.6632						1.6746	1.6458	1.6379	1.7259	0.0262	0.5500	0.0144
981110	1.6625	1.6633	1.6578	1.6591						1.6741	1.6495	1.6379	1.7259	0.0223	0.5500	0.0123
981111	1.6575	1.6627	1.6550	1.6623						1.6725	1.6481	1.6379	1.7259	0.0222	0.5500	0.0122
981112	1.6602	1.6626	1.6530	1.6596						1.6717	1.6473	1.6379	1.7259	0.0222	0.5500	0.0122
981113	1.6595	1.6700	1.6590	1.6637						1.6704	1.6460	1.6379	1.7259	0.0222	0.5500	0.0122
981116	1.6625	1.6787	1.6610	1.6746	BV	1.6765	-743.75	6.25	-871.87	1.6765	1.6521	1.6379	1.7259	0.0222	0.5500	0.0122
981116	1.6625	1.6787	1.6610	1.6746	BV	1.6765				1.6765	1.6521	1.6925	1.6045	0.0222	0.5500	0.0122
981117	1.6756	1.6796	1.6730	1.6760						1.6827	1.6589	1.6925	1.6045	0.0217	0.5500	0.0119
981118	1.6756	1.6796	1.6688	1.6692						1.6887	1.6638	1.6925	1.6045	0.0226	0.5500	0.0124
981119	1.6692	1.6715	1.6662	1.6664						1.6856	1.6608	1.6925	1.6045	0.0226	0.5500	0.0124
981120	1.6650	1.6655	1.6547	1.6560	SV	1.6559	-681.25	-675.00	-1553.12	1.6808	1.6559	1.6925	1.6045	0.0226	0.5500	0.0124
981120	1.6650	1.6655	1.6547	1.6560	SV	1.6559				1.6808	1.6559	1.6399	1.7279	0.0226	0.5500	0.0124
981123	1.6565	1.6575	1.6453	1.6547						1.6715	1.6471	1.6399	1.7279	0.0222	0.5500	0.0122
981124	1.6565	1.6615	1.6520	1.6596						1.6687	1.6354	1.6399	1.7267	0.0303	0.5500	0.0167
981125	1.6596	1.6645	1.6580	1.6591						1.6740	1.6407	1.6399	1.7267	0.0303	0.5500	0.0167
981126	1.6601	1.6616	1.6548	1.6600						1.6775	1.6442	1.6399	1.7267	0.0303	0.5500	0.0167
981127	1.6604	1.6610	1.6520	1.6535						1.6717	1.6454	1.6399	1.7267	0.0239	0.5500	0.0131
981130	1.6524	1.6542	1.6455	1.6488						1.6681	1.6437	1.6399	1.7255	0.0222	0.5500	0.0122
981201	1.6495	1.6558	1.6470	1.6533						1.6618	1.6374	1.6399	1.7208	0.0222	0.5500	0.0122
981202	1.6535	1.6672	1.6504	1.6648	BV	1.6640	-290.62	-965.62	-1843.75	1.6640	1.6396	1.6399	1.7208	0.0222	0.5500	0.0122
981202	1.6535	1.6672	1.6504	1.6648	BV	1.6640				1.6640	1.6396	1.6800	1.5920	0.0222	0.5500	0.0122
981203	1.6668	1.6725	1.6605	1.6638						1.6722	1.6478	1.6800	1.5928	0.0222	0.5500	0.0122
981204	1.6655	1.6691	1.6606	1.6640						1.6786	1.6533	1.6800	1.5928	0.0230	0.5500	0.0127
981207	1.6653	1.6653	1.6498	1.6512	SV	1.6520	-412.50	-1378.12	-2256.25	1.6773	1.6520	1.6800	1.5928	0.0230	0.5500	0.0127
981207	1.6653	1.6653	1.6498	1.6512	SV	1.6520				1.6773	1.6520	1.6360	1.7240	0.0230	0.5500	0.0127
981208	1.6513	1.6580	1.6473	1.6575						1.6689	1.6436	1.6360	1.7232	0.0230	0.5500	0.0127
981209	1.6578	1.6599	1.6540	1.6566						1.6663	1.6410	1.6360	1.7232	0.0230	0.5500	0.0127
981210	1.6550	1.6720	1.6550	1.6698	BV	1.6685	-553.12	-1931.25	-2809.37	1.6685	1.6452	1.6360	1.7232	0.0212	0.5500	0.0117
981210	1.6550	1.6720	1.6550	1.6698	BV	1.6685				1.6685	1.6452	1.6845	1.5965	0.0212	0.5500	0.0117
981211	1.6710	1.6902	1.6680	1.6882	SP	1.6845	462.50	-1468.75	-2346.87	1.6764	1.6531	1.6845	1.5978	0.0212	0.5500	0.0117
981214	1.6913	1.6943	1.6811	1.6924						1.7023	1.6595	1.6845	1.5978	0.0389	0.5500	0.0214
981215	1.6922	1.6928	1.6827	1.6855						1.7128	1.6644	1.6845	1.5978	0.0440	0.5500	0.0242
981216	1.6838	1.6886	1.6694	1.6707						1.7120	1.6626	1.6845	1.5978	0.0449	0.5500	0.0247
981217	1.6700	1.6818	1.6695	1.6724						1.6990	1.6557	1.6845	1.5978	0.0393	0.5500	0.0216
981218	1.6736	1.6860	1.6736	1.6794						1.6966	1.6534	1.6845	1.5978	0.0393	0.5500	0.0216
981221	1.6825	1.6855	1.6799	1.6838						1.6931	1.6664	1.6845	1.5978	0.0243	0.5500	0.0134
981222	1.6834	1.6844	1.6773	1.6803						1.6963	1.6696	1.6845	1.5978	0.0243	0.5500	0.0134
981223	1.6790	1.6825	1.6753	1.6778						1.6933	1.6682	1.6845	1.5978	0.0228	0.5500	0.0125
981224	1.6770	1.6800	1.6718	1.6718						1.6909	1.6665	1.6845	1.5978	0.0222	0.5500	0.0122
981225	1.6772	1.6772	1.6725	1.6725						1.6873	1.6629	1.6845	1.5978	0.0222	0.5500	0.0122

990222	1.6215	1.6270	1.6175	1.6262					1.6402	1.6158	1.6044	1.6924	0.0222	0.5500	0.0122	
990223	1.6262	1.6265	1.6096	1.6132					1.6352	1.6108	1.6044	1.6924	0.0222	0.5500	0.0122	
990224	1.6132	1.6160	1.5946	1.5961	BP	1.6044	462.50	381.25	-496.87	1.6312	1.6029	1.6044	1.6852	0.0257	0.5500	0.0141
990225	1.5961	1.6071	1.5970	1.6039					1.6258	1.5811	1.6044	1.6852	0.0407	0.5500	0.0224	
990226	1.6039	1.6065	1.5972	1.6016					1.6260	1.5788	1.6044	1.6852	0.0429	0.5500	0.0236	
990301	1.6016	1.6122	1.5955	1.6088					1.6254	1.5782	1.6044	1.6852	0.0429	0.5500	0.0236	
990302	1.6088	1.6163	1.6050	1.6141					1.6222	1.5875	1.6044	1.6852	0.0316	0.5500	0.0174	
990303	1.6141	1.6220	1.6117	1.6131					1.6287	1.5940	1.6044	1.6852	0.0316	0.5500	0.0174	
990304	1.6131	1.6135	1.6053	1.6105					1.6303	1.6019	1.6044	1.6852	0.0259	0.5500	0.0142	
990305	1.6105	1.6105	1.6048	1.6062					1.6239	1.5954	1.6044	1.6852	0.0259	0.5500	0.0142	
990308	1.6062	1.6111	1.6010	1.6077					1.6196	1.5952	1.6044	1.6852	0.0222	0.5500	0.0122	
990309	1.6077	1.6200	1.6065	1.6184	BV	1.6186			1.6186	1.5942	1.6346	1.5466	0.0222	0.5500	0.0122	
990310	1.6184	1.6294	1.6160	1.6268					1.6265	1.6021	1.6346	1.5466	0.0222	0.5500	0.0122	
990311	1.6268	1.6435	1.6220	1.6363	SP	1.6346	462.50	843.75	-34.37	1.6363	1.6108	1.6346	1.5548	0.0232	0.5500	0.0128
990312	1.6363	1.6380	1.6285	1.6305					1.6540	1.6129	1.6346	1.5548	0.0373	0.5500	0.0205	
990315	1.6305	1.6305	1.6190	1.6227					1.6532	1.6122	1.6346	1.5548	0.0373	0.5500	0.0205	
990316	1.6227	1.6304	1.6180	1.6290					1.6449	1.6038	1.6346	1.5548	0.0373	0.5500	0.0205	
990317	1.6290	1.6329	1.6240	1.6303					1.6448	1.6055	1.6346	1.5548	0.0358	0.5500	0.0197	
990318	1.6303	1.6325	1.6265	1.6295					1.6426	1.6150	1.6346	1.5548	0.0251	0.5500	0.0138	
990319	1.6295	1.6311	1.6263	1.6281					1.6417	1.6173	1.6346	1.5548	0.0222	0.5500	0.0122	
990322	1.6281	1.6299	1.6253	1.6283					1.6408	1.6164	1.6346	1.5548	0.0222	0.5500	0.0122	
990323	1.6283	1.6394	1.6220	1.6380					1.6399	1.6155	1.6346	1.5548	0.0222	0.5500	0.0122	
990324	1.6380	1.6476	1.6340	1.6356	BV	1.6444			1.6444	1.6200	1.6604	1.5724	0.0222	0.5500	0.0122	
990325	1.6356	1.6385	1.6219	1.6237	SV	1.6276	-562.50	281.25	-596.87	1.6520	1.6276	1.6604	1.5724	0.0222	0.5500	0.0122
990325	1.6356	1.6385	1.6219	1.6237	SV	1.6276			1.6520	1.6276	1.6116	1.6996	0.0222	0.5500	0.0122	
990326	1.6237	1.6265	1.6173	1.6233					1.6411	1.6167	1.6116	1.6957	0.0222	0.5500	0.0122	
990329	1.6233	1.6235	1.6123	1.6165					1.6353	1.6090	1.6116	1.6953	0.0239	0.5500	0.0131	
990330	1.6165	1.6185	1.6111	1.6123	BP	1.6116	462.50	743.75	-134.37	1.6318	1.6035	1.6116	1.6885	0.0257	0.5500	0.0141
990331	1.6123	1.6166	1.6070	1.6116					1.6314	1.5972	1.6116	1.6885	0.0311	0.5500	0.0171	
990401	1.6116	1.6135	1.6008	1.6034					1.6312	1.5923	1.6116	1.6885	0.0353	0.5500	0.0194	
990402	1.6034	1.6050	1.6025	1.6035					1.6255	1.5873	1.6116	1.6885	0.0348	0.5500	0.0191	
990405	1.6035	1.6065	1.5985	1.6001					1.6164	1.5910	1.6116	1.6885	0.0231	0.5500	0.0127	
990406	1.6001	1.6030	1.5845	1.5910	SV	1.5884			1.6157	1.5884	1.5724	1.6604	0.0248	0.5500	0.0136	
990407	1.5910	1.5987	1.5870	1.5951					1.6108	1.5756	1.5724	1.6604	0.0320	0.5500	0.0176	
990408	1.5951	1.6122	1.5955	1.6048	BV	1.6086	-668.75	75.00	-803.12	1.6086	1.5780	1.5724	1.6604	0.0278	0.5500	0.0153
990408	1.5951	1.6122	1.5955	1.6048	BV	1.6086			1.6086	1.5780	1.6246	1.5366	0.0278	0.5500	0.0153	
990409	1.6048	1.6105	1.6015	1.6091					1.6189	1.5891	1.6246	1.5366	0.0271	0.5500	0.0149	
990412	1.6091	1.6190	1.6082	1.6136					1.6183	1.5950	1.6246	1.5371	0.0212	0.5500	0.0117	
990413	1.6136	1.6165	1.6115	1.6157					1.6290	1.5982	1.6246	1.5416	0.0280	0.5500	0.0154	
990414	1.6157	1.6213	1.6105	1.6109					1.6303	1.5983	1.6246	1.5437	0.0291	0.5500	0.0160	
990415	1.6109	1.6163	1.6077	1.6095					1.6316	1.5982	1.6246	1.5437	0.0303	0.5500	0.0167	
990416	1.6095	1.6155	1.6035	1.6135					1.6259	1.5971	1.6246	1.5437	0.0262	0.5500	0.0144	
990419	1.6135	1.6230	1.6056	1.6104					1.6225	1.5981	1.6246	1.5437	0.0222	0.5500	0.0122	
990420	1.6104	1.6198	1.6088	1.6098					1.6257	1.6013	1.6246	1.5437	0.0222	0.5500	0.0122	
990421	1.6098	1.6130	1.6040	1.6066					1.6256	1.6012	1.6246	1.5437	0.0222	0.5500	0.0122	
990422	1.6066	1.6165	1.6040	1.6144					1.6203	1.5959	1.6246	1.5437	0.0222	0.5500	0.0122	
990423	1.6144	1.6200	1.6130	1.6145					1.6233	1.5989	1.6246	1.5437	0.0222	0.5500	0.0122	
990426	1.6145	1.6180	1.6103	1.6121					1.6283	1.6039	1.6246	1.5437	0.0222	0.5500	0.0122	
990427	1.6121	1.6196	1.6090	1.6190					1.6259	1.6015	1.6246	1.5437	0.0222	0.5500	0.0122	
990428	1.6190	1.6222	1.6131	1.6135					1.6274	1.6030	1.6246	1.5470	0.0222	0.5500	0.0122	
990429	1.6135	1.6175	1.6069	1.6081					1.6290	1.6046	1.6246	1.5470	0.0222	0.5500	0.0122	
990430	1.6081	1.6133	1.6069	1.6093					1.6236	1.5992	1.6246	1.5470	0.0222	0.5500	0.0122	
990503	1.6093	1.6125	1.6059	1.6093					1.6221	1.5977	1.6246	1.5470	0.0222	0.5500	0.0122	
990504	1.6093	1.6296	1.6085	1.6294	SP	1.6246	462.50	537.50	-340.62	1.6214	1.5970	1.6246	1.5470	0.0222	0.5500	0.0122
990505	1.6294	1.6392	1.6255	1.6376	BV	1.6329			1.6329	1.6093	1.6489	1.5609	0.0215	0.5500	0.0118	
990506	1.6376	1.6419	1.6330	1.6415					1.6505	1.6163	1.6489	1.5656	0.0311	0.5500	0.0171	
990507	1.6415	1.6395	1.6303	1.6309					1.6568	1.6197	1.6489	1.5695	0.0338	0.5500	0.0186	
990510	1.6309	1.6357	1.6235	1.6261					1.6537	1.6145	1.6489	1.5695	0.0356	0.5500	0.0196	
990511	1.6261	1.6275	1.6191	1.6235					1.6485	1.6093	1.6489	1.5695	0.0356	0.5500	0.0196	
990512	1.6235	1.6237	1.6160	1.6175					1.6415	1.6052	1.6489	1.5695	0.0330	0.5500	0.0181	
990513	1.6175	1.6218	1.6175	1.6208					1.6334	1.6054	1.6489	1.5695	0.0255	0.5500	0.0140	
990514	1.6208	1.6248	1.6135	1.6186					1.6339	1.6059	1.6489	1.5695	0.0255	0.5500	0.0140	
990517	1.6186	1.6216	1.6150	1.6184					1.6344	1.6036	1.6489	1.5695	0.0280	0.5500	0.0154	
990518	1.6184	1.6259	1.6170	1.6239					1.6305	1.6061	1.6489	1.5695	0.0222	0.5500	0.0122	
990519	1.6239	1.6225	1.6161	1.6171					1.6341	1.6097	1.6489	1.5695	0.0222	0.5500	0.0122	
990520	1.6171	1.6205	1.6064	1.6070	SV	1.6067	-856.25	-318.75	-1196.87	1.6311	1.6067	1.6489	1.5695	0.0222	0.5500	0.0122
990520	1.6171	1.6205	1.6064	1.6070	SV	1.6067			1.6311	1.6067	1.5907	1.6787	0.0222	0.5500	0.0122	
990521	1.6070	1.6090	1.6004	1.6010					1.6244	1.6000	1.5907	1.6787	0.0222	0.5500	0.0122	
990524	1.6010	1.6020	1.5928	1.5962					1.6169	1.5910	1.5907	1.6730	0.0235	0.5500	0.0129	
990525	1.5962	1.6047	1.5960	1.6015					1.6143	1.5801	1.5907	1.6682	0.0311	0.5500	0.0171	
990526	1.6015	1.6045	1.5949	1.5965					1.6177	1.5835	1.5907	1.6682	0.0311	0.5500	0.0171	
990527	1.5965	1.6021	1.5880	1.5997	BP	1.5907	462.50	143.75	-734.37	1.6162	1.5820	1.5907	1.6682	0.0311	0.5500	0.0171
990528	1.5997	1.6045	1.5955	1.6013					1.6120	1.5800	1.5907	1.6682	0.0291	0.5500	0.0160	
990531	1.6013	1.6055	1.6010	1.6025					1.6125	1.5881	1.5907	1.6682	0.0222	0.5500	0.0122	
990601	1.6025	1.6130	1.5990	1.6122					1.6153	1.5909	1.5907	1.6682	0.0222	0.5500	0.0122	
990602	1.6122	1.6137	1.6027	1.6049					1.6194	1.5950	1.5907	1.6682	0.0222	0.5500	0.0122	
990603	1.6049	1.6090	1.6025	1.6064					1.6208	1.5942	1.5907	1.6682	0.0242	0.5500	0.0133	
990604	1.6064	1.6118	1.6025	1.6110					1.6192	1.5926	1.5907	1.6682	0.0242	0.5500	0.0133	
990607	1.6110	1.6110	1.5991	1.6003					1.62							

990727	1.5901	1.5945	1.5876	1.5904					1.6053	1.5699	1.5939	1.5127	0.0322	0.5500	0.0177	
990728	1.5904	1.5981	1.5845	1.5977					1.6052	1.5767	1.5939	1.5127	0.0259	0.5500	0.0142	
990729	1.5977	1.6228	1.5955	1.6178	BV	1.6086			1.6086	1.5766	1.6246	1.5366	0.0291	0.5500	0.0160	
990730	1.6178	1.6248	1.6125	1.6224	SP	1.6246	462.50	959.38	0.00	1.6356	1.5862	1.6246	1.5458	0.0449	0.5500	0.0247
990802	1.6224	1.6210	1.6135	1.6175					1.6451	1.5937	1.6246	1.5458	0.0467	0.5500	0.0257	
990803	1.6175	1.6243	1.6137	1.6203					1.6430	1.5916	1.6246	1.5458	0.0467	0.5500	0.0257	
990804	1.6203	1.6290	1.6177	1.6223					1.6401	1.5984	1.6246	1.5458	0.0379	0.5500	0.0208	
990805	1.6223	1.6221	1.6125	1.6129					1.6444	1.6019	1.6246	1.5458	0.0386	0.5500	0.0212	
990806	1.6129	1.6190	1.6074	1.6112					1.6336	1.5992	1.6246	1.5458	0.0313	0.5500	0.0172	
990809	1.6112	1.6100	1.6008	1.6064					1.6250	1.6006	1.6246	1.5458	0.0222	0.5500	0.0122	
990810	1.6064	1.6193	1.6050	1.6147	BV	1.6175			1.6175	1.5937	1.6335	1.5455	0.0216	0.5500	0.0119	
990811	1.6147	1.6175	1.6087	1.6107		1.6175			1.6251	1.6002	1.6335	1.5455	0.0226	0.5500	0.0124	
990812	1.6107	1.6135	1.6065	1.6123					1.6250	1.6002	1.6335	1.5455	0.0226	0.5500	0.0124	
990813	1.6123	1.6150	1.6039	1.6057					1.6223	1.5986	1.6335	1.5455	0.0215	0.5500	0.0118	
990816	1.6057	1.6105	1.5995	1.6013					1.6209	1.5965	1.6335	1.5455	0.0222	0.5500	0.0122	
990817	1.6013	1.6062	1.5955	1.6038					1.6165	1.5921	1.6335	1.5455	0.0222	0.5500	0.0122	
990818	1.6038	1.6085	1.6002	1.6026					1.6136	1.5892	1.6335	1.5455	0.0222	0.5500	0.0122	
990819	1.6026	1.6202	1.5975	1.6184					1.6162	1.5918	1.6335	1.5455	0.0222	0.5500	0.0122	
990820	1.6184	1.6220	1.6130	1.6146					1.6230	1.5986	1.6335	1.5464	0.0222	0.5500	0.0122	
990823	1.6146	1.6180	1.6005	1.6021	SV	1.6043	-450.00	509.38	-450.00	1.6295	1.6043	1.6335	1.5464	0.0229	0.5500	0.0126
990823	1.6146	1.6180	1.6005	1.6021	SV	1.6043			1.6295	1.6043	1.5883	1.6763	0.0229	0.5500	0.0126	
990824	1.6021	1.6030	1.5881	1.5943	BP	1.5883	462.50	971.88	-15.62	1.6204	1.5952	1.5883	1.6741	0.0229	0.5500	0.0126
990825	1.5943	1.5950	1.5840	1.5852					1.6120	1.5786	1.5883	1.6741	0.0303	0.5500	0.0167	
990826	1.5852	1.5925	1.5850	1.5881					1.6076	1.5697	1.5883	1.6741	0.0344	0.5500	0.0189	
990827	1.5881	1.5925	1.5844	1.5879					1.6089	1.5684	1.5883	1.6741	0.0368	0.5500	0.0202	
990830	1.5879	1.5915	1.5855	1.5893					1.6086	1.5681	1.5883	1.6741	0.0368	0.5500	0.0202	
990831	1.5893	1.6119	1.5905	1.6065	BV	1.6067			1.6067	1.5706	1.6227	1.5347	0.0328	0.5500	0.0180	
990901	1.6065	1.6120	1.6024	1.6062		1.6067			1.6169	1.5876	1.6227	1.5347	0.0267	0.5500	0.0147	
990902	1.6062	1.6135	1.5985	1.6060					1.6217	1.5923	1.6227	1.5347	0.0268	0.5500	0.0147	
990903	1.6060	1.6155	1.6028	1.6035					1.6216	1.5904	1.6227	1.5347	0.0283	0.5500	0.0156	
990906	1.6035	1.6075	1.6005	1.6060					1.6232	1.5928	1.6227	1.5347	0.0276	0.5500	0.0152	
990907	1.6060	1.6098	1.5995	1.6050					1.6196	1.5892	1.6227	1.5347	0.0276	0.5500	0.0152	
990908	1.6050	1.6260	1.6040	1.6193	SP	1.6227	462.50	1434.38	0.00	1.6191	1.5903	1.6227	1.5347	0.0262	0.5500	0.0144
990909	1.6193	1.6363	1.6190	1.6349	BV	1.6282			1.6282	1.6035	1.6442	1.5562	0.0225	0.5500	0.0124	
990910	1.6349	1.6350	1.6155	1.6185					1.6471	1.6111	1.6442	1.5629	0.0328	0.5500	0.0180	
990913	1.6185	1.6225	1.6068	1.6083					1.6434	1.6044	1.6442	1.5629	0.0354	0.5500	0.0195	
990914	1.6083	1.6105	1.5985	1.6077					1.6328	1.5939	1.6442	1.5629	0.0354	0.5500	0.0195	
990915	1.6077	1.6161	1.5983	1.6147					1.6252	1.5851	1.6442	1.5629	0.0364	0.5500	0.0200	
990916	1.6147	1.6269	1.6130	1.6234					1.6288	1.5886	1.6442	1.5629	0.0366	0.5500	0.0201	
990917	1.6234	1.6260	1.6160	1.6231					1.6408	1.6005	1.6442	1.5629	0.0366	0.5500	0.0201	
990920	1.6231	1.6255	1.6203	1.6207					1.6416	1.6013	1.6442	1.5629	0.0366	0.5500	0.0201	
990921	1.6207	1.6342	1.6210	1.6310					1.6363	1.6087	1.6442	1.5629	0.0251	0.5500	0.0138	
990922	1.6310	1.6412	1.6270	1.6280					1.6429	1.6137	1.6442	1.5629	0.0265	0.5500	0.0146	
990923	1.6280	1.6445	1.6285	1.6400	SP	1.6442	462.50	1896.88	0.00	1.6513	1.6145	1.6442	1.5629	0.0335	0.5500	0.0184
990924	1.6400	1.6470	1.6394	1.6432					1.6536	1.6208	1.6442	1.5629	0.0298	0.5500	0.0164	
990927	1.6432	1.6500	1.6395	1.6472					1.6577	1.6287	1.6442	1.5629	0.0263	0.5500	0.0145	
990928	1.6472	1.6516	1.6445	1.6502					1.6614	1.6291	1.6442	1.5629	0.0293	0.5500	0.0161	
990929	1.6502	1.6485	1.6397	1.6439					1.6655	1.6315	1.6442	1.5629	0.0309	0.5500	0.0170	
990930	1.6439	1.6481	1.6430	1.6463					1.6570	1.6311	1.6442	1.5629	0.0236	0.5500	0.0130	
991001	1.6463	1.6579	1.6460	1.6543					1.6587	1.6327	1.6442	1.5629	0.0236	0.5500	0.0130	
991004	1.6543	1.6600	1.6530	1.6560					1.6646	1.6402	1.6442	1.5629	0.0222	0.5500	0.0122	
991005	1.6560	1.6582	1.6495	1.6578					1.6686	1.6442	1.6442	1.5629	0.0222	0.5500	0.0122	
991006	1.6578	1.6591	1.6525	1.6563					1.6668	1.6424	1.6442	1.5629	0.0222	0.5500	0.0122	
991007	1.6563	1.6560	1.6485	1.6522					1.6681	1.6437	1.6442	1.5629	0.0222	0.5500	0.0122	
991008	1.6522	1.6567	1.6470	1.6505					1.6644	1.6400	1.6442	1.5629	0.0222	0.5500	0.0122	
991011	1.6505	1.6580	1.6500	1.6525					1.6638	1.6394	1.6442	1.5629	0.0222	0.5500	0.0122	
991012	1.6525	1.6585	1.6505	1.6571					1.6659	1.6415	1.6442	1.5629	0.0222	0.5500	0.0122	
991013	1.6571	1.6590	1.6519	1.6553					1.6672	1.6428	1.6442	1.5629	0.0222	0.5500	0.0122	
991014	1.6553	1.6673	1.6525	1.6643					1.6676	1.6432	1.6442	1.5629	0.0222	0.5500	0.0122	
991015	1.6643	1.6732	1.6615	1.6710	BV	1.6730			1.6730	1.6486	1.6890	1.6010	0.0222	0.5500	0.0122	
991018	1.6710	1.6718	1.6670	1.6686					1.6806	1.6556	1.6890	1.6010	0.0227	0.5500	0.0125	
991019	1.6686	1.6745	1.6650	1.6724					1.6817	1.6568	1.6890	1.6010	0.0227	0.5500	0.0125	
991020	1.6724	1.6735	1.6614	1.6632					1.6824	1.6582	1.6890	1.6010	0.0220	0.5500	0.0121	
991021	1.6632	1.6795	1.6635	1.6767					1.6788	1.6544	1.6890	1.6010	0.0222	0.5500	0.0122	
991022	1.6767	1.6790	1.6527	1.6569	SV	1.6592	-468.75	1428.13	-468.75	1.6858	1.6592	1.6890	1.6047	0.0242	0.5500	0.0133
991022	1.6767	1.6790	1.6527	1.6569	SV	1.6592			1.6858	1.6592	1.6432	1.7312	0.0242	0.5500	0.0133	
991025	1.6569	1.6643	1.6550	1.6633					1.6773	1.6509	1.6432	1.7289	0.0240	0.5500	0.0132	
991026	1.6633	1.6645	1.6489	1.6531					1.6736	1.6472	1.6432	1.7289	0.0240	0.5500	0.0132	
991027	1.6531	1.6580	1.6417	1.6443	BP	1.6432	462.50	1890.63	-121.87	1.6713	1.6407	1.6432	1.7251	0.0278	0.5500	0.0153
991028	1.6443	1.6485	1.6340	1.6382					1.6680	1.6295	1.6432	1.7251	0.0350	0.5500	0.0192	
991029	1.6382	1.6453	1.6325	1.6447					1.6641	1.6172	1.6432	1.7251	0.0427	0.5500	0.0235	
991101	1.6447	1.6495	1.6411	1.6419					1.6644	1.6158	1.6432	1.7251	0.0442	0.5500	0.0243	
991102	1.6419	1.6496	1.6420	1.6460					1.6616	1.6277	1.6432	1.7251	0.0308	0.5500	0.0169	
991103	1.6460	1.6515	1.6422	1.6430					1.6628	1.6289	1.6432	1.7251	0.0308	0.5500	0.0169	
991104	1.6430	1.6476	1.6210	1.6214	SV	1.6339			1.6583	1.6339	1.6179	1.7059	0.0222	0.5500	0.0122	
991105	1.6214	1.6280	1.6149	1.6197	BP	1.6179	462.50	2353.13	0.00	1.6455	1.6180	1.6179	1.6934	0.0250	0.5500	0.0137
991108	1.6197	1.6250	1.6143	1.6195					1.6382	1.6040	1.6179	1.6934	0.0311	0.5500	0.0171	
991109	1.6195	1.6256	1.6185	1.6230					1.6371	1.6021	1.6179	1.6934	0.0318	0.5500	0.0175	
991110	1.6230	1.6282	1.6192	1.6272												

91231	1.6173	1.6210	1.6115	1.6189				1.6291	1.6047	1.5886	1.6763	0.0222	0.5500	0.0122	
000103	1.6189	1.6403	1.6148	1.6393 BV	1.6290	-800.00	2478.13	-800.00	1.6290	1.6046	1.5886	1.6763	0.0222	0.5500	0.0122
000103	1.6189	1.6403	1.6148	1.6393 BV	1.6290				1.6290	1.6046	1.6450	1.5570	0.0222	0.5500	0.0122
000104	1.6393	1.6410	1.6315	1.6371					1.6436	1.6162	1.6450	1.5673	0.0250	0.5500	0.0137
000105	1.6371	1.6445	1.6360	1.6419					1.6517	1.6211	1.6450	1.5673	0.0278	0.5500	0.0153
000106	1.6419	1.6515	1.6415	1.6476 SP	1.6450	462.50	2940.63	-346.87	1.6566	1.6245	1.6450	1.5699	0.0292	0.5500	0.0161
000107	1.6476	1.6495	1.6361	1.6385					1.6655	1.6279	1.6450	1.5699	0.0342	0.5500	0.0188
000110	1.6385	1.6395	1.6335	1.6367					1.6618	1.6221	1.6450	1.5699	0.0361	0.5500	0.0199
000111	1.6367	1.6490	1.6365	1.6480					1.6546	1.6185	1.6450	1.5699	0.0328	0.5500	0.0180
000112	1.6480	1.6492	1.6450	1.6480					1.6560	1.6316	1.6450	1.5699	0.0222	0.5500	0.0122
000113	1.6480	1.6503	1.6407	1.6463					1.6595	1.6351	1.6450	1.5699	0.0222	0.5500	0.0122
000114	1.6463	1.6445	1.6328	1.6344 SV	1.6335				1.6579	1.6335	1.6175	1.7055	0.0222	0.5500	0.0122
000117	1.6344	1.6395	1.6300	1.6325					1.6500	1.6256	1.6175	1.7055	0.0222	0.5500	0.0122
000118	1.6325	1.6391	1.6315	1.6361					1.6465	1.6221	1.6175	1.7045	0.0222	0.5500	0.0122
000119	1.6361	1.6455	1.6367	1.6433					1.6477	1.6233	1.6175	1.7045	0.0222	0.5500	0.0122
000120	1.6433	1.6578	1.6425	1.6538 BV	1.6537	-668.75	2271.88	-1015.62	1.6537	1.6293	1.6175	1.7045	0.0222	0.5500	0.0122
000120	1.6433	1.6578	1.6425	1.6538 BV	1.6537				1.6537	1.6293	1.6697	1.5817	0.0222	0.5500	0.0122
000121	1.6538	1.6580	1.6476	1.6494					1.6648	1.6370	1.6697	1.5818	0.0253	0.5500	0.0139
000124	1.6494	1.6558	1.6465	1.6500					1.6661	1.6381	1.6697	1.5818	0.0255	0.5500	0.0140
000125	1.6500	1.6535	1.6435	1.6444					1.6649	1.6369	1.6697	1.5818	0.0255	0.5500	0.0140
000126	1.6444	1.6465	1.6353	1.6383					1.6617	1.6337	1.6697	1.5818	0.0255	0.5500	0.0140
000127	1.6383	1.6400	1.6340	1.6385					1.6524	1.6283	1.6697	1.5818	0.0219	0.5500	0.0120
000128	1.6385	1.6360	1.6154	1.6210 SV	1.6251	-931.25	1340.63	-1946.87	1.6495	1.6251	1.6697	1.5818	0.0222	0.5500	0.0122
000128	1.6385	1.6360	1.6154	1.6210 SV	1.6251				1.6495	1.6251	1.6091	1.6971	0.0222	0.5500	0.0122
000131	1.6210	1.6255	1.6119	1.6157					1.6459	1.6036	1.6091	1.6930	0.0384	0.5500	0.0211
000201	1.6157	1.6175	1.6084	1.6150 BP	1.6091	462.50	1803.13	-1484.37	1.6391	1.5971	1.6091	1.6877	0.0381	0.5500	0.0210
000202	1.6150	1.6150	1.6022	1.6070					1.6362	1.5905	1.6091	1.6877	0.0416	0.5500	0.0229
000203	1.6070	1.6090	1.5937	1.5955					1.6315	1.5851	1.6091	1.6877	0.0422	0.5500	0.0232
000204	1.5955	1.6015	1.5835	1.5893					1.6248	1.5755	1.6091	1.6877	0.0448	0.5500	0.0246
000207	1.5893	1.5990	1.5885	1.5961					1.6221	1.5616	1.6091	1.6877	0.0550	0.5500	0.0302
000208	1.5961	1.6142	1.5960	1.6108					1.6148	1.5736	1.6091	1.6877	0.0375	0.5500	0.0206
000209	1.6108	1.6160	1.6060	1.6142					1.6239	1.5885	1.6091	1.6877	0.0322	0.5500	0.0177
000210	1.6142	1.6170	1.6060	1.6088					1.6290	1.5943	1.6091	1.6877	0.0315	0.5500	0.0173
000211	1.6088	1.6105	1.5877	1.5941 SV	1.5941				1.6278	1.5941	1.5781	1.6661	0.0307	0.5500	0.0169
000214	1.5941	1.5970	1.5855	1.5881					1.6150	1.5812	1.5781	1.6661	0.0307	0.5500	0.0169
000215	1.5881	1.5984	1.5850	1.5954					1.6064	1.5748	1.5781	1.6601	0.0287	0.5500	0.0158
000216	1.5954	1.6081	1.5940	1.6071					1.6085	1.5764	1.5781	1.6601	0.0292	0.5500	0.0161
000217	1.6071	1.6140	1.6022	1.6082					1.6183	1.5862	1.5781	1.6601	0.0292	0.5500	0.0161
000218	1.6082	1.6095	1.5953	1.5989					1.6242	1.5921	1.5781	1.6601	0.0292	0.5500	0.0161
000221	1.5989	1.6025	1.5980	1.6000					1.6159	1.5875	1.5781	1.6601	0.0259	0.5500	0.0142
000222	1.6000	1.6195	1.6000	1.6121 BV	1.6144	-671.87	1131.25	-2156.25	1.6144	1.5860	1.5781	1.6601	0.0259	0.5500	0.0142
000222	1.6000	1.6195	1.6000	1.6121 BV	1.6144				1.6144	1.5860	1.6304	1.5424	0.0259	0.5500	0.0142
000223	1.6121	1.6150	1.6019	1.6029					1.6275	1.5929	1.6304	1.5424	0.0314	0.5500	0.0173
000224	1.6029	1.6210	1.5970	1.6011					1.6206	1.5941	1.6304	1.5424	0.0241	0.5500	0.0133
000225	1.6011	1.6005	1.5879	1.5937 SV	1.5953	-634.37	496.88	-2790.62	1.6196	1.5953	1.6304	1.5424	0.0221	0.5500	0.0122
000225	1.6011	1.6005	1.5879	1.5937 SV	1.5953				1.6196	1.5953	1.5793	1.6673	0.0221	0.5500	0.0122
000228	1.5937	1.5945	1.5857	1.5943					1.6074	1.5808	1.5793	1.6657	0.0242	0.5500	0.0133
000229	1.5943	1.6015	1.5775	1.5795 BP	1.5793	462.50	959.38	-2328.12	1.6060	1.5759	1.5793	1.6657	0.0273	0.5500	0.0150
000301	1.5795	1.5925	1.5751	1.5865					1.6065	1.5685	1.5793	1.6657	0.0346	0.5500	0.0190
000302	1.5865	1.5870	1.5761	1.5771					1.6072	1.5615	1.5793	1.6657	0.0415	0.5500	0.0228
000303	1.5771	1.5840	1.5755	1.5798					1.6035	1.5578	1.5793	1.6657	0.0415	0.5500	0.0228
000306	1.5798	1.5820	1.5712	1.5744					1.5941	1.5655	1.5793	1.6657	0.0260	0.5500	0.0143
000307	1.5744	1.5826	1.5695	1.5776					1.5896	1.5627	1.5793	1.6657	0.0244	0.5500	0.0134
000308	1.5776	1.5878	1.5744	1.5810					1.5913	1.5615	1.5793	1.6657	0.0271	0.5500	0.0149
000309	1.5810	1.5840	1.5777	1.5813					1.5933	1.5689	1.5793	1.6657	0.0222	0.5500	0.0122
000310	1.5813	1.5840	1.5755	1.5767					1.5931	1.5687	1.5793	1.6657	0.0222	0.5500	0.0122
000313	1.5767	1.5830	1.5760	1.5783					1.5913	1.5669	1.5793	1.6657	0.0222	0.5500	0.0122
000314	1.5783	1.5800	1.5680	1.5768					1.5915	1.5671	1.5793	1.6657	0.0222	0.5500	0.0122
000315	1.5768	1.5790	1.5695	1.5730					1.5868	1.5624	1.5793	1.6657	0.0222	0.5500	0.0122
000316	1.5730	1.5775	1.5689	1.5757					1.5862	1.5618	1.5793	1.6657	0.0222	0.5500	0.0122
000317	1.5757	1.5765	1.5700	1.5728					1.5859	1.5615	1.5793	1.6657	0.0222	0.5500	0.0122
000320	1.5728	1.5750	1.5650	1.5695					1.5854	1.5610	1.5793	1.6657	0.0222	0.5500	0.0122
000321	1.5695	1.5776	1.5660	1.5732					1.5821	1.5577	1.5793	1.6657	0.0222	0.5500	0.0122
000322	1.5732	1.5805	1.5615	1.5769					1.5843	1.5599	1.5793	1.6657	0.0222	0.5500	0.0122
000323	1.5769	1.5904	1.5750	1.5866 BV	1.5844				1.5844	1.5600	1.6004	1.5124	0.0222	0.5500	0.0122
000324	1.5866	1.5942	1.5834	1.5928					1.5957	1.5713	1.6004	1.5146	0.0222	0.5500	0.0122
000327	1.5928	1.6005	1.5840	1.5970 SP	1.6004	462.50	1421.88	-1865.62	1.6034	1.5758	1.6004	1.5208	0.0251	0.5500	0.0138
000328	1.5870	1.5910	1.5825	1.5889					1.6084	1.5740	1.6004	1.5208	0.0313	0.5500	0.0172
000329	1.5889	1.5974	1.5812	1.5956					1.6044	1.5700	1.6004	1.5208	0.0313	0.5500	0.0172
000330	1.5956	1.5981	1.5875	1.5963					1.6078	1.5733	1.6004	1.5208	0.0313	0.5500	0.0172
000331	1.5963	1.5989	1.5895	1.5935					1.6065	1.5805	1.6004	1.5208	0.0236	0.5500	0.0130
000403	1.5935	1.5993	1.5870	1.5981					1.6063	1.5819	1.6004	1.5208	0.0222	0.5500	0.0122
000404	1.5981	1.6086	1.5936	1.5964 BV	1.6063				1.6063	1.5819	1.6223	1.5343	0.0222	0.5500	0.0122
000405	1.5964	1.5985	1.5824	1.5838 SV	1.5883	-600.00	821.88	-2465.62	1.6120	1.5883	1.6223	1.5343	0.0216	0.5500	0.0119
000405	1.5964	1.5985	1.5824	1.5838 SV	1.5883				1.6120	1.5883	1.5723	1.6603	0.0216	0.5500	0.0119
000406	1.5838	1.5875	1.5776	1.5810					1.6013	1.5769	1.5723	1.6558	0.0222	0.5500	0.0122
000407	1.5810	1.5855	1.5775	1.5805					1.5959	1.5686	1.5723	1.6530	0.0248	0.5500	0.0136
000410	1.5805	1.5848	1.5790	1.5844					1.5965	1.5661	1.5723	1.6525	0.0276	0.5500	0.0152
000411	1.5844	1.5894	1												

000601	1.4977	1.4966	1.4878	1.4900					1.5151	1.4788	1.5030	1.4198	0.0330	0.5500	0.0181
000602	1.4900	1.5136	1.4940	1.5056 BV	1.5099				1.5099	1.4736	1.5259	1.4379	0.0330	0.5500	0.0181
000605	1.5056	1.5200	1.5072	1.5194					1.5278	1.4806	1.5259	1.4379	0.0429	0.5500	0.0236
000606	1.5194	1.5314	1.5110	1.5292 SP	1.5259	462.50	3134.38	-153.12	1.5338	1.4957	1.5259	1.4474	0.0347	0.5500	0.0191
000607	1.5292	1.5290	1.5187	1.5219					1.5456	1.5000	1.5259	1.4474	0.0414	0.5500	0.0228
000608	1.5219	1.5220	1.5058	1.5118					1.5462	1.5007	1.5259	1.4474	0.0414	0.5500	0.0228
000609	1.5118	1.5135	1.5010	1.5092					1.5362	1.4907	1.5259	1.4474	0.0414	0.5500	0.0228
000612	1.5092	1.5147	1.5035	1.5121					1.5304	1.4849	1.5259	1.4474	0.0414	0.5500	0.0228
000613	1.5121	1.5180	1.5073	1.5089					1.5252	1.4942	1.5259	1.4474	0.0282	0.5500	0.0155
000614	1.5089	1.5110	1.4990	1.5002					1.5274	1.4964	1.5259	1.4474	0.0282	0.5500	0.0155
000615	1.5002	1.5133	1.4960	1.5125					1.5207	1.4874	1.5259	1.4474	0.0302	0.5500	0.0166
000616	1.5125	1.5180	1.5085	1.5150					1.5205	1.4920	1.5259	1.4474	0.0259	0.5500	0.0142
000619	1.5150	1.5170	1.5108	1.5132					1.5258	1.5014	1.5259	1.4474	0.0222	0.5500	0.0122
000620	1.5132	1.5202	1.5046	1.5188					1.5260	1.5016	1.5259	1.4474	0.0222	0.5500	0.0122
000621	1.5188	1.5175	1.4945	1.4989 SV	1.5015				1.5259	1.5015	1.4855	1.5735	0.0222	0.5500	0.0122
000622	1.4989	1.5160	1.4965	1.5144					1.5179	1.4912	1.4855	1.5709	0.0243	0.5500	0.0134
000623	1.5144	1.5135	1.4985	1.5037					1.5212	1.4945	1.4855	1.5709	0.0243	0.5500	0.0134
000626	1.5037	1.5035	1.4968	1.4990					1.5189	1.4922	1.4855	1.5709	0.0243	0.5500	0.0134
000627	1.4990	1.5068	1.4932	1.5066					1.5133	1.4866	1.4855	1.5709	0.0243	0.5500	0.0134
000628	1.5066	1.5136	1.5020	1.5112					1.5154	1.4872	1.4855	1.5709	0.0256	0.5500	0.0141
000629	1.5112	1.5212	1.5110	1.5192					1.5226	1.4944	1.4855	1.5709	0.0256	0.5500	0.0141
000630	1.5192	1.5212	1.5105	1.5165					1.5290	1.5045	1.4855	1.5709	0.0223	0.5500	0.0123
000703	1.5165	1.5185	1.5095	1.5133					1.5303	1.5017	1.4855	1.5709	0.0260	0.5500	0.0143
000704	1.5133	1.5170	1.5115	1.5155					1.5282	1.4996	1.4855	1.5709	0.0260	0.5500	0.0143
000705	1.5155	1.5175	1.5085	1.5091					1.5288	1.5002	1.4855	1.5709	0.0260	0.5500	0.0143
000706	1.5091	1.5152	1.5070	1.5072					1.5244	1.5000	1.4855	1.5709	0.0222	0.5500	0.0122
000707	1.5072	1.5176	1.5045	1.5128					1.5225	1.4981	1.4855	1.5709	0.0222	0.5500	0.0122
000710	1.5128	1.5195	1.5101	1.5117					1.5236	1.4992	1.4855	1.5709	0.0222	0.5500	0.0122
000711	1.5117	1.5170	1.5115	1.5162					1.5264	1.5020	1.4855	1.5709	0.0222	0.5500	0.0122
000712	1.5162	1.5180	1.5058	1.5066					1.5268	1.5024	1.4855	1.5709	0.0222	0.5500	0.0122
000713	1.5066	1.5070	1.4982	1.5018					1.5230	1.4986	1.4855	1.5709	0.0222	0.5500	0.0122
000714	1.5018	1.5050	1.4975	1.4981					1.5146	1.4902	1.4855	1.5709	0.0222	0.5500	0.0122
000717	1.4981	1.5010	1.4905	1.4945					1.5128	1.4884	1.4855	1.5701	0.0222	0.5500	0.0122
000718	1.4945	1.4995	1.4910	1.4975					1.5096	1.4814	1.4855	1.5665	0.0257	0.5500	0.0141
000719	1.4975	1.4985	1.4926	1.4968					1.5098	1.4816	1.4855	1.5665	0.0257	0.5500	0.0141
000720	1.4968	1.5139	1.4905	1.5129 BV	1.5099	-300.00	2834.38	-453.12	1.5099	1.4817	1.4855	1.5665	0.0257	0.5500	0.0141
000720	1.4968	1.5139	1.4905	1.5129 BV	1.5099				1.5099	1.4817	1.5259	1.4379	0.0257	0.5500	0.0141
000721	1.5129	1.5206	1.5090	1.5190					1.5165	1.4921	1.5259	1.4409	0.0222	0.5500	0.0122
000724	1.5190	1.5215	1.5126	1.5154					1.5300	1.5013	1.5259	1.4470	0.0261	0.5500	0.0144
000725	1.5154	1.5222	1.5135	1.5170					1.5324	1.5010	1.5259	1.4470	0.0285	0.5500	0.0157
000726	1.5170	1.5225	1.5136	1.5152					1.5334	1.5020	1.5259	1.4470	0.0285	0.5500	0.0157
000727	1.5152	1.5175	1.5105	1.5135					1.5332	1.5018	1.5259	1.4470	0.0285	0.5500	0.0157
000728	1.5135	1.5140	1.4984	1.5052					1.5296	1.4982	1.5259	1.4470	0.0285	0.5500	0.0157
000731	1.5052	1.5050	1.4944	1.4996					1.5182	1.4938	1.5259	1.4470	0.0222	0.5500	0.0122
000801	1.4996	1.5024	1.4920	1.4920					1.5132	1.4862	1.5259	1.4470	0.0246	0.5500	0.0135
000802	1.4920	1.4960	1.4863	1.4921					1.5099	1.4824	1.5259	1.4470	0.0250	0.5500	0.0137
000803	1.4921	1.4990	1.4825	1.4947					1.5082	1.4745	1.5259	1.4470	0.0307	0.5500	0.0169
000804	1.4947	1.5081	1.4887	1.5025					1.5095	1.4736	1.5259	1.4470	0.0327	0.5500	0.0180
000807	1.5025	1.5124	1.5000	1.5110					1.5163	1.4822	1.5259	1.4470	0.0310	0.5500	0.0171
000808	1.5110	1.5125	1.5010	1.5046					1.5196	1.4947	1.5259	1.4470	0.0227	0.5500	0.0125
000809	1.5046	1.5055	1.4990	1.5012					1.5220	1.4906	1.5259	1.4470	0.0285	0.5500	0.0157
000810	1.5012	1.5035	1.4950	1.4970					1.5177	1.4864	1.5259	1.4470	0.0285	0.5500	0.0157
000811	1.4970	1.5079	1.4970	1.5029					1.5145	1.4831	1.5259	1.4470	0.0285	0.5500	0.0157
000814	1.5029	1.5111	1.5005	1.5039					1.5148	1.4903	1.5259	1.4470	0.0223	0.5500	0.0123
000815	1.5039	1.5140	1.5029	1.5137					1.5176	1.4932	1.5259	1.4470	0.0222	0.5500	0.0122
000816	1.5137	1.5060	1.4975	1.5009					1.5217	1.4973	1.5259	1.4470	0.0222	0.5500	0.0122
000817	1.5009	1.5015	1.4966	1.4996					1.5138	1.4894	1.5259	1.4470	0.0222	0.5500	0.0122
000818	1.4996	1.4975	1.4878	1.4894					1.5114	1.4870	1.5259	1.4470	0.0222	0.5500	0.0122
000821	1.4894	1.4930	1.4862	1.4874					1.5062	1.4778	1.5259	1.4470	0.0259	0.5500	0.0142
000822	1.4874	1.4890	1.4783	1.4841					1.5043	1.4740	1.5259	1.4470	0.0275	0.5500	0.0151
000823	1.4841	1.4883	1.4760	1.4867					1.5032	1.4643	1.5259	1.4470	0.0354	0.5500	0.0195
000824	1.4867	1.4880	1.4765	1.4828					1.5038	1.4623	1.5259	1.4470	0.0377	0.5500	0.0207
000825	1.4820	1.4825	1.4702	1.4712					1.4959	1.4685	1.5259	1.4470	0.0249	0.5500	0.0137
000828	1.4712	1.4740	1.4690	1.4707					1.4915	1.4591	1.5259	1.4470	0.0294	0.5500	0.0162
000829	1.4707	1.4720	1.4555	1.4565 SV	1.4593	-1618.75	1215.63	-2071.87	1.4833	1.4593	1.5259	1.4470	0.0218	0.5500	0.0120
000829	1.4707	1.4720	1.4555	1.4565 SV	1.4593				1.4833	1.4593	1.4433	1.5313	0.0218	0.5500	0.0120
000830	1.4565	1.4595	1.4420	1.4585 BP	1.4433	462.50	1678.13	-1675.00	1.4798	1.4448	1.4433	1.5285	0.0319	0.5500	0.0175
000831	1.4585	1.4590	1.4456	1.4506					1.4769	1.4277	1.4433	1.5285	0.0447	0.5500	0.0246
000901	1.4506	1.4626	1.4465	1.4606					1.4765	1.4274	1.4433	1.5285	0.0447	0.5500	0.0246
000904	1.4606	1.4660	1.4570	1.4585					1.4778	1.4338	1.4433	1.5285	0.0400	0.5500	0.0220
000905	1.4585	1.4585	1.4475	1.4539					1.4770	1.4448	1.4433	1.5285	0.0292	0.5500	0.0161
000906	1.4539	1.4550	1.4385	1.4389					1.4690	1.4374	1.4433	1.5285	0.0287	0.5500	0.0158
000907	1.4389	1.4418	1.4315	1.4382 SV	1.4330				1.4573	1.4330	1.4170	1.5050	0.0221	0.5500	0.0122
000908	1.4382	1.4315	1.4182	1.4208					1.4530	1.4210	1.4170	1.5050	0.0291	0.5500	0.0160
000911	1.4208	1.4230	1.4058	1.4084 BP	1.4170	462.50	2140.63	-1212.50	1.4474	1.4007	1.4170	1.4928	0.0424	0.5500	0.0233
000912	1.4084	1.4155	1.3955	1.4067					1.4433	1.3831	1.4170	1.4928	0.0548	0.5500	0.0301
000913	1.4067	1.4127	1.4030	1.4091					1.4404	1.3711	1.4170	1.4928	0.0630	0.5500	0.0347
000914	1.4091	1.4215	1.4030	1.4065					1.4402	1.3760	1.4170	1.4928	0.0584	0.5500	0.0321
000915	1.4065	1.4135	1.3980	1.3992					1.4350	1.3872	1.4170	1.4928	0.0434	0.5500	0.0239
000918	1.3992	1.4066	1.3955	1.4058											

001103	1.4465	1.4550	1.4395	1.4505				1.4678	1.4296	1.4643	1.3817	0.0347	0.5500	0.0191	
001106	1.4505	1.4520	1.4249	1.4291 SV	1.4296			1.4662	1.4296	1.4136	1.5016	0.0332	0.5500	0.0183	
001107	1.4291	1.4353	1.4240	1.4345				1.4524	1.4207	1.4136	1.5011	0.0288	0.5500	0.0158	
001108	1.4345	1.4360	1.4195	1.4228				1.4462	1.4150	1.4136	1.5011	0.0284	0.5500	0.0156	
001109	1.4228	1.4338	1.4130	1.4320 BP	1.4136	462.50	2756.25	-596.87	1.4438	1.4097	1.4136	1.4948	0.0310	0.5500	0.0171
001110	1.4320	1.4355	1.4255	1.4275				1.4457	1.4045	1.4136	1.4948	0.0375	0.5500	0.0206	
001113	1.4275	1.4411	1.4255	1.4393				1.4505	1.4093	1.4136	1.4948	0.0375	0.5500	0.0206	
001114	1.4393	1.4420	1.4261	1.4295				1.4551	1.4139	1.4136	1.4948	0.0375	0.5500	0.0206	
001115	1.4295	1.4335	1.4229	1.4265				1.4476	1.4187	1.4136	1.4948	0.0263	0.5500	0.0145	
001116	1.4265	1.4280	1.4208	1.4236				1.4423	1.4134	1.4136	1.4948	0.0263	0.5500	0.0145	
001117	1.4236	1.4270	1.4200	1.4230				1.4387	1.4098	1.4136	1.4948	0.0263	0.5500	0.0145	
001120	1.4230	1.4279	1.4195	1.4231				1.4356	1.4112	1.4136	1.4948	0.0222	0.5500	0.0122	
001121	1.4231	1.4290	1.4143	1.4175				1.4358	1.4114	1.4136	1.4948	0.0222	0.5500	0.0122	
001122	1.4175	1.4225	1.4071	1.4105 SV	1.4071			1.4346	1.4071	1.3911	1.4791	0.0250	0.5500	0.0137	
001123	1.4105	1.4110	1.3985	1.3985				1.4263	1.4016	1.3911	1.4791	0.0224	0.5500	0.0123	
001124	1.3985	1.4078	1.3955	1.4000				1.4189	1.3881	1.3911	1.4705	0.0280	0.5500	0.0154	
001127	1.4000	1.4197	1.4000	1.4185 BV	1.4181	-381.25	2375.00	-978.12	1.4181	1.3845	1.3911	1.4705	0.0305	0.5500	0.0168
001127	1.4000	1.4197	1.4000	1.4185 BV	1.4181			1.4181	1.3845	1.4341	1.3461	0.0305	0.5500	0.0168	
001128	1.4185	1.4225	1.4140	1.4183				1.4284	1.3948	1.4341	1.3465	0.0305	0.5500	0.0168	
001129	1.4183	1.4267	1.4160	1.4235				1.4350	1.4015	1.4341	1.3465	0.0305	0.5500	0.0168	
001130	1.4235	1.4276	1.4136	1.4250				1.4373	1.4063	1.4341	1.3515	0.0282	0.5500	0.0155	
001201	1.4250	1.4412	1.4230	1.4380 SP	1.4341	462.50	2837.50	-515.62	1.4375	1.4055	1.4341	1.3530	0.0291	0.5500	0.0160
001204	1.4380	1.4562	1.4380	1.4586				1.4568	1.4098	1.4341	1.3530	0.0427	0.5500	0.0235	
001205	1.4536	1.4459	1.4339	1.4343				1.4793	1.4175	1.4341	1.3530	0.0562	0.5500	0.0309	
001206	1.4343	1.4427	1.4310	1.4421				1.4608	1.4168	1.4341	1.3530	0.0400	0.5500	0.0220	
001207	1.4421	1.4495	1.4384	1.4430				1.4599	1.4159	1.4341	1.3530	0.0400	0.5500	0.0220	
001208	1.4430	1.4538	1.4425	1.4454				1.4658	1.4218	1.4341	1.3530	0.0400	0.5500	0.0220	
001211	1.4454	1.4580	1.4430	1.4574				1.4648	1.4304	1.4341	1.3530	0.0312	0.5500	0.0172	
001212	1.4574	1.4580	1.4450	1.4498				1.4649	1.4388	1.4341	1.3530	0.0237	0.5500	0.0130	
001213	1.4498	1.4553	1.4440	1.4541				1.4657	1.4366	1.4341	1.3530	0.0264	0.5500	0.0145	
001214	1.4541	1.4728	1.4540	1.4714 BV	1.4651			1.4651	1.4360	1.4811	1.3931	0.0264	0.5500	0.0145	
001215	1.4714	1.4775	1.4682	1.4752				1.4819	1.4481	1.4811	1.3994	0.0307	0.5500	0.0169	
001218	1.4752	1.4790	1.4649	1.4733				1.4923	1.4543	1.4811	1.4032	0.0345	0.5500	0.0190	
001219	1.4733	1.4760	1.4621	1.4673				1.4907	1.4537	1.4811	1.4032	0.0336	0.5500	0.0185	
001220	1.4673	1.4795	1.4673	1.4773				1.4859	1.4515	1.4811	1.4032	0.0312	0.5500	0.0172	
001221	1.4773	1.4842	1.4665	1.4722 SP	1.4811	462.50	3300.00	-53.12	1.4913	1.4570	1.4811	1.4053	0.0312	0.5500	0.0172
001222	1.4722	1.4835	1.4705	1.4769				1.4913	1.4582	1.4811	1.4053	0.0301	0.5500	0.0166	
001225	1.4769	1.4769	1.4769	1.4769				1.4892	1.4648	1.4811	1.4053	0.0222	0.5500	0.0122	
001226	1.4769	1.4849	1.4745	1.4841				1.4891	1.4647	1.4811	1.4053	0.0222	0.5500	0.0122	
001227	1.4841	1.4972	1.4805	1.4942 BV	1.4928			1.4928	1.4684	1.5088	1.4208	0.0222	0.5500	0.0122	
001228	1.4942	1.4980	1.4864	1.4924				1.5064	1.4735	1.5088	1.4222	0.0299	0.5500	0.0164	
001229	1.4924	1.4965	1.4870	1.4929				1.5075	1.4770	1.5088	1.4222	0.0277	0.5500	0.0152	
010101	1.4929	1.6290	1.6290	1.6290 SP	1.5088	462.50	3762.50	0.00	1.5062	1.4778	1.5088	1.4222	0.0258	0.5500	0.0142
010102	1.6290	1.5013	1.4885	1.4989 SV	1.5453			1.7127	1.5453	1.5293	1.6173	0.1521	0.5500	0.0837	
010102	1.6290	1.5013	1.4885	1.4989 BP	1.5293	462.50	4225.00	0.00	1.7127	0.0000	1.5293	1.6173	0.1521	0.5500	0.0837
010103	1.4989	1.5095	1.4896	1.4914				1.5807	1.4107	1.5293	1.6173	0.1545	0.5500	0.0850	
010104	1.4914	1.5040	1.4885	1.5005				1.5796	1.4162	1.5293	1.6173	0.1485	0.5500	0.0817	
010105	1.5005	1.5075	1.4944	1.5030				1.5755	1.4187	1.5293	1.6173	0.1426	0.5500	0.0784	
010108	1.5030	1.5105	1.4930	1.4978				1.5795	1.4233	1.5293	1.6173	0.1420	0.5500	0.0781	
010109	1.4978	1.4970	1.4872	1.4910				1.5782	1.4237	1.5293	1.6173	0.1405	0.5500	0.0773	
010110	1.4910	1.4945	1.4860	1.4900				1.5699	1.4139	1.5293	1.6173	0.1418	0.5500	0.0780	
010111	1.4900	1.5015	1.4870	1.4950				1.5024	1.4780	1.5293	1.6173	0.0222	0.5500	0.0122	
010112	1.4950	1.5030	1.4758	1.4788 SV	1.4822			1.5066	1.4822	1.4662	1.5542	0.0222	0.5500	0.0122	
010115	1.4788	1.4806	1.4710	1.4775				1.5022	1.4723	1.4662	1.5508	0.0272	0.5500	0.0150	
010116	1.4775	1.4790	1.4664	1.4704				1.4937	1.4585	1.4662	1.5495	0.0320	0.5500	0.0176	
010117	1.4704	1.4758	1.4690	1.4750				1.4895	1.4550	1.4662	1.5424	0.0314	0.5500	0.0173	
010118	1.4750	1.4775	1.4690	1.4730				1.4909	1.4550	1.4662	1.5424	0.0326	0.5500	0.0179	
010119	1.4730	1.4765	1.4638	1.4642 BP	1.4662	462.50	4687.50	0.00	1.4911	1.4553	1.4662	1.5424	0.0326	0.5500	0.0179
010122	1.4642	1.4670	1.4515	1.4651				1.4869	1.4510	1.4662	1.5424	0.0326	0.5500	0.0179	
010123	1.4651	1.4740	1.4640	1.4699				1.4754	1.4454	1.4662	1.5424	0.0273	0.5500	0.0150	
010124	1.4699	1.4700	1.4562	1.4590				1.4835	1.4549	1.4662	1.5424	0.0260	0.5500	0.0143	
010125	1.4590	1.4632	1.4469	1.4602 SV	1.4494			1.4752	1.4494	1.4334	1.5214	0.0235	0.5500	0.0129	
010126	1.4602	1.4685	1.4553	1.4597				1.4715	1.4406	1.4334	1.5214	0.0281	0.5500	0.0155	
010129	1.4597	1.4645	1.4555	1.4591				1.4758	1.4471	1.4334	1.5214	0.0261	0.5500	0.0144	
010130	1.4591	1.4637	1.4555	1.4627				1.4725	1.4472	1.4334	1.5214	0.0230	0.5500	0.0127	
010131	1.4627	1.4670	1.4571	1.4640				1.4729	1.4476	1.4334	1.5214	0.0230	0.5500	0.0127	
010201	1.4640	1.4831	1.4625	1.4791 BV	1.4751	-840.63	3846.88	-840.63	1.4751	1.4498	1.4334	1.5214	0.0230	0.5500	0.0127
010201	1.4640	1.4831	1.4625	1.4791 BV	1.4751			1.4751	1.4498	1.4911	1.4031	0.0230	0.5500	0.0127	
010202	1.4791	1.4830	1.4648	1.4668				1.4873	1.4608	1.4911	1.4071	0.0241	0.5500	0.0133	
010205	1.4668	1.4783	1.4685	1.4755				1.4857	1.4593	1.4911	1.4071	0.0240	0.5500	0.0132	
010206	1.4755	1.4760	1.4573	1.4587 SV	1.4606	-490.62	3356.25	-1331.25	1.4870	1.4606	1.4911	1.4071	0.0240	0.5500	0.0132
010206	1.4755	1.4760	1.4573	1.4587 SV	1.4606			1.4870	1.4606	1.4446	1.5326	0.0240	0.5500	0.0132	
010207	1.4587	1.4647	1.4540	1.4555				1.4783	1.4519	1.4446	1.5307	0.0240	0.5500	0.0132	
010208	1.4555	1.4550	1.4419	1.4443 BP	1.4446	462.50	3818.75	-868.75	1.4724	1.4448	1.4446	1.5275	0.0251	0.5500	0.0138
010209	1.4443	1.4501	1.4375	1.4467				1.4681	1.4272	1.4446	1.5275	0.0372	0.5500	0.0205	
010212	1.4467	1.4548	1.4340	1.4518				1.4673	1.4215	1.4446	1.5275	0.0416	0.5500	0.0229	
010213	1.4518	1.4575	1.4480	1.4524				1.4687	1.4231	1.4446	1.5275	0.0415	0.5500	0.0228	
010214	1.4524	1.4612	1.4510	1.4572				1.4755	1.4299	1.4446	1.5275	0.0415	0.5500	0.0228	
010215	1.4572	1.4605	1.4450	1.4488				1.4699	1.4427	1.4446	1.5275	0.0247	0.5500	0.0136	
010216	1.4488	1.4575	1.4485	1.4498				1.4647	1.4392	1.4446	1.5275	0.0232	0.5500	0.0128	
010219															

010405	1.4341	1.4400	1.4242	1.4280					1.4475	1.4192	1.4483	1.3621	0.0257	0.5500	0.0141	
010406	1.4280	1.4414	1.4255	1.4372					1.4454	1.4171	1.4483	1.3621	0.0257	0.5500	0.0141	
010409	1.4372	1.4501	1.4380	1.4463	SP	1.4483	462.50	4165.63	-521.87	1.4477	1.4207	1.4483	1.3652	0.0246	0.5500	0.0135
010410	1.4463	1.4460	1.4326	1.4337					1.4628	1.4262	1.4483	1.3652	0.0333	0.5500	0.0183	
010411	1.4337	1.4385	1.4269	1.4365					1.4565	1.4199	1.4483	1.3652	0.0333	0.5500	0.0183	
010412	1.4365	1.4414	1.4325	1.4390					1.4456	1.4213	1.4483	1.3652	0.0221	0.5500	0.0122	
010413	1.4390	1.4395	1.4363	1.4380					1.4495	1.4252	1.4483	1.3652	0.0221	0.5500	0.0122	
010416	1.4380	1.4380	1.4321	1.4347					1.4501	1.4258	1.4483	1.3652	0.0221	0.5500	0.0122	
010417	1.4347	1.4425	1.4267	1.4297					1.4472	1.4228	1.4483	1.3652	0.0222	0.5500	0.0122	
010418	1.4297	1.4333	1.4186	1.4269	SV	1.4214			1.4458	1.4214	1.4054	1.4934	0.0222	0.5500	0.0122	
010419	1.4269	1.4452	1.4260	1.4440	BV	1.4383	-565.63	3600.00	-1087.50	1.4383	1.4139	1.4054	1.4934	0.0222	0.5500	0.0122
010419	1.4269	1.4452	1.4260	1.4440	BV	1.4383			1.4383	1.4139	1.4543	1.3663	0.0222	0.5500	0.0122	
010420	1.4440	1.4485	1.4368	1.4420					1.4495	1.4251	1.4543	1.3720	0.0222	0.5500	0.0122	
010423	1.4420	1.4470	1.4359	1.4395					1.4565	1.4285	1.4543	1.3720	0.0254	0.5500	0.0140	
010424	1.4395	1.4430	1.4350	1.4360					1.4550	1.4271	1.4543	1.3720	0.0254	0.5500	0.0140	
010425	1.4360	1.4418	1.4315	1.4402					1.4524	1.4244	1.4543	1.3720	0.0254	0.5500	0.0140	
010426	1.4402	1.4431	1.4357	1.4411					1.4513	1.4234	1.4543	1.3720	0.0254	0.5500	0.0140	
010427	1.4411	1.4436	1.4328	1.4334					1.4516	1.4279	1.4543	1.3720	0.0216	0.5500	0.0119	
010430	1.4334	1.4375	1.4286	1.4308					1.4494	1.4250	1.4543	1.3720	0.0222	0.5500	0.0122	
010501	1.4308	1.4367	1.4260	1.4343					1.4448	1.4204	1.4543	1.3720	0.0222	0.5500	0.0122	
010502	1.4343	1.4375	1.4295	1.4329					1.4441	1.4197	1.4543	1.3720	0.0222	0.5500	0.0122	
010503	1.4329	1.4370	1.4299	1.4355					1.4456	1.4212	1.4543	1.3720	0.0222	0.5500	0.0122	
010504	1.4355	1.4445	1.4335	1.4385					1.4461	1.4217	1.4543	1.3720	0.0222	0.5500	0.0122	
010507	1.4385	1.4417	1.4353	1.4385					1.4511	1.4267	1.4543	1.3720	0.0222	0.5500	0.0122	
010508	1.4385	1.4390	1.4250	1.4260	SV	1.4263	-412.50	3187.50	-1500.00	1.4507	1.4263	1.4543	1.3720	0.0222	0.5500	0.0122
010508	1.4385	1.4390	1.4250	1.4260	SV	1.4263			1.4507	1.4263	1.4103	1.4983	0.0222	0.5500	0.0122	
010509	1.4260	1.4290	1.4178	1.4216					1.4430	1.4186	1.4103	1.4980	0.0222	0.5500	0.0122	
010510	1.4216	1.4282	1.4179	1.4233					1.4352	1.4108	1.4103	1.4936	0.0222	0.5500	0.0122	
010511	1.4233	1.4235	1.4135	1.4201					1.4357	1.4105	1.4103	1.4936	0.0229	0.5500	0.0126	
010514	1.4201	1.4210	1.4144	1.4196					1.4326	1.4051	1.4103	1.4921	0.0250	0.5500	0.0138	
010515	1.4196	1.4254	1.4170	1.4240					1.4318	1.4043	1.4103	1.4916	0.0250	0.5500	0.0138	
010516	1.4240	1.4311	1.4210	1.4307					1.4355	1.4080	1.4103	1.4916	0.0250	0.5500	0.0138	
010517	1.4307	1.4325	1.4272	1.4310					1.4392	1.4148	1.4103	1.4916	0.0222	0.5500	0.0122	
010518	1.4310	1.4401	1.4265	1.4395					1.4423	1.4179	1.4103	1.4916	0.0222	0.5500	0.0122	
010521	1.4395	1.4415	1.4350	1.4391					1.4467	1.4223	1.4103	1.4916	0.0222	0.5500	0.0122	
010522	1.4391	1.4405	1.4237	1.4271					1.4522	1.4246	1.4103	1.4916	0.0251	0.5500	0.0138	
010523	1.4271	1.4290	1.4169	1.4185					1.4435	1.4187	1.4103	1.4916	0.0225	0.5500	0.0124	
010524	1.4185	1.4210	1.4077	1.4087	BP	1.4103	462.50	3650.00	-1037.50	1.4345	1.4096	1.4103	1.4905	0.0226	0.5500	0.0124
010525	1.4087	1.4228	1.4075	1.4220					1.4307	1.3957	1.4103	1.4905	0.0318	0.5500	0.0175	
010528	1.4220	1.4230	1.4185	1.4210					1.4346	1.3985	1.4103	1.4905	0.0328	0.5500	0.0180	
010529	1.4210	1.4229	1.4150	1.4227					1.4388	1.4028	1.4103	1.4905	0.0328	0.5500	0.0180	
010530	1.4227	1.4278	1.4200	1.4272					1.4372	1.4022	1.4103	1.4905	0.0318	0.5500	0.0175	
010531	1.4272	1.4265	1.4159	1.4251					1.4368	1.4124	1.4103	1.4905	0.0222	0.5500	0.0122	
010601	1.4251	1.4215	1.4116	1.4180					1.4342	1.4098	1.4103	1.4905	0.0222	0.5500	0.0122	
010604	1.4180	1.4215	1.4108	1.4146					1.4290	1.4046	1.4103	1.4905	0.0222	0.5500	0.0122	
010605	1.4146	1.4145	1.4065	1.4110					1.4280	1.4036	1.4103	1.4905	0.0222	0.5500	0.0122	
010606	1.4110	1.4150	1.3891	1.3911	SV	1.3984			1.4228	1.3984	1.3824	1.4704	0.0222	0.5500	0.0122	
010607	1.3911	1.3935	1.3805	1.3902	BP	1.3824	462.50	4112.50	-575.00	1.4208	1.3789	1.3824	1.4631	0.0381	0.5500	0.0210
010608	1.3902	1.3940	1.3773	1.3813					1.4133	1.3620	1.3824	1.4631	0.0467	0.5500	0.0257	
010611	1.3813	1.3875	1.3715	1.3745					1.4111	1.3585	1.3824	1.4631	0.0478	0.5500	0.0263	
010612	1.3745	1.3799	1.3685	1.3733					1.4041	1.3529	1.3824	1.4631	0.0465	0.5500	0.0256	
010613	1.3733	1.3925	1.3710	1.3907					1.3994	1.3487	1.3824	1.4631	0.0461	0.5500	0.0254	
010614	1.3907	1.4027	1.3877	1.4019					1.4069	1.3602	1.3824	1.4631	0.0425	0.5500	0.0234	
010615	1.4019	1.4105	1.3990	1.4045					1.4127	1.3804	1.3824	1.4631	0.0294	0.5500	0.0162	
010618	1.4045	1.4074	1.4005	1.4045					1.4252	1.3842	1.3824	1.4631	0.0372	0.5500	0.0205	
010619	1.4045	1.4050	1.3945	1.4001					1.4245	1.3836	1.3824	1.4631	0.0372	0.5500	0.0205	
010620	1.4001	1.4023	1.3907	1.3989					1.4203	1.3794	1.3824	1.4631	0.0372	0.5500	0.0205	
010621	1.3989	1.4179	1.3945	1.4167	BV	1.4174			1.4174	1.3765	1.4334	1.3454	0.0372	0.5500	0.0205	
010622	1.4167	1.4195	1.4086	1.4116					1.4233	1.3933	1.4334	1.3454	0.0272	0.5500	0.0150	
010625	1.4116	1.4175	1.4115	1.4139					1.4279	1.3993	1.4334	1.3454	0.0260	0.5500	0.0143	
010626	1.4139	1.4177	1.4100	1.4153					1.4287	1.4001	1.4334	1.3454	0.0260	0.5500	0.0143	
010627	1.4153	1.4225	1.4123	1.4165					1.4284	1.3998	1.4334	1.3454	0.0260	0.5500	0.0143	
010628	1.4165	1.4195	1.4056	1.4086					1.4315	1.4029	1.4334	1.3454	0.0260	0.5500	0.0143	
010629	1.4086	1.4148	1.4030	1.4134					1.4247	1.3988	1.4334	1.3454	0.0236	0.5500	0.0130	
010702	1.4134	1.4187	1.4100	1.4161					1.4220	1.3976	1.4334	1.3454	0.0222	0.5500	0.0122	
010703	1.4161	1.4175	1.4048	1.4062					1.4269	1.4025	1.4334	1.3454	0.0222	0.5500	0.0122	
010704	1.4062	1.4090	1.4030	1.4070					1.4224	1.3980	1.4334	1.3454	0.0222	0.5500	0.0122	
010705	1.4070	1.4075	1.3988	1.4004					1.4184	1.3940	1.4334	1.3454	0.0222	0.5500	0.0122	
010706	1.4004	1.4125	1.3965	1.4123					1.4148	1.3904	1.4334	1.3454	0.0222	0.5500	0.0122	
010709	1.4123	1.4125	1.4053	1.4083					1.4183	1.3939	1.4334	1.3454	0.0222	0.5500	0.0122	
010710	1.4083	1.4136	1.4075	1.4110					1.4210	1.3966	1.4334	1.3454	0.0222	0.5500	0.0122	
010711	1.4110	1.4192	1.4070	1.4082					1.4228	1.3984	1.4334	1.3454	0.0222	0.5500	0.0122	
010712	1.4082	1.4100	1.4036	1.4076					1.4243	1.3999	1.4334	1.3454	0.0222	0.5500	0.0122	
010713	1.4076	1.4075	1.3972	1.4020					1.4192	1.3948	1.4334	1.3454	0.0222	0.5500	0.0122	
010716	1.4020	1.4040	1.3980	1.4011					1.4145	1.3901	1.4334	1.3454	0.0222	0.5500	0.0122	
010717	1.4011	1.4066	1.3930	1.3994					1.4132	1.3888	1.4334	1.3454	0.0222	0.5500	0.0122	
010718	1.3994	1.4181	1.3995	1.4173					1.4119	1.3875	1.4334	1.3454	0.0222	0.5500	0.0122	
010719	1.4173	1.4287	1.4149	1.4281					1.4227	1.3983	1.4334	1.3454	0.0222	0.5500	0.0122	
010720	1.4281	1.4357	1.4260	1.4311	SP	1.4334	462.50	4575.00	-112.50	1.4392	1.4069	1.4334	1.3561	0.0293	0.5500	0.0161

010910	1.4612	1.4680	1.4576	1.4584					1.4695	1.4459	1.4747	1.3892	0.0214	0.5500	0.0118	
010911	1.4584	1.4770	1.4530	1.4760	SP	1.4747	462.50	4928.12	-90.63	1.4761	1.4477	1.4747	1.3892	0.0258	0.5500	0.0142
010912	1.4760	1.4775	1.4620	1.4680						1.4863	1.4481	1.4747	1.3892	0.0348	0.5500	0.0191
010913	1.4680	1.4736	1.4650	1.4706						1.4889	1.4499	1.4747	1.3892	0.0355	0.5500	0.0195
010914	1.4706	1.4790	1.4662	1.4714						1.4859	1.4532	1.4747	1.3892	0.0298	0.5500	0.0164
010917	1.4714	1.4785	1.4625	1.4663						1.4867	1.4581	1.4747	1.3892	0.0260	0.5500	0.0143
010918	1.4663	1.4708	1.4599	1.4686						1.4823	1.4570	1.4747	1.3892	0.0230	0.5500	0.0127
010919	1.4686	1.4730	1.4625	1.4694						1.4787	1.4534	1.4747	1.3892	0.0230	0.5500	0.0127
010920	1.4694	1.4690	1.4631	1.4653						1.4803	1.4559	1.4747	1.3892	0.0222	0.5500	0.0122
010921	1.4653	1.4660	1.4513	1.4557	SV	1.4537				1.4781	1.4537	1.4377	1.5257	0.0222	0.5500	0.0122
010924	1.4557	1.4666	1.4530	1.4628						1.4703	1.4459	1.4377	1.5257	0.0222	0.5500	0.0122
010925	1.4628	1.4711	1.4600	1.4701						1.4729	1.4479	1.4377	1.5257	0.0228	0.5500	0.0125
010926	1.4701	1.4772	1.4705	1.4749						1.4787	1.4543	1.4377	1.5257	0.0222	0.5500	0.0122
010927	1.4749	1.4763	1.4711	1.4739						1.4859	1.4622	1.4377	1.5257	0.0215	0.5500	0.0118
010928	1.4739	1.4745	1.4650	1.4724						1.4867	1.4608	1.4377	1.5257	0.0236	0.5500	0.0130
011001	1.4724	1.4811	1.4700	1.4781						1.4833	1.4573	1.4377	1.5257	0.0236	0.5500	0.0130
011002	1.4781	1.4805	1.4618	1.4692						1.4900	1.4621	1.4377	1.5257	0.0254	0.5500	0.0140
011003	1.4692	1.4790	1.4665	1.4748						1.4830	1.4586	1.4377	1.5257	0.0222	0.5500	0.0122
011004	1.4748	1.4787	1.4700	1.4763						1.4854	1.4610	1.4377	1.5257	0.0222	0.5500	0.0122
011005	1.4763	1.4815	1.4745	1.4803						1.4869	1.4625	1.4377	1.5257	0.0222	0.5500	0.0122
011008	1.4803	1.4830	1.4720	1.4750						1.4907	1.4663	1.4377	1.5257	0.0222	0.5500	0.0122
011009	1.4750	1.4745	1.4550	1.4590						1.4892	1.4648	1.4377	1.5257	0.0222	0.5500	0.0122
011010	1.4590	1.4600	1.4482	1.4510						1.4775	1.4497	1.4377	1.5257	0.0253	0.5500	0.0139
011011	1.4510	1.4530	1.4398	1.4446						1.4711	1.4358	1.4377	1.5230	0.0321	0.5500	0.0177
011012	1.4446	1.4540	1.4445	1.4504						1.4683	1.4238	1.4377	1.5166	0.0405	0.5500	0.0223
011015	1.4504	1.4540	1.4464	1.4484						1.4718	1.4272	1.4377	1.5166	0.0405	0.5500	0.0223
011016	1.4484	1.4495	1.4425	1.4477						1.4721	1.4276	1.4377	1.5166	0.0405	0.5500	0.0223
011017	1.4477	1.4526	1.4440	1.4472						1.4657	1.4270	1.4377	1.5166	0.0352	0.5500	0.0194
011018	1.4472	1.4500	1.4420	1.4456						1.4603	1.4359	1.4377	1.5166	0.0222	0.5500	0.0122
011019	1.4456	1.4440	1.4348	1.4352	BP	1.4377	462.50	5390.62	0.00	1.4581	1.4337	1.4377	1.5166	0.0222	0.5500	0.0122
011022	1.4352	1.4350	1.4207	1.4247	SV	1.4264				1.4508	1.4264	1.4104	1.4984	0.0222	0.5500	0.0122
011023	1.4247	1.4255	1.4196	1.4250						1.4436	1.4109	1.4104	1.4967	0.0297	0.5500	0.0163
011024	1.4250	1.4305	1.4245	1.4282						1.4389	1.4072	1.4104	1.4967	0.0288	0.5500	0.0158
011025	1.4282	1.4331	1.4235	1.4289						1.4431	1.4122	1.4104	1.4967	0.0281	0.5500	0.0155
011026	1.4289	1.4379	1.4250	1.4373						1.4436	1.4132	1.4104	1.4967	0.0276	0.5500	0.0152
011029	1.4373	1.4545	1.4360	1.4525	BV	1.4469	-678.12	4712.50	-678.12	1.4469	1.4183	1.4104	1.4967	0.0260	0.5500	0.0143
011029	1.4373	1.4545	1.4360	1.4525	BV	1.4469				1.4469	1.4183	1.4629	1.3749	0.0260	0.5500	0.0143
011030	1.4525	1.4599	1.4515	1.4529						1.4631	1.4303	1.4629	1.3805	0.0298	0.5500	0.0164
011031	1.4529	1.4570	1.4505	1.4552						1.4745	1.4358	1.4629	1.3809	0.0352	0.5500	0.0194
011101	1.4552	1.4685	1.4525	1.4623	SP	1.4629	462.50	5175.00	-268.75	1.4732	1.4348	1.4629	1.3832	0.0349	0.5500	0.0192
011102	1.4623	1.4673	1.4593	1.4615						1.4830	1.4387	1.4629	1.3832	0.0403	0.5500	0.0222
011105	1.4615	1.4615	1.4515	1.4596						1.4847	1.4412	1.4629	1.3832	0.0396	0.5500	0.0218
011106	1.4596	1.4611	1.4560	1.4603						1.4743	1.4400	1.4629	1.3832	0.0312	0.5500	0.0172
011107	1.4603	1.4670	1.4565	1.4624						1.4711	1.4467	1.4629	1.3832	0.0222	0.5500	0.0122
011108	1.4624	1.4660	1.4327	1.4537	SV	1.4497				1.4741	1.4497	1.4337	1.5217	0.0222	0.5500	0.0122
011108	1.4624	1.4660	1.4327	1.4537	BP	1.4337	462.50	5637.50	0.00	1.4741	0.0000	1.4337	1.5217	0.0222	0.5500	0.0122
011109	1.4537	1.4593	1.4475	1.4571						1.4666	1.4339	1.4337	1.5217	0.0297	0.5500	0.0163
011112	1.4571	1.4620	1.4515	1.4575						1.4705	1.4378	1.4337	1.5217	0.0297	0.5500	0.0163
011113	1.4575	1.4550	1.4400	1.4432	SV	1.4406				1.4732	1.4406	1.4246	1.5126	0.0297	0.5500	0.0163
011114	1.4432	1.4447	1.4351	1.4415						1.4630	1.4303	1.4246	1.5126	0.0297	0.5500	0.0163
011115	1.4415	1.4420	1.4304	1.4322						1.4566	1.4239	1.4246	1.5126	0.0297	0.5500	0.0163
011116	1.4322	1.4365	1.4265	1.4281						1.4530	1.4178	1.4246	1.5042	0.0320	0.5500	0.0176
011119	1.4281	1.4280	1.4079	1.4135	BP	1.4246	462.50	6100.00	0.00	1.4479	1.4138	1.4246	1.5001	0.0310	0.5500	0.0171
011120	1.4135	1.4223	1.4115	1.4193						1.4443	1.3898	1.4246	1.5001	0.0496	0.5500	0.0273
011121	1.4193	1.4195	1.4121	1.4153						1.4447	1.3901	1.4246	1.5001	0.0496	0.5500	0.0273
011122	1.4153	1.4180	1.4105	1.4125						1.4351	1.3963	1.4246	1.5001	0.0353	0.5500	0.0194
011123	1.4125	1.4169	1.4040	1.4107						1.4324	1.3954	1.4246	1.5001	0.0336	0.5500	0.0185
011126	1.4107	1.4205	1.4100	1.4114						1.4260	1.3950	1.4246	1.5001	0.0282	0.5500	0.0155
011127	1.4114	1.4165	1.4065	1.4145						1.4277	1.4012	1.4246	1.5001	0.0241	0.5500	0.0133
011128	1.4145	1.4254	1.4135	1.4252	BV	1.4243				1.4243	1.3999	1.4403	1.3523	0.0222	0.5500	0.0122
011129	1.4252	1.4287	1.4210	1.4270						1.4328	1.4084	1.4403	1.3532	0.0222	0.5500	0.0122
011130	1.4270	1.4299	1.4219	1.4239						1.4369	1.4136	1.4403	1.3550	0.0212	0.5500	0.0117
011203	1.4239	1.4265	1.4187	1.4253						1.4382	1.4129	1.4403	1.3550	0.0230	0.5500	0.0127
011204	1.4253	1.4255	1.4199	1.4213						1.4353	1.4109	1.4403	1.3550	0.0222	0.5500	0.0122
011205	1.4213	1.4240	1.4139	1.4155						1.4346	1.4102	1.4403	1.3550	0.0222	0.5500	0.0122
011206	1.4155	1.4296	1.4150	1.4282						1.4305	1.4061	1.4403	1.3550	0.0222	0.5500	0.0122
011207	1.4282	1.4338	1.4235	1.4332						1.4357	1.4113	1.4403	1.3562	0.0222	0.5500	0.0122
011210	1.4332	1.4349	1.4275	1.4333						1.4418	1.4174	1.4403	1.3612	0.0222	0.5500	0.0122
011211	1.4333	1.4395	1.4310	1.4375						1.4438	1.4194	1.4403	1.3613	0.0222	0.5500	0.0122
011212	1.4375	1.4479	1.4385	1.4469	SP	1.4403	462.50	6562.50	0.00	1.4489	1.4225	1.4403	1.3655	0.0240	0.5500	0.0132
011213	1.4469	1.4480	1.4405	1.4421						1.4618	1.4261	1.4403	1.3655	0.0324	0.5500	0.0178
011214	1.4421	1.4568	1.4400	1.4546						1.4617	1.4259	1.4403	1.3655	0.0325	0.5500	0.0179
011217	1.4546	1.4610	1.4520	1.4596						1.4654	1.4339	1.4403	1.3655	0.0286	0.5500	0.0157
011218	1.4596	1.4605	1.4540	1.4566						1.4724	1.4418	1.4403	1.3655	0.0278	0.5500	0.0153
011219	1.4566	1.4575	1.4470	1.4500						1.4728	1.4414	1.4403	1.3655	0.0286	0.5500	0.0157
011220	1.4500	1.4510	1.4425	1.4482						1.4647	1.4389	1.4403	1.3655	0.0235	0.5500	0.0129
011221	1.4482	1.4535	1.4341	1.4375	SV	1.4348				1.4592	1.4348	1.4188	1.5068	0.0222	0.5500	0.0

020214	1.4287	1.4311	1.4255	1.4307					1.4453	1.4175	1.4408	1.3618	0.0253	0.5500	0.0139	
020215	1.4307	1.4341	1.4270	1.4317					1.4427	1.4149	1.4408	1.3618	0.0253	0.5500	0.0139	
020218	1.4317	1.4338	1.4274	1.4285					1.4433	1.4182	1.4408	1.3618	0.0228	0.5500	0.0125	
020219	1.4285	1.4336	1.4225	1.4320					1.4424	1.4180	1.4408	1.3618	0.0222	0.5500	0.0122	
020220	1.4320	1.4330	1.4261	1.4281					1.4410	1.4166	1.4408	1.3618	0.0222	0.5500	0.0122	
020221	1.4281	1.4285	1.4240	1.4247					1.4415	1.4171	1.4408	1.3618	0.0222	0.5500	0.0122	
020222	1.4247	1.4340	1.4240	1.4326					1.4381	1.4137	1.4408	1.3618	0.0222	0.5500	0.0122	
020225	1.4326	1.4325	1.4242	1.4250					1.4419	1.4175	1.4408	1.3618	0.0222	0.5500	0.0122	
020226	1.4250	1.4280	1.4137	1.4163	SV	1.4155	-328.13	6696.87	-328.13	1.4399	1.4155	1.4408	1.3618	0.0222	0.5500	0.0122
020226	1.4250	1.4280	1.4137	1.4163	SV	1.4155				1.4399	1.4155	1.3995	1.4875	0.0222	0.5500	0.0122
020227	1.4163	1.4210	1.4140	1.4195					1.4321	1.4077	1.3995	1.4875	0.0222	0.5500	0.0122	
020228	1.4195	1.4205	1.4111	1.4171					1.4301	1.4057	1.3995	1.4875	0.0222	0.5500	0.0122	
020301	1.4171	1.4236	1.4150	1.4186					1.4279	1.4042	1.3995	1.4875	0.0215	0.5500	0.0118	
020304	1.4186	1.4248	1.4160	1.4226					1.4310	1.4073	1.3995	1.4875	0.0215	0.5500	0.0118	
020305	1.4226	1.4240	1.4173	1.4237					1.4327	1.4090	1.3995	1.4875	0.0215	0.5500	0.0118	
020306	1.4237	1.4260	1.4205	1.4224					1.4335	1.4091	1.3995	1.4875	0.0222	0.5500	0.0122	
020307	1.4224	1.4310	1.4185	1.4282					1.4353	1.4109	1.3995	1.4875	0.0222	0.5500	0.0122	
020308	1.4282	1.4285	1.4189	1.4201					1.4376	1.4132	1.3995	1.4875	0.0222	0.5500	0.0122	
020311	1.4201	1.4228	1.4184	1.4200					1.4352	1.4108	1.3995	1.4875	0.0222	0.5500	0.0122	
020312	1.4200	1.4205	1.4087	1.4157					1.4327	1.4083	1.3995	1.4875	0.0222	0.5500	0.0122	
020313	1.4157	1.4171	1.4096	1.4158					1.4270	1.4026	1.3995	1.4875	0.0222	0.5500	0.0122	
020314	1.4158	1.4227	1.4140	1.4209					1.4260	1.4016	1.3995	1.4875	0.0222	0.5500	0.0122	
020315	1.4209	1.4274	1.4200	1.4240					1.4311	1.4067	1.3995	1.4875	0.0222	0.5500	0.0122	
020318	1.4240	1.4274	1.4205	1.4266					1.4360	1.4116	1.3995	1.4875	0.0222	0.5500	0.0122	
020319	1.4266	1.4300	1.4204	1.4244					1.4367	1.4123	1.3995	1.4875	0.0222	0.5500	0.0122	
020320	1.4244	1.4288	1.4197	1.4280					1.4372	1.4128	1.3995	1.4875	0.0222	0.5500	0.0122	
020321	1.4280	1.4325	1.4170	1.4253					1.4372	1.4128	1.3995	1.4875	0.0222	0.5500	0.0122	
020322	1.4253	1.4280	1.4230	1.4254					1.4371	1.4127	1.3995	1.4875	0.0222	0.5500	0.0122	
020325	1.4254	1.4280	1.4230	1.4257					1.4377	1.4133	1.3995	1.4875	0.0222	0.5500	0.0122	
020326	1.4257	1.4288	1.4228	1.4266					1.4377	1.4133	1.3995	1.4875	0.0222	0.5500	0.0122	
020327	1.4266	1.4275	1.4214	1.4248					1.4382	1.4138	1.3995	1.4875	0.0222	0.5500	0.0122	
020328	1.4248	1.4265	1.4222	1.4254					1.4367	1.4123	1.3995	1.4875	0.0222	0.5500	0.0122	
020329	1.4254	1.4265	1.4235	1.4254					1.4368	1.4124	1.3995	1.4875	0.0222	0.5500	0.0122	
020401	1.4254	1.4434	1.4250	1.4412	BV	1.4373	-718.75	5978.12	-1046.88	1.4373	1.4129	1.3995	1.4875	0.0222	0.5500	0.0122
020401	1.4254	1.4434	1.4250	1.4412	BV	1.4373				1.4373	1.4129	1.4533	1.3653	0.0222	0.5500	0.0122
020402	1.4412	1.4420	1.4350	1.4365					1.4478	1.4234	1.4533	1.3692	0.0222	0.5500	0.0122	
020403	1.4365	1.4385	1.4337	1.4359					1.4503	1.4259	1.4533	1.3692	0.0222	0.5500	0.0122	
020404	1.4359	1.4399	1.4333	1.4339					1.4483	1.4239	1.4533	1.3692	0.0222	0.5500	0.0122	
020405	1.4339	1.4381	1.4320	1.4330					1.4483	1.4239	1.4533	1.3692	0.0222	0.5500	0.0122	
020408	1.4330	1.4357	1.4285	1.4307					1.4468	1.4224	1.4533	1.3692	0.0222	0.5500	0.0122	
020409	1.4307	1.4370	1.4300	1.4360					1.4440	1.4196	1.4533	1.3692	0.0222	0.5500	0.0122	
020410	1.4360	1.4392	1.4356	1.4366					1.4462	1.4218	1.4533	1.3692	0.0222	0.5500	0.0122	
020411	1.4366	1.4408	1.4338	1.4388					1.4494	1.4250	1.4533	1.3692	0.0222	0.5500	0.0122	
020412	1.4388	1.4385	1.4255	1.4365					1.4498	1.4254	1.4533	1.3692	0.0222	0.5500	0.0122	
020415	1.4365	1.4391	1.4350	1.4383					1.4451	1.4207	1.4533	1.3692	0.0222	0.5500	0.0122	
020416	1.4383	1.4413	1.4360	1.4391					1.4495	1.4251	1.4533	1.3692	0.0222	0.5500	0.0122	
020417	1.4391	1.4460	1.4385	1.4443					1.4509	1.4265	1.4533	1.3692	0.0222	0.5500	0.0122	
020418	1.4443	1.4488	1.4440	1.4486					1.4549	1.4305	1.4533	1.3723	0.0222	0.5500	0.0122	
020419	1.4486	1.4496	1.4457	1.4483					1.4590	1.4346	1.4533	1.3766	0.0222	0.5500	0.0122	
020422	1.4483	1.4506	1.4458	1.4498					1.4605	1.4351	1.4533	1.3766	0.0231	0.5500	0.0127	
020423	1.4498	1.4512	1.4467	1.4471					1.4607	1.4363	1.4533	1.3778	0.0222	0.5500	0.0122	
020424	1.4471	1.4508	1.4458	1.4482					1.4608	1.4364	1.4533	1.3778	0.0222	0.5500	0.0122	
020425	1.4482	1.4553	1.4494	1.4547	SP	1.4533	462.50	6440.62	-865.62	1.4605	1.4361	1.4533	1.3778	0.0222	0.5500	0.0122
020426	1.4547	1.4579	1.4508	1.4573					1.4650	1.4406	1.4533	1.3778	0.0222	0.5500	0.0122	
020429	1.4573	1.4633	1.4561	1.4591					1.4671	1.4427	1.4533	1.3778	0.0222	0.5500	0.0122	
020430	1.4591	1.4592	1.4559	1.4575					1.4718	1.4474	1.4533	1.3778	0.0222	0.5500	0.0122	
020501	1.4575	1.4655	1.4550	1.4631					1.4697	1.4453	1.4533	1.3778	0.0222	0.5500	0.0122	
020502	1.4631	1.4677	1.4611	1.4631					1.4730	1.4486	1.4533	1.3778	0.0222	0.5500	0.0122	
020503	1.4631	1.4704	1.4605	1.4676					1.4763	1.4519	1.4533	1.3778	0.0222	0.5500	0.0122	
020506	1.4676	1.4695	1.4662	1.4682					1.4781	1.4537	1.4533	1.3778	0.0222	0.5500	0.0122	
020507	1.4682	1.4693	1.4633	1.4677					1.4801	1.4557	1.4533	1.3778	0.0222	0.5500	0.0122	
020508	1.4677	1.4680	1.4530	1.4556	SV	1.4544			1.4788	1.4544	1.4384	1.5264	0.0222	0.5500	0.0122	
020509	1.4556	1.4618	1.4555	1.4590					1.4717	1.4473	1.4384	1.5264	0.0222	0.5500	0.0122	
020510	1.4590	1.4655	1.4589	1.4625					1.4709	1.4465	1.4384	1.5264	0.0222	0.5500	0.0122	
020513	1.4625	1.4665	1.4556	1.4572					1.4745	1.4501	1.4384	1.5264	0.0222	0.5500	0.0122	
020514	1.4572	1.4578	1.4467	1.4491					1.4725	1.4481	1.4384	1.5264	0.0222	0.5500	0.0122	
020515	1.4491	1.4608	1.4478	1.4600					1.4634	1.4398	1.4384	1.5211	0.0215	0.5500	0.0118	
020516	1.4600	1.4619	1.4543	1.4567					1.4676	1.4432	1.4384	1.5211	0.0222	0.5500	0.0122	
020517	1.4567	1.4628	1.4550	1.4590					1.4700	1.4456	1.4384	1.5211	0.0222	0.5500	0.0122	
020520	1.4590	1.4630	1.4572	1.4596					1.4711	1.4467	1.4384	1.5211	0.0222	0.5500	0.0122	
020521	1.4596	1.4616	1.4532	1.4594					1.4722	1.4478	1.4384	1.5211	0.0222	0.5500	0.0122	
020522	1.4594	1.4630	1.4570	1.4587					1.4700	1.4456	1.4384	1.5211	0.0222	0.5500	0.0122	
020523	1.4587	1.4617	1.4506	1.4542					1.4719	1.4475	1.4384	1.5211	0.0222	0.5500	0.0122	
020524	1.4542	1.4594	1.4513	1.4574					1.4680	1.4436	1.4384	1.5211	0.0222	0.5500	0.0122	
020527	1.4574	1.4590	1.4544	1.4568					1.4680	1.4436	1.4384	1.5211	0.0222	0.5500	0.0122	
020528	1.4568	1.4640	1.4558	1.4594					1.4689	1.4445	1.4384	1.5211	0.0222	0.5500	0.0122	
020529	1.4594	1.4629	1.4575	1.4623					1.4720	1.4476	1.4384	1.5211	0.0222	0.5500	0.0122	
020530	1.4623	1.4686	1.4620	1.4652					1.4728	1.4484	1.4384	1.5211	0.0222	0.5500	0.0122	
020531	1.4652	1.4675	1.4533	1.4659					1.4775	1.4531	1.4384	1.5211	0.0222	0.5500	0.0122	
020603	1.4659	1.4633	1.4550	1.4623					1.4737	1.4493	1.4384	1.5211				

020722	1.5783	1.5820	1.5718	1.5768				1.5978	1.5597	1.6014	1.5134	0.0346	0.5500	0.0190	
020723	1.5768	1.5802	1.5550	1.5572 SV	1.5578	-900.00	6353.12	-953.12	1.5959	1.5578	1.6014	0.0346	0.5500	0.0190	
020723	1.5768	1.5802	1.5550	1.5572 SV	1.5578			1.5959	1.5578	1.5418	1.6298	0.0346	0.5500	0.0190	
020724	1.5572	1.5778	1.5590	1.5758				1.5783	1.5527	1.5418	1.6292	0.0233	0.5500	0.0128	
020725	1.5758	1.5847	1.5710	1.5823				1.5854	1.5543	1.5418	1.6292	0.0283	0.5500	0.0156	
020726	1.5823	1.5865	1.5617	1.5655				1.5943	1.5632	1.5418	1.6292	0.0283	0.5500	0.0156	
020729	1.5655	1.5689	1.5564	1.5610				1.5885	1.5563	1.5418	1.6292	0.0293	0.5500	0.0161	
020730	1.5610	1.5744	1.5565	1.5725				1.5784	1.5462	1.5418	1.6292	0.0293	0.5500	0.0161	
020731	1.5725	1.5740	1.5565	1.5623				1.5830	1.5507	1.5418	1.6292	0.0293	0.5500	0.0161	
020801	1.5623	1.5650	1.5484	1.5592				1.5808	1.5485	1.5418	1.6292	0.0293	0.5500	0.0161	
020802	1.5592	1.5738	1.5600	1.5690				1.5758	1.5386	1.5418	1.6292	0.0339	0.5500	0.0186	
020805	1.5690	1.5702	1.5607	1.5611				1.5860	1.5487	1.5418	1.6292	0.0339	0.5500	0.0186	
020806	1.5611	1.5603	1.5341	1.5363 BP	1.5418	462.50	6815.62	-490.62	1.5778	1.5513	1.5418	1.6292	0.0241	0.5500	0.0133
020807	1.5363	1.5425	1.5315	1.5377				1.5661	1.5239	1.5418	1.6292	0.0384	0.5500	0.0211	
020808	1.5377	1.5420	1.5253	1.5297				1.5597	1.5146	1.5418	1.6292	0.0410	0.5500	0.0226	
020809	1.5297	1.5366	1.5200	1.5238				1.5569	1.5088	1.5418	1.6292	0.0437	0.5500	0.0240	
020812	1.5238	1.5333	1.5230	1.5313				1.5544	1.5004	1.5418	1.6292	0.0490	0.5500	0.0270	
020813	1.5313	1.5349	1.5252	1.5337				1.5557	1.5018	1.5418	1.6292	0.0490	0.5500	0.0270	
020814	1.5337	1.5471	1.5353	1.5371				1.5534	1.5082	1.5418	1.6292	0.0411	0.5500	0.0226	
020815	1.5371	1.5389	1.5301	1.5350				1.5532	1.5276	1.5418	1.6292	0.0233	0.5500	0.0128	
020816	1.5350	1.5394	1.5322	1.5368				1.5474	1.5218	1.5418	1.6292	0.0233	0.5500	0.0128	
020819	1.5368	1.5443	1.5251	1.5263				1.5488	1.5232	1.5418	1.6292	0.0233	0.5500	0.0128	
020820	1.5263	1.5293	1.5221	1.5287				1.5458	1.5202	1.5418	1.6292	0.0233	0.5500	0.0128	
020821	1.5287	1.5344	1.5209	1.5317				1.5385	1.5141	1.5418	1.6292	0.0222	0.5500	0.0122	
020822	1.5317	1.5320	1.5178	1.5214				1.5407	1.5163	1.5418	1.6292	0.0222	0.5500	0.0122	
020823	1.5214	1.5219	1.5163	1.5187				1.5364	1.5120	1.5418	1.6292	0.0222	0.5500	0.0122	
020826	1.5187	1.5247	1.5185	1.5216				1.5316	1.5064	1.5418	1.6292	0.0229	0.5500	0.0126	
020827	1.5216	1.5352	1.5196	1.5350				1.5357	1.5075	1.5418	1.6292	0.0256	0.5500	0.0141	
020828	1.5350	1.5377	1.5312	1.5357				1.5411	1.5167	1.5418	1.6292	0.0222	0.5500	0.0122	
020829	1.5357	1.5500	1.5321	1.5481 BV	1.5469			1.5469	1.5225	1.5629	1.4749	0.0222	0.5500	0.0122	
020830	1.5481	1.5546	1.5461	1.5481				1.5597	1.5252	1.5629	1.4761	0.0313	0.5500	0.0172	
020902	1.5481	1.5515	1.5465	1.5495				1.5696	1.5302	1.5629	1.4761	0.0359	0.5500	0.0197	
020903	1.5495	1.5641	1.5482	1.5628 SP	1.5629	462.50	7278.12	-28.12	1.5688	1.5294	1.5629	1.4775	0.0359	0.5500	0.0197
020904	1.5628	1.5672	1.5603	1.5643				1.5809	1.5341	1.5629	1.4775	0.0425	0.5500	0.0234	
020905	1.5643	1.5723	1.5628	1.5676				1.5816	1.5461	1.5629	1.4775	0.0322	0.5500	0.0177	
020906	1.5676	1.5707	1.5565	1.5577				1.5877	1.5474	1.5629	1.4775	0.0366	0.5500	0.0201	
020909	1.5577	1.5615	1.5585	1.5555				1.5757	1.5491	1.5629	1.4775	0.0242	0.5500	0.0133	
020910	1.5555	1.5615	1.5514	1.5552				1.5724	1.5458	1.5629	1.4775	0.0242	0.5500	0.0133	
020911	1.5552	1.5580	1.5475	1.5529				1.5687	1.5437	1.5629	1.4775	0.0228	0.5500	0.0125	
020912	1.5529	1.5610	1.5516	1.5602				1.5650	1.5406	1.5629	1.4775	0.0222	0.5500	0.0122	
020913	1.5602	1.5657	1.5495	1.5525				1.5693	1.5449	1.5629	1.4775	0.0222	0.5500	0.0122	
020916	1.5525	1.5525	1.5400	1.5434 SV	1.5444			1.5688	1.5444	1.5284	1.6164	0.0222	0.5500	0.0122	
020917	1.5434	1.5410	1.5285	1.5382				1.5579	1.5335	1.5284	1.6154	0.0222	0.5500	0.0122	
020918	1.5382	1.5531	1.5357	1.5489 BV	1.5529	-303.13	6975.00	-331.25	1.5529	1.5180	1.5284	1.6102	0.0317	0.5500	0.0174
020918	1.5382	1.5531	1.5357	1.5489 BV	1.5529			1.5529	1.5180	1.5689	1.4809	0.0317	0.5500	0.0174	
020919	1.5489	1.5596	1.5489	1.5552				1.5627	1.5279	1.5689	1.4809	0.0317	0.5500	0.0174	
020920	1.5552	1.5594	1.5455	1.5537				1.5719	1.5370	1.5689	1.4832	0.0317	0.5500	0.0174	
020923	1.5537	1.5608	1.5480	1.5506				1.5701	1.5353	1.5689	1.4832	0.0317	0.5500	0.0174	
020924	1.5506	1.5610	1.5480	1.5590				1.5683	1.5390	1.5689	1.4832	0.0267	0.5500	0.0147	
020925	1.5590	1.5669	1.5575	1.5585				1.5701	1.5407	1.5689	1.4870	0.0267	0.5500	0.0147	
020926	1.5585	1.5621	1.5546	1.5578				1.5772	1.5457	1.5689	1.4870	0.0287	0.5500	0.0158	
020927	1.5578	1.5612	1.5520	1.5602				1.5704	1.5460	1.5689	1.4870	0.0222	0.5500	0.0122	
020930	1.5602	1.5746	1.5607	1.5695 SP	1.5689	462.50	7437.50	-34.37	1.5695	1.5451	1.5689	1.4882	0.0222	0.5500	0.0122
021001	1.5695	1.5765	1.5663	1.5663				1.5812	1.5548	1.5689	1.4882	0.0240	0.5500	0.0132	
021002	1.5663	1.5688	1.5611	1.5669				1.5846	1.5561	1.5689	1.4882	0.0259	0.5500	0.0142	
021003	1.5669	1.5735	1.5684	1.5689				1.5775	1.5531	1.5689	1.4882	0.0222	0.5500	0.0122	
021004	1.5689	1.5705	1.5644	1.5662				1.5827	1.5583	1.5689	1.4882	0.0222	0.5500	0.0122	
021007	1.5662	1.5673	1.5620	1.5643				1.5794	1.5550	1.5689	1.4882	0.0222	0.5500	0.0122	
021008	1.5643	1.5690	1.5522	1.5536 SV	1.5524			1.5768	1.5524	1.5364	1.6244	0.0222	0.5500	0.0122	
021009	1.5536	1.5663	1.5505	1.5653				1.5714	1.5470	1.5364	1.6244	0.0222	0.5500	0.0122	
021010	1.5653	1.5685	1.5615	1.5645				1.5720	1.5476	1.5364	1.6244	0.0222	0.5500	0.0122	
021011	1.5645	1.5654	1.5577	1.5609				1.5771	1.5527	1.5364	1.6244	0.0222	0.5500	0.0122	
021014	1.5609	1.5629	1.5566	1.5575				1.5736	1.5492	1.5364	1.6244	0.0222	0.5500	0.0122	
021015	1.5575	1.5577	1.5484	1.5515				1.5715	1.5471	1.5364	1.6244	0.0222	0.5500	0.0122	
021016	1.5515	1.5560	1.5496	1.5539				1.5649	1.5405	1.5364	1.6235	0.0222	0.5500	0.0122	
021017	1.5539	1.5577	1.5491	1.5519				1.5652	1.5408	1.5364	1.6235	0.0222	0.5500	0.0122	
021018	1.5519	1.5516	1.5430	1.5458				1.5653	1.5409	1.5364	1.6235	0.0222	0.5500	0.0122	
021021	1.5458	1.5511	1.5411	1.5435				1.5588	1.5352	1.5364	1.6178	0.0215	0.5500	0.0118	
021022	1.5435	1.5495	1.5414	1.5475				1.5578	1.5334	1.5364	1.6155	0.0222	0.5500	0.0122	
021023	1.5475	1.5509	1.5423	1.5475				1.5581	1.5337	1.5364	1.6155	0.0222	0.5500	0.0122	
021024	1.5475	1.5535	1.5448	1.5519				1.5590	1.5346	1.5364	1.6155	0.0222	0.5500	0.0122	
021025	1.5519	1.5569	1.5511	1.5509				1.5619	1.5375	1.5364	1.6155	0.0222	0.5500	0.0122	
021028	1.5509	1.5634	1.5461	1.5592				1.5656	1.5412	1.5364	1.6155	0.0222	0.5500	0.0122	
021029	1.5592	1.5608	1.5544	1.5586				1.5678	1.5434	1.5364	1.6155	0.0222	0.5500	0.0122	
021030	1.5586	1.5589	1.5551	1.5577				1.5700	1.5456	1.5364	1.6155	0.0222	0.5500	0.0122	
021031	1.5577	1.5651	1.5559	1.5641				1.5693	1.5449	1.5364	1.6155	0.0222	0.5500	0.0122	
021101	1.5641	1.5675	1.5612	1.5639				1.5734	1.5490	1.5364	1.6155	0.0222	0.5500	0.0122	
021104	1.5639	1.5647	1.5520	1.5626				1.5765	1.5521	1.5364	1.6155	0.0222	0.5500	0.0122	
021105	1.5562	1.5675	1.5557	1.5625				1.5701	1.5457	1.5364	1.6155	0.0222	0.5500	0.0122	
021106	1.5625	1.5659	1.5562	1.5643				1.5740	1.5496	1.5364	1.6155	0.0222	0.5500	0.0122	
021107	1.5643	1.5813	1.5627	1.5809 BV	1.5739	-709.38	6728.12	-743.75	1.5739	1.5495	1.5364	1.6155	0.0222	0.5500	0.0122
021107	1.5643	1.5813	1.5627												

021223	1.6033	1.6080	1.5872	1.5920					1.6228	1.5822	1.6113	1.5316	0.0369	0.5500	0.0203	
021224	1.5920	1.5972	1.5897	1.5956					1.6168	1.5762	1.6113	1.5316	0.0369	0.5500	0.0203	
021225	1.5956	1.5979	1.5924	1.5955					1.6061	1.5817	1.6113	1.5316	0.0222	0.5500	0.0122	
021226	1.5955	1.6000	1.5940	1.6000					1.6074	1.5830	1.6113	1.5316	0.0222	0.5500	0.0122	
021227	1.6000	1.6039	1.5985	1.6035					1.6098	1.5854	1.6113	1.5316	0.0222	0.5500	0.0122	
021230	1.6035	1.6063	1.6015	1.6053					1.6139	1.5895	1.6113	1.5316	0.0222	0.5500	0.0122	
021231	1.6053	1.6132	1.6010	1.6106	SP	1.6113	462.50	6800.00	-915.63	1.6164	1.5920	1.6113	1.5333	0.0222	0.5500	0.0122
030101	1.6106	1.6132	1.6010	1.6106					1.6195	1.5961	1.6113	1.5333	0.0212	0.5500	0.0117	
030102	1.6106	1.6104	1.5915	1.5931	SV	1.5956			1.6200	1.5956	1.5796	1.6676	0.0222	0.5500	0.0122	
030103	1.5931	1.6089	1.5909	1.6075					1.6116	1.5872	1.5796	1.6651	0.0222	0.5500	0.0122	
030106	1.6075	1.6160	1.6065	1.6083	BV	1.6136	-600.00	6200.00	-1515.63	1.6136	1.5892	1.5796	1.6651	0.0222	0.5500	0.0122
030106	1.6075	1.6160	1.6065	1.6083	BV	1.6136			1.6136	1.5892	1.6296	1.5416	0.0222	0.5500	0.0122	
030107	1.6083	1.6096	1.6020	1.6042					1.6233	1.5981	1.6296	1.5416	0.0229	0.5500	0.0126	
030108	1.6042	1.6156	1.5965	1.6118					1.6181	1.5929	1.6296	1.5416	0.0229	0.5500	0.0126	
030109	1.6118	1.6163	1.6087	1.6059					1.6198	1.5946	1.6296	1.5416	0.0229	0.5500	0.0126	
030110	1.6059	1.6146	1.6044	1.6094					1.6239	1.5984	1.6296	1.5416	0.0232	0.5500	0.0128	
030113	1.6094	1.6095	1.5992	1.6004					1.6222	1.5967	1.6296	1.5416	0.0232	0.5500	0.0128	
030114	1.6004	1.6119	1.5988	1.6059					1.6158	1.5914	1.6296	1.5416	0.0222	0.5500	0.0122	
030115	1.6059	1.6070	1.5961	1.6040					1.6177	1.5933	1.6296	1.5416	0.0222	0.5500	0.0122	
030116	1.6040	1.6145	1.6021	1.6117					1.6142	1.5898	1.6296	1.5416	0.0222	0.5500	0.0122	
030117	1.6117	1.6200	1.6080	1.6169					1.6212	1.5968	1.6296	1.5416	0.0222	0.5500	0.0122	
030120	1.6169	1.6130	1.6030	1.6090					1.6268	1.6024	1.6296	1.5449	0.0222	0.5500	0.0122	
030121	1.6090	1.6174	1.6019	1.6156					1.6204	1.5960	1.6296	1.5449	0.0222	0.5500	0.0122	
030122	1.6156	1.6180	1.6078	1.6175					1.6230	1.5986	1.6296	1.5449	0.0222	0.5500	0.0122	
030123	1.6175	1.6245	1.6159	1.6219					1.6260	1.6016	1.6296	1.5455	0.0222	0.5500	0.0122	
030124	1.6219	1.6344	1.6210	1.6342	SP	1.6296	462.50	6662.50	-1053.13	1.6327	1.6083	1.6296	1.5499	0.0222	0.5500	0.0122
030127	1.6342	1.6410	1.6282	1.6364					1.6430	1.6150	1.6296	1.5499	0.0254	0.5500	0.0140	
030128	1.6364	1.6415	1.6308	1.6393					1.6527	1.6172	1.6296	1.5499	0.0323	0.5500	0.0178	
030129	1.6393	1.6494	1.6393	1.6468					1.6558	1.6178	1.6296	1.5499	0.0345	0.5500	0.0190	
030130	1.6468	1.6550	1.6393	1.6527					1.6634	1.6262	1.6296	1.5499	0.0338	0.5500	0.0186	
030131	1.6527	1.6570	1.6423	1.6470					1.6689	1.6276	1.6296	1.5499	0.0375	0.5500	0.0206	
030203	1.6470	1.6480	1.6361	1.6413					1.6684	1.6298	1.6296	1.5499	0.0351	0.5500	0.0193	
030204	1.6413	1.6497	1.6414	1.6487					1.6554	1.6284	1.6296	1.5499	0.0245	0.5500	0.0135	
030205	1.6487	1.6534	1.6386	1.6440					1.6582	1.6341	1.6296	1.5499	0.0219	0.5500	0.0120	
030206	1.6440	1.6475	1.6337	1.6371					1.6578	1.6334	1.6296	1.5499	0.0222	0.5500	0.0122	
030207	1.6371	1.6384	1.6232	1.6320	SV	1.6277			1.6521	1.6277	1.6117	1.6997	0.0222	0.5500	0.0122	
030210	1.6320	1.6352	1.6265	1.6281					1.6473	1.6148	1.6117	1.6997	0.0295	0.5500	0.0162	
030211	1.6281	1.6265	1.6139	1.6181					1.6443	1.6163	1.6117	1.6997	0.0255	0.5500	0.0140	
030212	1.6181	1.6220	1.6130	1.6160					1.6389	1.6006	1.6117	1.6901	0.0348	0.5500	0.0191	
030213	1.6160	1.6243	1.6150	1.6208					1.6368	1.5976	1.6117	1.6880	0.0357	0.5500	0.0196	
030214	1.6208	1.6230	1.6096	1.6108	BP	1.6117	462.50	7125.00	-590.63	1.6372	1.6026	1.6117	1.6880	0.0315	0.5500	0.0173
030217	1.6108	1.6140	1.5970	1.5995	SV	1.6001			1.6303	1.6001	1.5841	1.6721	0.0275	0.5500	0.0151	
030218	1.5995	1.6035	1.5900	1.5916					1.6235	1.5850	1.5841	1.6715	0.0350	0.5500	0.0192	
030219	1.5916	1.5979	1.5896	1.5971					1.6167	1.5748	1.5841	1.6636	0.0381	0.5500	0.0210	
030220	1.5971	1.6019	1.5909	1.5938					1.6124	1.5764	1.5841	1.6636	0.0327	0.5500	0.0180	
030221	1.5938	1.5977	1.5769	1.5795	BP	1.5841	462.50	7587.50	-128.13	1.6139	1.5779	1.5841	1.6636	0.0327	0.5500	0.0180
030224	1.5795	1.5880	1.5743	1.5852					1.6099	1.5616	1.5841	1.6636	0.0439	0.5500	0.0241	
030225	1.5852	1.5891	1.5701	1.5743					1.6020	1.5619	1.5841	1.6636	0.0365	0.5500	0.0201	
030226	1.5743	1.5839	1.5720	1.5795					1.5947	1.5624	1.5841	1.6636	0.0294	0.5500	0.0162	
030227	1.5795	1.5871	1.5756	1.5804					1.5934	1.5631	1.5841	1.6636	0.0276	0.5500	0.0152	
030228	1.5804	1.5835	1.5727	1.5739					1.5963	1.5660	1.5841	1.6636	0.0276	0.5500	0.0152	
030303	1.5739	1.5812	1.5715	1.5784					1.5903	1.5642	1.5841	1.6636	0.0237	0.5500	0.0130	
030304	1.5784	1.5858	1.5784	1.5811					1.5890	1.5646	1.5841	1.6636	0.0222	0.5500	0.0122	
030305	1.5811	1.6046	1.5811	1.6024	BV	1.5941			1.5941	1.5697	1.6101	1.5221	0.0222	0.5500	0.0122	
030306	1.6024	1.6070	1.5990	1.6023					1.6116	1.5779	1.6101	1.5304	0.0307	0.5500	0.0169	
030307	1.6023	1.6092	1.5964	1.6010					1.6211	1.5847	1.6101	1.5304	0.0331	0.5500	0.0182	
030310	1.6010	1.6037	1.5932	1.6000					1.6219	1.5830	1.6101	1.5304	0.0353	0.5500	0.0194	
030311	1.6000	1.6082	1.5980	1.6058					1.6182	1.5793	1.6101	1.5304	0.0353	0.5500	0.0194	
030312	1.6058	1.6157	1.6049	1.6118	SP	1.6101	462.50	8050.00	0.00	1.6206	1.5867	1.6101	1.5338	0.0308	0.5500	0.0169
030313	1.6118	1.6132	1.5995	1.6011					1.6296	1.5916	1.6101	1.5338	0.0346	0.5500	0.0190	
030314	1.6011	1.6025	1.5790	1.5838	SV	1.5931			1.6175	1.5931	1.5771	1.6651	0.0222	0.5500	0.0122	
030317	1.5838	1.5904	1.5658	1.5710	BP	1.5771	462.50	8512.50	0.00	1.6074	1.5713	1.5771	1.6558	0.0328	0.5500	0.0180
030318	1.5710	1.5711	1.5601	1.5665					1.6020	1.5514	1.5771	1.6558	0.0460	0.5500	0.0253	
030319	1.5665	1.5675	1.5535	1.5635					1.5942	1.5373	1.5771	1.6558	0.0517	0.5500	0.0284	
030320	1.5635	1.5700	1.5620	1.5647					1.5932	1.5290	1.5771	1.6558	0.0583	0.5500	0.0321	
030321	1.5647	1.5695	1.5592	1.5640					1.5978	1.5337	1.5771	1.6558	0.0583	0.5500	0.0321	
030324	1.5640	1.5774	1.5643	1.5743					1.5905	1.5381	1.5771	1.6558	0.0476	0.5500	0.0262	
030325	1.5743	1.5795	1.5683	1.5718					1.5882	1.5549	1.5771	1.6558	0.0303	0.5500	0.0167	
030326	1.5718	1.5764	1.5703	1.5744					1.5857	1.5613	1.5771	1.6558	0.0222	0.5500	0.0122	
030327	1.5744	1.5787	1.5630	1.5647					1.5858	1.5614	1.5771	1.6558	0.0222	0.5500	0.0122	
030328	1.5647	1.5780	1.5609	1.5752					1.5818	1.5574	1.5771	1.6558	0.0222	0.5500	0.0122	
030331	1.5752	1.5827	1.5733	1.5820					1.5828	1.5584	1.5771	1.6558	0.0222	0.5500	0.0122	
030401	1.5820	1.5835	1.5716	1.5778					1.5910	1.5666	1.5771	1.6558	0.0222	0.5500	0.0122	
030402	1.5778	1.5820	1.5647	1.5665	SV	1.5654			1.5898	1.5654	1.5494	1.6374	0.0222	0.5500	0.0122	
030403	1.5665	1.5736	1.5595	1.5700					1.5842	1.5598	1.5494	1.6374	0.0222	0.5500	0.0122	
030404	1.5700	1.5732	1.5592	1.5611					1.5796	1.5549	1.5494	1.6374	0.0225	0.5500	0.0124	
030407	1.5611	1.5592	1.5460	1.5514	BP	1.5494	462.50	8975.00	0.00	1.5777	1.5526	1.5494	1.6331	0.0228	0.5500	0.0125
030408	1.5514	1.5568	1.5490	1.5550					1.5722	1.5326	1.5494	1.6331	0.0360	0.5500	0.0198	
030409	1.5550	1.5644	1.5504	1.5628												

030527	1.6395	1.6472	1.6375	1.6387					1.6509	1.6255	1.6372	1.5515	0.0231	0.5500	0.0127	
030528	1.6387	1.6436	1.6308	1.6375					1.6538	1.6294	1.6372	1.5515	0.0222	0.5500	0.0122	
030529	1.6375	1.6550	1.6315	1.6522	BV	1.6495			1.6495	1.6251	1.6655	1.5775	0.0222	0.5500	0.0122	
030530	1.6522	1.6545	1.6356	1.6385					1.6572	1.6328	1.6655	1.5802	0.0222	0.5500	0.0122	
030602	1.6385	1.6397	1.6254	1.6380	SV	1.6320	-584.38	7343.75	-1600.00	1.6555	1.6320	1.6655	1.5802	0.0214	0.5500	0.0118
030602	1.6385	1.6397	1.6254	1.6380	SV	1.6320				1.6555	1.6320	1.6160	1.7040	0.0214	0.5500	0.0118
030603	1.6380	1.6424	1.6234	1.6283					1.6484	1.6189	1.6160	1.7040	0.0268	0.5500	0.0147	
030604	1.6283	1.6347	1.6271	1.6330					1.6478	1.6161	1.6160	1.7003	0.0288	0.5500	0.0158	
030605	1.6330	1.6621	1.6289	1.6600	BV	1.6472	-512.50	6831.25	-2112.50	1.6472	1.6155	1.6160	1.7003	0.0288	0.5500	0.0158
030605	1.6330	1.6621	1.6289	1.6600	BV	1.6472				1.6472	1.6155	1.6632	1.5752	0.0288	0.5500	0.0158
030606	1.6600	1.6709	1.6544	1.6603	SP	1.6632	462.50	7293.75	-1650.00	1.6670	1.6298	1.6632	1.5880	0.0338	0.5500	0.0186
030609	1.6603	1.6655	1.6432	1.6457					1.6856	1.6387	1.6632	1.5880	0.0426	0.5500	0.0234	
030610	1.6457	1.6575	1.6422	1.6515					1.6761	1.6292	1.6632	1.5880	0.0426	0.5500	0.0234	
030611	1.6515	1.6703	1.6501	1.6672					1.6736	1.6267	1.6632	1.5880	0.0426	0.5500	0.0234	
030612	1.6672	1.6789	1.6659	1.6687					1.6850	1.6382	1.6632	1.5880	0.0426	0.5500	0.0234	
030613	1.6687	1.6751	1.6634	1.6723					1.6969	1.6464	1.6632	1.5880	0.0459	0.5500	0.0252	
030616	1.6723	1.6888	1.6706	1.6782	BV	1.6881			1.6881	1.6516	1.7041	1.6161	0.0332	0.5500	0.0183	
030617	1.6782	1.6907	1.6768	1.6850					1.7031	1.6557	1.7041	1.6161	0.0431	0.5500	0.0237	
030618	1.6850	1.6865	1.6753	1.6793					1.7088	1.6592	1.7041	1.6161	0.0450	0.5500	0.0248	
030619	1.6793	1.6805	1.6688	1.6785					1.7021	1.6590	1.7041	1.6161	0.0392	0.5500	0.0216	
030620	1.6785	1.6820	1.6586	1.6603	SV	1.6625	-837.50	6456.25	-2487.50	1.6883	1.6625	1.7041	1.6161	0.0235	0.5500	0.0129
030620	1.6785	1.6820	1.6586	1.6603	SV	1.6625				1.6883	1.6625	1.6465	1.7345	0.0235	0.5500	0.0129
030623	1.6603	1.6699	1.6555	1.6685					1.6828	1.6538	1.6465	1.7323	0.0264	0.5500	0.0145	
030624	1.6685	1.6708	1.6592	1.6633					1.6806	1.6471	1.6465	1.7323	0.0304	0.5500	0.0167	
030625	1.6633	1.6800	1.6605	1.6728					1.6814	1.6479	1.6465	1.7323	0.0304	0.5500	0.0167	
030626	1.6728	1.6745	1.6594	1.6616					1.6870	1.6545	1.6465	1.7323	0.0295	0.5500	0.0162	
030627	1.6616	1.6632	1.6460	1.6490	BP	1.6465	462.50	6918.75	-2025.00	1.6790	1.6528	1.6465	1.7323	0.0238	0.5500	0.0131
030630	1.6490	1.6571	1.6472	1.6555					1.6714	1.6356	1.6465	1.7323	0.0325	0.5500	0.0179	
030701	1.6555	1.6654	1.6518	1.6632					1.6699	1.6358	1.6465	1.7323	0.0310	0.5500	0.0170	
030702	1.6632	1.6670	1.6605	1.6644					1.6766	1.6425	1.6465	1.7323	0.0310	0.5500	0.0170	
030703	1.6644	1.6746	1.6606	1.6704					1.6809	1.6468	1.6465	1.7323	0.0310	0.5500	0.0170	
030704	1.6704	1.6715	1.6650	1.6667					1.6829	1.6534	1.6465	1.7323	0.0268	0.5500	0.0147	
030707	1.6667	1.6674	1.6469	1.6485	SV	1.6539			1.6820	1.6539	1.6379	1.7259	0.0256	0.5500	0.0141	
030708	1.6485	1.6500	1.6320	1.6346	BP	1.6379	462.50	7381.25	-1562.50	1.6695	1.6413	1.6379	1.7205	0.0256	0.5500	0.0141
030709	1.6346	1.6366	1.6276	1.6347					1.6608	1.6186	1.6379	1.7205	0.0384	0.5500	0.0211	
030710	1.6347	1.6388	1.6220	1.6355					1.6562	1.6091	1.6379	1.7205	0.0428	0.5500	0.0235	
030711	1.6355	1.6383	1.6308	1.6307					1.6580	1.6048	1.6379	1.7205	0.0484	0.5500	0.0266	
030714	1.6307	1.6316	1.6129	1.6131					1.6604	1.6072	1.6379	1.7205	0.0484	0.5500	0.0266	
030715	1.6131	1.6146	1.5903	1.5912	SV	1.5908			1.6500	1.5908	1.5748	1.6628	0.0538	0.5500	0.0296	
030716	1.5912	1.5970	1.5858	1.5960					1.6322	1.5682	1.5748	1.6628	0.0582	0.5500	0.0320	
030717	1.5960	1.5995	1.5844	1.5949					1.6197	1.5650	1.5748	1.6628	0.0497	0.5500	0.0273	
030718	1.5949	1.5983	1.5826	1.5898					1.6206	1.5644	1.5748	1.6628	0.0511	0.5500	0.0281	
030721	1.5898	1.6020	1.5720	1.6000	BP	1.5748	462.50	7843.75	-1100.00	1.6194	1.5612	1.5748	1.6618	0.0529	0.5500	0.0291
030722	1.6000	1.6049	1.5950	1.5980					1.6219	1.5573	1.5748	1.6618	0.0587	0.5500	0.0323	
030723	1.5980	1.6100	1.5930	1.6080					1.6222	1.5770	1.5748	1.6618	0.0411	0.5500	0.0226	
030724	1.6080	1.6156	1.6065	1.6150					1.6182	1.5874	1.5748	1.6618	0.0280	0.5500	0.0154	
030725	1.6150	1.6237	1.6129	1.6203					1.6316	1.5920	1.5748	1.6618	0.0360	0.5500	0.0198	
030728	1.6203	1.6292	1.6169	1.6255					1.6424	1.5951	1.5748	1.6618	0.0430	0.5500	0.0236	
030729	1.6255	1.6310	1.6215	1.6235					1.6501	1.5970	1.5748	1.6618	0.0483	0.5500	0.0266	
030730	1.6235	1.6288	1.6148	1.6160					1.6439	1.6076	1.5748	1.6618	0.0330	0.5500	0.0181	
030731	1.6160	1.6170	1.6053	1.6100					1.6388	1.6025	1.5748	1.6618	0.0330	0.5500	0.0181	
030801	1.6100	1.6125	1.6006	1.6082					1.6236	1.5983	1.5748	1.6618	0.0230	0.5500	0.0127	
030804	1.6082	1.6150	1.6063	1.6102					1.6206	1.5932	1.5748	1.6618	0.0249	0.5500	0.0137	
030805	1.6102	1.6141	1.6025	1.6091					1.6243	1.5969	1.5748	1.6618	0.0249	0.5500	0.0137	
030806	1.6091	1.6185	1.6038	1.6090					1.6222	1.5948	1.5748	1.6618	0.0249	0.5500	0.0137	
030807	1.6090	1.6190	1.6053	1.6181					1.6233	1.5981	1.5748	1.6618	0.0229	0.5500	0.0126	
030808	1.6181	1.6187	1.6026	1.6028					1.6255	1.6011	1.5748	1.6618	0.0222	0.5500	0.0122	
030811	1.6028	1.6115	1.5987	1.6090					1.6213	1.5969	1.5748	1.6618	0.0222	0.5500	0.0122	
030812	1.6090	1.6094	1.5997	1.6036					1.6181	1.5937	1.5748	1.6618	0.0222	0.5500	0.0122	
030813	1.6036	1.6101	1.5968	1.6072					1.6166	1.5922	1.5748	1.6618	0.0222	0.5500	0.0122	
030814	1.6072	1.6137	1.5988	1.6000					1.6159	1.5925	1.5748	1.6618	0.0213	0.5500	0.0117	
030815	1.6000	1.6045	1.5922	1.5965	SV	1.5933			1.6167	1.5933	1.5773	1.6653	0.0213	0.5500	0.0117	
030818	1.5965	1.5984	1.5887	1.5905					1.6122	1.5837	1.5773	1.6653	0.0259	0.5500	0.0142	
030819	1.5905	1.5912	1.5815	1.5883					1.6051	1.5807	1.5773	1.6625	0.0222	0.5500	0.0122	
030820	1.5883	1.5969	1.5850	1.5950					1.6019	1.5716	1.5773	1.6603	0.0275	0.5500	0.0151	
030821	1.5950	1.5939	1.5750	1.5770	BP	1.5773	462.50	8306.25	-637.50	1.6059	1.5776	1.5773	1.6603	0.0257	0.5500	0.0141
030822	1.5770	1.5795	1.5701	1.5755					1.6007	1.5653	1.5773	1.6603	0.0322	0.5500	0.0177	
030825	1.5755	1.5791	1.5682	1.5716					1.5914	1.5585	1.5773	1.6603	0.0299	0.5500	0.0164	
030826	1.5716	1.5745	1.5622	1.5700					1.5888	1.5577	1.5773	1.6603	0.0283	0.5500	0.0156	
030827	1.5700	1.5731	1.5671	1.5721					1.5867	1.5506	1.5773	1.6603	0.0328	0.5500	0.0180	
030828	1.5721	1.5785	1.5654	1.5760					1.5885	1.5525	1.5773	1.6603	0.0328	0.5500	0.0180	
030829	1.5760	1.5826	1.5764	1.5770					1.5908	1.5547	1.5773	1.6603	0.0328	0.5500	0.0180	
030901	1.5770	1.5811	1.5683	1.5698					1.5912	1.5668	1.5773	1.6603	0.0222	0.5500	0.0122	
030902	1.5698	1.5747	1.5620	1.5682					1.5859	1.5615	1.5773	1.6603	0.0222	0.5500	0.0122	
030903	1.5682	1.5762	1.5613	1.5694					1.5805	1.5561	1.5773	1.6603	0.0222	0.5500	0.0122	
030904	1.5694	1.5824	1.5669	1.5814	BV	1.5811			1.5811	1.5567	1.5971	1.5091	0.0222	0.5500	0.0122	
030905	1.5814	1.5909	1.5781	1.5888					1.5882	1.5638	1.5971	1.5094	0.0222	0.5500	0.0122	
030908	1.5888	1.5903	1.5837	1.5846					1.5978	1.5729	1.5971	1.5168	0.0227	0.5500	0.0125	
030909	1.5846	1.5928	1													

031028	1.6950	1.7001	1.6877	1.6974					1.7101	1.6786	1.6909	1.6053	0.0287	0.5500	0.0158	
031029	1.6974	1.7004	1.6962	1.7004					1.7104	1.6788	1.6909	1.6053	0.0287	0.5500	0.0158	
031030	1.7004	1.7068	1.6949	1.6953					1.7208	1.6823	1.6909	1.6053	0.0350	0.5500	0.0192	
031031	1.6953	1.6997	1.6909	1.6942					1.7119	1.6875	1.6909	1.6053	0.0222	0.5500	0.0122	
031103	1.6942	1.6976	1.6757	1.6758	SV	1.6829			1.7073	1.6829	1.6669	1.7549	0.0222	0.5500	0.0122	
031104	1.6758	1.6845	1.6675	1.6814					1.6981	1.6709	1.6669	1.7478	0.0247	0.5500	0.0136	
031105	1.6814	1.6870	1.6704	1.6728					1.6952	1.6590	1.6669	1.7478	0.0329	0.5500	0.0181	
031106	1.6728	1.6780	1.6642	1.6674	BP	1.6669	462.50	9287.50	0.00	1.6956	1.6594	1.6669	1.7448	0.0329	0.5500	0.0181
031107	1.6674	1.6742	1.6614	1.6737					1.6903	1.6504	1.6669	1.7448	0.0362	0.5500	0.0199	
031110	1.6737	1.6755	1.6707	1.6716					1.6876	1.6503	1.6669	1.7448	0.0339	0.5500	0.0186	
031111	1.6716	1.6717	1.6638	1.6647					1.6908	1.6548	1.6669	1.7448	0.0328	0.5500	0.0180	
031112	1.6647	1.6785	1.6646	1.6727					1.6793	1.6549	1.6669	1.7448	0.0222	0.5500	0.0122	
031113	1.6727	1.6863	1.6731	1.6863	BV	1.6840			1.6840	1.6595	1.7000	1.6120	0.0223	0.5500	0.0123	
031114	1.6863	1.6906	1.6828	1.6870					1.6929	1.6691	1.7000	1.6143	0.0216	0.5500	0.0119	
031117	1.6870	1.6939	1.6866	1.6927					1.7010	1.6725	1.7000	1.6150	0.0259	0.5500	0.0142	
031118	1.6927	1.7053	1.6864	1.7022	SP	1.7000	462.50	9750.00	0.00	1.7068	1.6747	1.7000	1.6207	0.0292	0.5500	0.0161
031119	1.7022	1.7055	1.6950	1.6971					1.7194	1.6748	1.7000	1.6207	0.0406	0.5500	0.0223	
031120	1.6971	1.7082	1.6972	1.7034					1.7221	1.6772	1.7000	1.6207	0.0408	0.5500	0.0224	
031121	1.7034	1.7070	1.6996	1.7033					1.7224	1.6833	1.7000	1.6207	0.0355	0.5500	0.0195	
031124	1.7033	1.7067	1.6933	1.6957					1.7153	1.6913	1.7000	1.6207	0.0219	0.5500	0.0120	
031125	1.6957	1.7017	1.6940	1.6980					1.7108	1.6875	1.7000	1.6207	0.0212	0.5500	0.0117	
031126	1.6980	1.7120	1.6951	1.7102	BV	1.7101			1.7101	1.6857	1.7261	1.6381	0.0222	0.5500	0.0122	
031127	1.7102	1.7155	1.7093	1.7137					1.7171	1.6927	1.7261	1.6382	0.0222	0.5500	0.0122	
031128	1.7137	1.7242	1.7135	1.7216					1.7249	1.7005	1.7261	1.6417	0.0222	0.5500	0.0122	
031201	1.7216	1.7275	1.7189	1.7195	SP	1.7261	462.50	10212.50	0.00	1.7351	1.7037	1.7261	1.6496	0.0285	0.5500	0.0157
031202	1.7195	1.7311	1.7170	1.7287					1.7399	1.7050	1.7261	1.6496	0.0318	0.5500	0.0175	
031203	1.7287	1.7320	1.7247	1.7273					1.7444	1.7055	1.7261	1.6496	0.0354	0.5500	0.0195	
031204	1.7273	1.7281	1.7174	1.7220					1.7468	1.7094	1.7261	1.6496	0.0340	0.5500	0.0187	
031205	1.7220	1.7315	1.7197	1.7292					1.7346	1.7106	1.7261	1.6496	0.0218	0.5500	0.0120	
031208	1.7292	1.7364	1.7271	1.7326					1.7385	1.7141	1.7261	1.6496	0.0222	0.5500	0.0122	
031209	1.7326	1.7467	1.7334	1.7459	BV	1.7441			1.7441	1.7197	1.7601	1.6721	0.0222	0.5500	0.0122	
031210	1.7459	1.7458	1.7354	1.7430					1.7562	1.7263	1.7601	1.6739	0.0272	0.5500	0.0150	
031211	1.7430	1.7472	1.7377	1.7458					1.7568	1.7254	1.7601	1.6739	0.0285	0.5500	0.0157	
031212	1.7458	1.7511	1.7430	1.7464					1.7588	1.7274	1.7601	1.6739	0.0285	0.5500	0.0157	
031215	1.7464	1.7481	1.7358	1.7457					1.7629	1.7309	1.7601	1.6744	0.0291	0.5500	0.0160	
031216	1.7547	1.7560	1.7438	1.7545					1.7547	1.7307	1.7601	1.6744	0.0219	0.5500	0.0120	
031217	1.7545	1.7699	1.7498	1.7648	SP	1.7601	462.50	10675.00	0.00	1.7637	1.7380	1.7601	1.6825	0.0234	0.5500	0.0129
031218	1.7648	1.7735	1.7636	1.7718					1.7756	1.7460	1.7601	1.6825	0.0269	0.5500	0.0148	
031219	1.7718	1.7740	1.7612	1.7660					1.7860	1.7524	1.7601	1.6825	0.0305	0.5500	0.0168	
031222	1.7660	1.7670	1.7598	1.7638					1.7871	1.7475	1.7601	1.6825	0.0360	0.5500	0.0198	
031223	1.7638	1.7668	1.7625	1.7635					1.7833	1.7437	1.7601	1.6825	0.0360	0.5500	0.0198	
031224	1.7635	1.7758	1.7633	1.7755					1.7800	1.7489	1.7601	1.6825	0.0283	0.5500	0.0156	
031225	1.7755	1.7774	1.7728	1.7745					1.7828	1.7586	1.7601	1.6825	0.0220	0.5500	0.0121	
031226	1.7745	1.7758	1.7704	1.7710					1.7872	1.7628	1.7601	1.6825	0.0222	0.5500	0.0122	
031229	1.7710	1.7770	1.7710	1.7730					1.7849	1.7605	1.7601	1.6825	0.0222	0.5500	0.0122	
031230	1.7730	1.7812	1.7726	1.7785					1.7860	1.7616	1.7601	1.6825	0.0222	0.5500	0.0122	
031231	1.7785	1.7943	1.7761	1.7855	BV	1.7894			1.7894	1.7650	1.8054	1.7174	0.0222	0.5500	0.0122	
040101	1.7855	1.7860	1.7860	1.8022					1.8022	1.7683	1.8054	1.7174	0.0308	0.5500	0.0169	
040102	1.7860	1.7943	1.7792	1.7925					1.7988	1.7732	1.8054	1.7174	0.0233	0.5500	0.0128	
040105	1.7925	1.8102	1.7912	1.8079	SP	1.8054	462.50	11137.50	0.00	1.8007	1.7751	1.8054	1.7205	0.0233	0.5500	0.0128
040106	1.8079	1.8277	1.8049	1.8239	BV	1.8237			1.8237	1.7806	1.8397	1.7517	0.0392	0.5500	0.0216	
040107	1.8239	1.8257	1.8124	1.8194					1.8479	1.7877	1.8397	1.7519	0.0547	0.5500	0.0301	
040108	1.8194	1.8358	1.8111	1.8319					1.8462	1.7921	1.8397	1.7519	0.0492	0.5500	0.0271	
040109	1.8319	1.8487	1.8281	1.8468	SP	1.8397	462.50	11600.00	0.00	1.8528	1.7975	1.8397	1.7599	0.0503	0.5500	0.0277
040112	1.8468	1.8577	1.8453	1.8468					1.8746	1.8056	1.8397	1.7599	0.0627	0.5500	0.0345	
040113	1.8468	1.8534	1.8405	1.8422					1.8864	1.8147	1.8397	1.7599	0.0652	0.5500	0.0359	
040114	1.8422	1.8487	1.8320	1.8341					1.8734	1.8186	1.8397	1.7599	0.0498	0.5500	0.0274	
040115	1.8341	1.8345	1.8180	1.8210	SV	1.8180			1.8602	1.8180	1.8020	1.8900	0.0383	0.5500	0.0211	
040116	1.8210	1.8265	1.7930	1.7959	BP	1.8020	462.50	12062.50	0.00	1.8463	1.8041	1.8020	1.8900	0.0383	0.5500	0.0211
040119	1.7959	1.8018	1.7829	1.7831					1.8366	1.7774	1.8020	1.8900	0.0538	0.5500	0.0296	
040120	1.7831	1.8217	1.7827	1.8200					1.8256	1.7554	1.8020	1.8900	0.0639	0.5500	0.0351	
040121	1.8200	1.8370	1.8150	1.8294					1.8444	1.7671	1.8020	1.8900	0.0703	0.5500	0.0387	
040122	1.8294	1.8478	1.8301	1.8445					1.8628	1.7906	1.8020	1.8900	0.0656	0.5500	0.0361	
040123	1.8445	1.8522	1.8170	1.8251					1.8756	1.8045	1.8020	1.8900	0.0647	0.5500	0.0356	
040126	1.8251	1.8307	1.8110	1.8140					1.8707	1.7947	1.8020	1.8900	0.0691	0.5500	0.0380	
040127	1.8140	1.8290	1.8022	1.8264					1.8575	1.7815	1.8020	1.8900	0.0691	0.5500	0.0380	
040128	1.8264	1.8382	1.8169	1.8234					1.8558	1.7798	1.8020	1.8900	0.0691	0.5500	0.0380	
040129	1.8234	1.8266	1.8085	1.8147					1.8500	1.8035	1.8020	1.8900	0.0423	0.5500	0.0233	
040130	1.8147	1.8264	1.8060	1.8242					1.8402	1.7937	1.8020	1.8900	0.0423	0.5500	0.0233	
040202	1.8242	1.8260	1.8136	1.8175					1.8411	1.7945	1.8020	1.8900	0.0423	0.5500	0.0233	
040203	1.8175	1.8422	1.8192	1.8384	BV	1.8327			1.8327	1.8060	1.8487	1.7607	0.0242	0.5500	0.0133	
040204	1.8384	1.8400	1.8284	1.8328					1.8478	1.8167	1.8487	1.7664	0.0282	0.5500	0.0155	
040205	1.8328	1.8425	1.8307	1.8333					1.8517	1.8161	1.8487	1.7664	0.0324	0.5500	0.0178	
040206	1.8333	1.8520	1.8321	1.8466	SP	1.8487	462.50	12525.00	0.00	1.8538	1.8181	1.8487	1.7664	0.0324	0.5500	0.0178
040209	1.8466	1.8627	1.8412	1.8574					1.8635	1.8224	1.8487	1.7664	0.0373	0.5500	0.0205	
040210	1.8574	1.8732	1.8576	1.8705					1.8779	1.8282	1.8487	1.7664	0.0452	0.5500	0.0249	
040211	1.8705	1.8890	1.8648	1.8870					1.8971	1.8358	1.8487	1.7664	0.0557	0.5500	0.0306	
040212	1.8870	1.8950	1.8881	1.8901					1.9098	1.8480	1.8487	1.7664	0.0562	0.5500	0.0309	
040213	1.8901	1.8989	1.8788	1.8855												

040401	1.8438	1.8605	1.8385	1.8551					1.8633	1.8096	1.7963	1.8800	0.0488	0.5500	0.0268	
040402	1.8551	1.8574	1.8574	1.8314					1.8795	1.8217	1.7963	1.8800	0.0525	0.5500	0.0289	
040405	1.8314	1.8306	1.8106	1.8186					1.8698	1.8095	1.7963	1.8800	0.0548	0.5500	0.0301	
040406	1.8186	1.8412	1.8199	1.8385					1.8471	1.7933	1.7963	1.8800	0.0489	0.5500	0.0269	
040407	1.8385	1.8443	1.8341	1.8400					1.8566	1.8077	1.7963	1.8800	0.0445	0.5500	0.0245	
040408	1.8400	1.8465	1.8285	1.8300					1.8638	1.8149	1.7963	1.8800	0.0445	0.5500	0.0245	
040409	1.8300	1.8346	1.8304	1.8315					1.8605	1.8115	1.7963	1.8800	0.0445	0.5500	0.0245	
040412	1.8315	1.8405	1.8314	1.8385					1.8568	1.8078	1.7963	1.8800	0.0445	0.5500	0.0245	
040413	1.8385	1.8421	1.8131	1.8187					1.8526	1.8203	1.7963	1.8800	0.0294	0.5500	0.0162	
040414	1.8187	1.8194	1.7851	1.7902	BP	1.7963	462.50	12021.88	-965.62	1.8412	1.8105	1.7963	1.8800	0.0279	0.5500	0.0153
040415	1.7902	1.7994	1.7764	1.7913					1.8300	1.7696	1.7963	1.8800	0.0549	0.5500	0.0302	
040416	1.7913	1.8057	1.7840	1.7986					1.8236	1.7536	1.7963	1.8800	0.0636	0.5500	0.0350	
040419	1.7986	1.8143	1.7977	1.8079					1.8298	1.7614	1.7963	1.8800	0.0621	0.5500	0.0342	
040420	1.8079	1.8084	1.7866	1.7865					1.8405	1.7722	1.7963	1.8800	0.0621	0.5500	0.0342	
040421	1.7865	1.7861	1.7660	1.7731					1.8295	1.7611	1.7963	1.8800	0.0621	0.5500	0.0342	
040422	1.7731	1.7749	1.7629	1.7702					1.8044	1.7465	1.7963	1.8800	0.0527	0.5500	0.0290	
040423	1.7702	1.7808	1.7651	1.7713					1.7939	1.7444	1.7963	1.8800	0.0450	0.5500	0.0247	
040426	1.7713	1.7895	1.7668	1.7879					1.7974	1.7479	1.7963	1.8800	0.0450	0.5500	0.0247	
040427	1.7879	1.7942	1.7832	1.7908					1.8048	1.7554	1.7963	1.8800	0.0450	0.5500	0.0247	
040428	1.7908	1.7971	1.7710	1.7726					1.8139	1.7644	1.7963	1.8800	0.0450	0.5500	0.0247	
040429	1.7726	1.7811	1.7583	1.7745	SV	1.7664			1.7971	1.7664	1.7504	1.8384	0.0279	0.5500	0.0153	
040430	1.7745	1.7808	1.7665	1.7782					1.7885	1.7528	1.7504	1.8384	0.0325	0.5500	0.0179	
040503	1.7782	1.7795	1.7693	1.7712					1.7924	1.7567	1.7504	1.8384	0.0325	0.5500	0.0179	
040504	1.7712	1.7943	1.7706	1.7917	BV	1.7916	-825.00	11196.88	-1790.62	1.7916	1.7559	1.7504	1.8384	0.0325	0.5500	0.0179
040504	1.7712	1.7943	1.7706	1.7917	BV	1.7916			1.7916	1.7559	1.8076	1.7196	0.0325	0.5500	0.0179	
040505	1.7917	1.8016	1.7888	1.7929					1.8022	1.7664	1.8076	1.7197	0.0325	0.5500	0.0179	
040506	1.7929	1.7983	1.7879	1.7955					1.8131	1.7764	1.8076	1.7209	0.0334	0.5500	0.0184	
040507	1.7955	1.8056	1.7825	1.7877					1.8126	1.7745	1.8076	1.7235	0.0346	0.5500	0.0190	
040510	1.7877	1.7962	1.7710	1.7770	SV	1.7739	-590.63	10606.25	-2381.25	1.8117	1.7739	1.8076	1.7235	0.0344	0.5500	0.0189
040510	1.7877	1.7962	1.7710	1.7770	SV	1.7739			1.8117	1.7739	1.7579	1.8459	0.0344	0.5500	0.0189	
040511	1.7770	1.7775	1.7535	1.7575	BP	1.7579	462.50	11068.75	-1918.75	1.8012	1.7634	1.7579	1.8459	0.0344	0.5500	0.0189
040512	1.7575	1.7799	1.7563	1.7720					1.7870	1.7408	1.7579	1.8459	0.0420	0.5500	0.0231	
040513	1.7720	1.7745	1.7577	1.7621					1.7953	1.7424	1.7579	1.8459	0.0481	0.5500	0.0265	
040514	1.7621	1.7645	1.7480	1.7590					1.7918	1.7388	1.7579	1.8459	0.0481	0.5500	0.0265	
040517	1.7590	1.7742	1.7574	1.7683					1.7833	1.7303	1.7579	1.8459	0.0481	0.5500	0.0265	
040518	1.7683	1.7713	1.7615	1.7663					1.7881	1.7445	1.7579	1.8459	0.0397	0.5500	0.0218	
040519	1.7663	1.7854	1.7632	1.7825	BV	1.7823			1.7823	1.7504	1.7983	1.7103	0.0290	0.5500	0.0159	
040520	1.7825	1.7848	1.7641	1.7770					1.7913	1.7606	1.7983	1.7105	0.0279	0.5500	0.0153	
040521	1.7770	1.7953	1.7735	1.7895					1.7939	1.7560	1.7983	1.7105	0.0345	0.5500	0.0190	
040524	1.7895	1.7936	1.7824	1.7917					1.8054	1.7655	1.7983	1.7175	0.0363	0.5500	0.0200	
040525	1.7917	1.8145	1.7891	1.8118	SP	1.7983	462.50	11531.25	-1456.25	1.8087	1.7688	1.7983	1.7197	0.0363	0.5500	0.0200
040526	1.8118	1.8200	1.8095	1.8159					1.8303	1.7773	1.7983	1.7197	0.0482	0.5500	0.0265	
040527	1.8159	1.8402	1.8103	1.8390					1.8445	1.7854	1.7983	1.7197	0.0537	0.5500	0.0295	
040528	1.8390	1.8421	1.8295	1.8328					1.8628	1.7932	1.7983	1.7197	0.0632	0.5500	0.0348	
040531	1.8328	1.8367	1.8303	1.8315					1.8712	1.7992	1.7983	1.7197	0.0655	0.5500	0.0360	
040601	1.8315	1.8412	1.8279	1.8396					1.8642	1.8020	1.7983	1.7197	0.0566	0.5500	0.0311	
040602	1.8396	1.8484	1.8308	1.8350					1.8633	1.8078	1.7983	1.7197	0.0504	0.5500	0.0277	
040603	1.8350	1.8430	1.8286	1.8405					1.8588	1.8186	1.7983	1.7197	0.0366	0.5500	0.0201	
040604	1.8405	1.8450	1.8322	1.8399					1.8546	1.8189	1.7983	1.7197	0.0325	0.5500	0.0179	
040607	1.8399	1.8477	1.8350	1.8399					1.8511	1.8267	1.7983	1.7197	0.0222	0.5500	0.0122	
040608	1.8399	1.8454	1.8328	1.8346					1.8533	1.8289	1.7983	1.7197	0.0222	0.5500	0.0122	
040609	1.8346	1.8414	1.8254	1.8290	SV	1.8260			1.8504	1.8260	1.8100	1.8980	0.0222	0.5500	0.0122	
040610	1.8290	1.8442	1.8191	1.8429					1.8447	1.8203	1.8100	1.8980	0.0222	0.5500	0.0122	
040611	1.8429	1.8420	1.8164	1.8180					1.8457	1.8221	1.8100	1.8980	0.0214	0.5500	0.0118	
040614	1.8180	1.8181	1.8047	1.8134	BP	1.8100	462.50	11993.75	-993.75	1.8415	1.8124	1.8100	1.8900	0.0265	0.5500	0.0146
040615	1.8134	1.8320	1.8107	1.8316					1.8328	1.7908	1.8100	1.8900	0.0382	0.5500	0.0210	
040616	1.8316	1.8352	1.8234	1.8290					1.8444	1.8024	1.8100	1.8900	0.0382	0.5500	0.0210	
040617	1.8280	1.8381	1.8242	1.8362					1.8500	1.8080	1.8100	1.8900	0.0382	0.5500	0.0210	
040618	1.8362	1.8401	1.8254	1.8380					1.8532	1.8111	1.8100	1.8900	0.0382	0.5500	0.0210	
040621	1.8380	1.8408	1.8280	1.8300					1.8548	1.8128	1.8100	1.8900	0.0382	0.5500	0.0210	
040622	1.8300	1.8346	1.8178	1.8189					1.8518	1.8152	1.8100	1.8900	0.0333	0.5500	0.0183	
040623	1.8189	1.8281	1.8144	1.8165					1.8398	1.8097	1.8100	1.8900	0.0274	0.5500	0.0151	
040624	1.8165	1.8287	1.8105	1.8250					1.8333	1.8073	1.8100	1.8900	0.0236	0.5500	0.0130	
040625	1.8250	1.8260	1.8174	1.8245					1.8358	1.8056	1.8100	1.8900	0.0275	0.5500	0.0151	
040628	1.8245	1.8338	1.8210	1.8300					1.8374	1.8071	1.8100	1.8900	0.0275	0.5500	0.0151	
040629	1.8300	1.8303	1.8050	1.8071	SV	1.8128			1.8430	1.8128	1.7968	1.8848	0.0275	0.5500	0.0151	
040630	1.8071	1.8184	1.8016	1.8174					1.8293	1.8018	1.7968	1.8791	0.0250	0.5500	0.0138	
040701	1.8174	1.8221	1.8120	1.8210					1.8271	1.7959	1.7968	1.8791	0.0284	0.5500	0.0156	
040702	1.8210	1.8334	1.8171	1.8332					1.8335	1.8022	1.7968	1.8791	0.0284	0.5500	0.0156	
040705	1.8332	1.8362	1.8274	1.8300					1.8425	1.8112	1.7968	1.8791	0.0284	0.5500	0.0156	
040706	1.8300	1.8437	1.8279	1.8423					1.8488	1.8141	1.7968	1.8791	0.0316	0.5500	0.0174	
040707	1.8423	1.8576	1.8395	1.8550	BV	1.8572	-1425.00	10568.75	-2418.75	1.8572	1.8170	1.7968	1.8791	0.0366	0.5500	0.0201
040707	1.8423	1.8576	1.8395	1.8550	BV	1.8572			1.8572	1.8170	1.8732	1.7852	0.0366	0.5500	0.0201	
040708	1.8550	1.8585	1.8471	1.8515					1.8776	1.8221	1.8732	1.7852	0.0505	0.5500	0.0278	
040709	1.8515	1.8613	1.8492	1.8610					1.8762	1.8289	1.8732	1.7852	0.0430	0.5500	0.0236	
040712	1.8610	1.8662	1.8573	1.8643					1.8786	1.8342	1.8732	1.7890	0.0403	0.5500	0.0222	
040713	1.8643	1.8623	1.8520	1.8565					1.8822	1.8424	1.8732	1.7923	0.0362	0.5500	0.0199	
040714	1.8565	1.8616	1.8537	1.8563					1.8770	1.8370	1.8732	1.7923	0.0364	0.5500	0.0200	
040715	1.8563	1.8571	1.8479	1.8512					1.8710	1.8437						

040902	1.7930	1.7972	1.7869	1.7890					1.8080	1.7836	1.7924	1.8804	0.0222	0.5500	0.0122
040903	1.7890	1.7930	1.7852	1.7761 SV	1.7792				1.8036	1.7792	1.7632	1.8512	0.0222	0.5500	0.0122
040906	1.7761	1.7804	1.7747	1.7800					1.7975	1.7675	1.7632	1.8481	0.0273	0.5500	0.0150
040907	1.7800	1.7844	1.7711	1.7744					1.7948	1.7613	1.7632	1.8481	0.0304	0.5500	0.0167
040908	1.7744	1.7907	1.7719	1.7885					1.7943	1.7598	1.7632	1.8464	0.0314	0.5500	0.0173
040909	1.7885	1.7878	1.7816	1.7844					1.8000	1.7655	1.7632	1.8464	0.0314	0.5500	0.0173
040910	1.7844	1.8024	1.7860	1.7965 BV	1.7972	-600.00	9859.38	-3128.13	1.7972	1.7721	1.7632	1.8464	0.0228	0.5500	0.0125
040910	1.7844	1.8024	1.7860	1.7965 BV	1.7972				1.7972	1.7721	1.8132	1.7252	0.0228	0.5500	0.0125
040913	1.7965	1.8012	1.7934	1.7960					1.8101	1.7793	1.8132	1.7252	0.0280	0.5500	0.0154
040914	1.7960	1.8033	1.7945	1.7960					1.8124	1.7816	1.8132	1.7252	0.0280	0.5500	0.0154
040915	1.7960	1.7978	1.7742	1.7755 SV	1.7824	-500.00	9359.37	-3628.13	1.8142	1.7824	1.8132	1.7252	0.0289	0.5500	0.0159
040915	1.7960	1.7978	1.7742	1.7755 SV	1.7824				1.8142	1.7824	1.7664	1.8544	0.0289	0.5500	0.0159
040916	1.7755	1.7950	1.7765	1.7930					1.7998	1.7680	1.7664	1.8475	0.0289	0.5500	0.0159
040917	1.7930	1.7969	1.7897	1.7935					1.8025	1.7719	1.7664	1.8475	0.0278	0.5500	0.0153
040920	1.7935	1.7930	1.7818	1.7852					1.8086	1.7781	1.7664	1.8475	0.0278	0.5500	0.0153
040921	1.7852	1.8009	1.7845	1.7970					1.8022	1.7717	1.7664	1.8475	0.0278	0.5500	0.0153
040922	1.7970	1.8009	1.7876	1.7927					1.8088	1.7783	1.7664	1.8475	0.0278	0.5500	0.0153
040923	1.7927	1.8045	1.7931	1.7976					1.8079	1.7800	1.7664	1.8475	0.0254	0.5500	0.0140
040924	1.7976	1.8085	1.7950	1.8037					1.8145	1.7826	1.7664	1.8475	0.0290	0.5500	0.0159
040927	1.8037	1.8091	1.8033	1.8083					1.8150	1.7893	1.7664	1.8475	0.0233	0.5500	0.0128
040928	1.8083	1.8161	1.8085	1.8123					1.8198	1.7935	1.7664	1.8475	0.0239	0.5500	0.0131
040929	1.8123	1.8135	1.7965	1.8001					1.8293	1.7953	1.7664	1.8475	0.0309	0.5500	0.0170
040930	1.8001	1.8125	1.7957	1.8117					1.8176	1.7904	1.7664	1.8475	0.0247	0.5500	0.0136
041001	1.8117	1.8132	1.7932	1.7975					1.8185	1.7928	1.7664	1.8475	0.0234	0.5500	0.0129
041004	1.7975	1.7974	1.7816	1.7840					1.8143	1.7899	1.7664	1.8475	0.0222	0.5500	0.0122
041005	1.7840	1.7876	1.7805	1.7829					1.8053	1.7715	1.7664	1.8475	0.0307	0.5500	0.0169
041006	1.7829	1.7886	1.7749	1.7755					1.8015	1.7662	1.7664	1.8475	0.0321	0.5500	0.0177
041007	1.7755	1.7842	1.7766	1.7821					1.8011	1.7599	1.7664	1.8475	0.0374	0.5500	0.0206
041008	1.7821	1.7967	1.7820	1.7955					1.8015	1.7600	1.7664	1.8475	0.0377	0.5500	0.0207
041011	1.7955	1.7966	1.7930	1.7965					1.8113	1.7698	1.7664	1.8475	0.0377	0.5500	0.0207
041012	1.7965	1.7992	1.7846	1.7887					1.8076	1.7827	1.7664	1.8475	0.0226	0.5500	0.0124
041013	1.7887	1.7958	1.7844	1.7933					1.8043	1.7782	1.7664	1.8475	0.0237	0.5500	0.0130
041014	1.7933	1.8041	1.7927	1.7972 BV	1.8038	-706.25	8653.12	-4334.38	1.8038	1.7777	1.7664	1.8475	0.0237	0.5500	0.0130
041014	1.7933	1.8041	1.7927	1.7972 BV	1.8038				1.8038	1.7777	1.8198	1.7318	0.0237	0.5500	0.0130
041015	1.7972	1.8064	1.7952	1.8035					1.8139	1.7824	1.8198	1.7318	0.0286	0.5500	0.0157
041018	1.8035	1.8068	1.7953	1.7995					1.8147	1.7880	1.8198	1.7318	0.0243	0.5500	0.0134
041019	1.7995	1.8055	1.7926	1.8031					1.8129	1.7885	1.8198	1.7318	0.0222	0.5500	0.0122
041020	1.8031	1.8189	1.8011	1.8179					1.8121	1.7877	1.8198	1.7318	0.0222	0.5500	0.0122
041021	1.8179	1.8305	1.8158	1.8285 SP	1.8198	462.50	9115.62	-3871.88	1.8282	1.7950	1.8198	1.7459	0.0302	0.5500	0.0166
041022	1.8285	1.8316	1.8227	1.8252					1.8447	1.8038	1.8198	1.7459	0.0372	0.5500	0.0205
041025	1.8252	1.8450	1.8277	1.8412					1.8465	1.8070	1.8198	1.7459	0.0359	0.5500	0.0197
041026	1.8412	1.8450	1.8331	1.8350					1.8623	1.8123	1.8198	1.7459	0.0455	0.5500	0.0250
041027	1.8350	1.8440	1.8266	1.8290					1.8650	1.8115	1.8198	1.7459	0.0486	0.5500	0.0267
041028	1.8290	1.8352	1.8195	1.8279					1.8571	1.8110	1.8198	1.7459	0.0419	0.5500	0.0230
041029	1.8279	1.8381	1.8282	1.8369					1.8424	1.8126	1.8198	1.7459	0.0271	0.5500	0.0149
041101	1.8369	1.8415	1.8300	1.8327					1.8458	1.8220	1.8198	1.7459	0.0217	0.5500	0.0119
041102	1.8327	1.8398	1.8300	1.8360					1.8471	1.8232	1.8198	1.7459	0.0217	0.5500	0.0119
041103	1.8360	1.8506	1.8318	1.8490 BV	1.8471				1.8471	1.8232	1.8631	1.7751	0.0217	0.5500	0.0119
041104	1.8490	1.8500	1.8413	1.8423					1.8552	1.8303	1.8631	1.7770	0.0227	0.5500	0.0125
041105	1.8423	1.8562	1.8308	1.8557					1.8612	1.8288	1.8631	1.7770	0.0295	0.5500	0.0162
041108	1.8557	1.8618	1.8525	1.8544					1.8615	1.8304	1.8631	1.7837	0.0283	0.5500	0.0156
041109	1.8544	1.8604	1.8509	1.8561					1.8726	1.8406	1.8631	1.7837	0.0291	0.5500	0.0160
041110	1.8561	1.8615	1.8406	1.8445					1.8717	1.8397	1.8631	1.7841	0.0291	0.5500	0.0160
041111	1.8445	1.8480	1.8375	1.8427					1.8639	1.8356	1.8631	1.7841	0.0258	0.5500	0.0142
041112	1.8427	1.8589	1.8390	1.8582					1.8567	1.8288	1.8631	1.7841	0.0253	0.5500	0.0139
041115	1.8582	1.8588	1.8440	1.8450					1.8647	1.8369	1.8631	1.7862	0.0253	0.5500	0.0139
041116	1.8450	1.8565	1.8448	1.8534					1.8623	1.8379	1.8631	1.7862	0.0222	0.5500	0.0122
041117	1.8534	1.8624	1.8519	1.8590					1.8634	1.8390	1.8631	1.7862	0.0222	0.5500	0.0122
041118	1.8590	1.8635	1.8485	1.8495 SP	1.8631	462.50	9578.12	-3409.38	1.8697	1.8453	1.8631	1.7870	0.0222	0.5500	0.0122
041119	1.8495	1.8615	1.8470	1.8562					1.8665	1.8429	1.8631	1.7870	0.0215	0.5500	0.0118
041122	1.8562	1.8585	1.8522	1.8578					1.8668	1.8424	1.8631	1.7870	0.0222	0.5500	0.0122
041123	1.8578	1.8728	1.8525	1.8678 BV	1.8680				1.8680	1.8436	1.8840	1.7960	0.0222	0.5500	0.0122
041124	1.8678	1.8827	1.8675	1.8810					1.8790	1.8484	1.8840	1.7960	0.0278	0.5500	0.0153
041125	1.8810	1.8895	1.8800	1.8875 SP	1.8840	462.50	10040.62	-2946.88	1.8945	1.8580	1.8840	1.8090	0.0332	0.5500	0.0183
041126	1.8875	1.9024	1.8840	1.8975					1.9073	1.8633	1.8840	1.8090	0.0400	0.5500	0.0220
041129	1.8975	1.8966	1.8851	1.8941					1.9232	1.8650	1.8840	1.8090	0.0529	0.5500	0.0291
041130	1.8941	1.9133	1.8868	1.9110					1.9169	1.8661	1.8840	1.8090	0.0462	0.5500	0.0254
041201	1.9110	1.9335	1.9095	1.9327 BV	1.9328				1.9328	1.8717	1.9488	1.8608	0.0555	0.5500	0.0305
041202	1.9327	1.9440	1.9175	1.9232					1.9599	1.8876	1.9488	1.8608	0.0657	0.5500	0.0361
041203	1.9232	1.9430	1.9192	1.9417					1.9639	1.8946	1.9488	1.8608	0.0630	0.5500	0.0346
041206	1.9417	1.9443	1.9380	1.9387					1.9643	1.9021	1.9488	1.8697	0.0565	0.5500	0.0311
041207	1.9387	1.9507	1.9360	1.9458 SP	1.9488	462.50	10503.12	-2484.38	1.9718	1.9095	1.9488	1.8697	0.0566	0.5500	0.0311
041208	1.9458	1.9460	1.9191	1.9345					1.9750	1.9127	1.9488	1.8697	0.0566	0.5500	0.0311
041209	1.9345	1.9388	1.9149	1.9250					1.9548	1.9111	1.9488	1.8697	0.0397	0.5500	0.0218
041210	1.9250	1.9285	1.9020	1.9161 SV	1.9095				1.9435	1.9095	1.8935	1.9815	0.0309	0.5500	0.0170
041213	1.9161	1.9272	1.9077	1.9267					1.9395	1.8913	1.8935	1.9815	0.0438	0.5500	0.0241
041214	1.9267	1.9291	1.9198	1.9287					1.9434	1.8952	1.8935	1.9815	0.0438	0.5500	0.0241
041215	1.9287	1.9460	1.9188	1.9423					1.9494	1.9012	1.8935	1.9815	0.0438	0.5500	0.0241
041216	1.9423	1.9552	1.9260	1.9289					1.9585	1.9103	1.8935	1.9815	0.0438		

050204	1.8816	1.8920	1.8726	1.8750				1.8957	1.8713	1.9014	1.8160	0.0222	0.5500	0.0122	
050207	1.8750	1.8760	1.8547	1.8586 SV	1.8686	-562.50	10168.75	-2818.75	1.8930	1.8686	1.9014	1.8160	0.0222	0.5500	0.0122
050207	1.8750	1.8760	1.8547	1.8586 SV	1.8686			1.8930	1.8686	1.8526	1.9406	0.0222	0.5500	0.0122	
050208	1.8586	1.8598	1.8510	1.8550 BP	1.8526	462.50	10631.25	-2356.25	1.8823	1.8457	1.8526	1.9306	0.0333	0.5500	0.0183
050209	1.8550	1.8645	1.8521	1.8582				1.8749	1.8357	1.8526	1.9306	0.0356	0.5500	0.0196	
050210	1.8582	1.8732	1.8508	1.8685				1.8786	1.8379	1.8526	1.9306	0.0370	0.5500	0.0203	
050211	1.8685	1.8708	1.8626	1.8674				1.8837	1.8430	1.8526	1.9306	0.0370	0.5500	0.0203	
050214	1.8674	1.8918	1.8681	1.8889 BV	1.8872			1.8872	1.8465	1.9032	1.8152	0.0370	0.5500	0.0203	
050215	1.8889	1.8976	1.8845	1.8947				1.9020	1.8615	1.9032	1.8169	0.0368	0.5500	0.0202	
050216	1.8947	1.8964	1.8753	1.8861				1.9152	1.8684	1.9032	1.8227	0.0426	0.5500	0.0234	
050217	1.8861	1.8960	1.8836	1.8935				1.9100	1.8618	1.9032	1.8227	0.0439	0.5500	0.0241	
050218	1.8935	1.8973	1.8892	1.8940				1.9147	1.8664	1.9032	1.8227	0.0439	0.5500	0.0241	
050221	1.8940	1.9000	1.8910	1.8964				1.9111	1.8757	1.9032	1.8227	0.0321	0.5500	0.0177	
050222	1.8964	1.9138	1.8954	1.9119 SP	1.9032	462.50	11093.75	-1893.75	1.9136	1.8778	1.9032	1.8244	0.0326	0.5500	0.0179
050223	1.9119	1.9135	1.9042	1.9099				1.9213	1.8908	1.9032	1.8244	0.0277	0.5500	0.0152	
050224	1.9099	1.9143	1.9015	1.9107				1.9292	1.8889	1.9032	1.8244	0.0366	0.5500	0.0201	
050225	1.9107	1.9196	1.9064	1.9184				1.9240	1.8929	1.9032	1.8244	0.0283	0.5500	0.0156	
050228	1.9184	1.9262	1.9158	1.9230				1.9284	1.8997	1.9032	1.8244	0.0261	0.5500	0.0144	
050301	1.9230	1.9229	1.9171	1.9203				1.9391	1.9037	1.9032	1.8244	0.0322	0.5500	0.0177	
050302	1.9203	1.9216	1.9078	1.9131				1.9364	1.9037	1.9032	1.8244	0.0298	0.5500	0.0164	
050303	1.9131	1.9140	1.9058	1.9072				1.9262	1.9026	1.9032	1.8244	0.0215	0.5500	0.0118	
050304	1.9072	1.9273	1.9058	1.9237 BV	1.9212			1.9212	1.8975	1.9372	1.8492	0.0215	0.5500	0.0118	
050307	1.9237	1.9249	1.9116	1.9138				1.9302	1.9058	1.9372	1.8517	0.0222	0.5500	0.0122	
050308	1.9138	1.9327	1.9130	1.9280				1.9296	1.9052	1.9372	1.8517	0.0222	0.5500	0.0122	
050309	1.9280	1.9320	1.9200	1.9263				1.9379	1.9099	1.9372	1.8560	0.0255	0.5500	0.0140	
050310	1.9263	1.9306	1.9205	1.9222				1.9401	1.9120	1.9372	1.8560	0.0255	0.5500	0.0140	
050311	1.9222	1.9293	1.9163	1.9270				1.9389	1.9109	1.9372	1.8560	0.0255	0.5500	0.0140	
050314	1.9270	1.9277	1.9099	1.9141				1.9377	1.9096	1.9372	1.8560	0.0255	0.5500	0.0140	
050315	1.9141	1.9255	1.9110	1.9125				1.9301	1.9057	1.9372	1.8560	0.0222	0.5500	0.0122	
050316	1.9125	1.9293	1.9112	1.9125				1.9293	1.9049	1.9372	1.8560	0.0222	0.5500	0.0122	
050317	1.9254	1.9285	1.9182	1.9234				1.9335	1.9091	1.9372	1.8560	0.0222	0.5500	0.0122	
050318	1.9234	1.9255	1.9124	1.9190				1.9356	1.9112	1.9372	1.8560	0.0222	0.5500	0.0122	
050321	1.9190	1.9224	1.8945	1.8984 SV	1.9068	-487.50	10606.25	-2381.25	1.9312	1.9068	1.9372	1.8560	0.0222	0.5500	0.0122
050321	1.9190	1.9224	1.8945	1.8984 SV	1.9068			1.9312	1.9068	1.8908	1.9788	0.0222	0.5500	0.0122	
050322	1.8984	1.9024	1.8799	1.8852 BP	1.8908	462.50	11068.75	-1918.75	1.9243	1.8886	1.8908	1.9704	0.0325	0.5500	0.0179
050323	1.8852	1.8884	1.8661	1.8671				1.9150	1.8649	1.8908	1.9704	0.0455	0.5500	0.0250	
050324	1.8671	1.8740	1.8673	1.8696				1.9078	1.8426	1.8908	1.9704	0.0593	0.5500	0.0326	
050325	1.8696	1.8722	1.8677	1.8684				1.9042	1.8367	1.8908	1.9704	0.0614	0.5500	0.0338	
050328	1.8684	1.8700	1.8595	1.8654				1.9018	1.8375	1.8908	1.9704	0.0584	0.5500	0.0321	
050329	1.8654	1.8765	1.8655	1.8749				1.8976	1.8322	1.8908	1.9704	0.0595	0.5500	0.0327	
050330	1.8749	1.8844	1.8737	1.8802				1.8932	1.8504	1.8908	1.9704	0.0389	0.5500	0.0214	
050331	1.8802	1.8920	1.8755	1.8905				1.8934	1.8651	1.8908	1.9704	0.0257	0.5500	0.0141	
050401	1.8905	1.8975	1.8760	1.8813				1.8997	1.8705	1.8908	1.9704	0.0266	0.5500	0.0146	
050404	1.8813	1.8808	1.8709	1.8757				1.9033	1.8680	1.8908	1.9704	0.0321	0.5500	0.0177	
050405	1.8757	1.8817	1.8719	1.8808				1.8935	1.8582	1.8908	1.9704	0.0321	0.5500	0.0177	
050406	1.8808	1.8848	1.8740	1.8805				1.8953	1.8599	1.8908	1.9704	0.0321	0.5500	0.0177	
050407	1.8805	1.8860	1.8680	1.8697				1.8920	1.8672	1.8908	1.9704	0.0226	0.5500	0.0124	
050408	1.8697	1.8845	1.8675	1.8844				1.8879	1.8632	1.8908	1.9704	0.0225	0.5500	0.0124	
050411	1.8844	1.8934	1.8817	1.8908 BV	1.8930			1.8930	1.8624	1.9090	1.8210	0.0278	0.5500	0.0153	
050412	1.8908	1.8980	1.8830	1.8907				1.9012	1.8752	1.9090	1.8210	0.0237	0.5500	0.0130	
050413	1.8907	1.8958	1.8873	1.8936				1.9061	1.8750	1.9090	1.8210	0.0283	0.5500	0.0156	
050414	1.8936	1.8947	1.8755	1.8813 SV	1.8764	-556.25	10512.50	-2475.00	1.9075	1.8764	1.9090	1.8216	0.0283	0.5500	0.0156
050414	1.8936	1.8947	1.8755	1.8813 SV	1.8764			1.9075	1.8764	1.8604	1.9484	0.0283	0.5500	0.0156	
050415	1.8813	1.8950	1.8773	1.8916				1.8999	1.8688	1.8604	1.9484	0.0283	0.5500	0.0156	
050418	1.8916	1.9058	1.8886	1.9036 BV	1.9028	-862.50	9650.00	-3337.50	1.9028	1.8717	1.8604	1.9484	0.0283	0.5500	0.0156
050418	1.8916	1.9058	1.8886	1.9036 BV	1.9028			1.9028	1.8717	1.9188	1.8308	0.0283	0.5500	0.0156	
050419	1.9036	1.9205	1.9000	1.9193 SP	1.9188	462.50	10112.50	-2875.00	1.9120	1.8850	1.9188	1.8316	0.0245	0.5500	0.0135
050420	1.9193	1.9220	1.9097	1.9191				1.9336	1.8905	1.9188	1.8316	0.0392	0.5500	0.0216	
050421	1.9191	1.9217	1.9064	1.9081				1.9406	1.8924	1.9188	1.8316	0.0438	0.5500	0.0241	
050422	1.9081	1.9169	1.9056	1.9145				1.9369	1.8888	1.9188	1.8316	0.0438	0.5500	0.0241	
050425	1.9145	1.9175	1.9077	1.9110				1.9350	1.8888	1.9188	1.8316	0.0420	0.5500	0.0231	
050426	1.9110	1.9133	1.9018	1.9060				1.9292	1.8954	1.9188	1.8316	0.0307	0.5500	0.0169	
050427	1.9060	1.9095	1.8990	1.9055				1.9194	1.8950	1.9188	1.8316	0.0222	0.5500	0.0122	
050428	1.9055	1.9106	1.9010	1.9070				1.9167	1.8923	1.9188	1.8316	0.0222	0.5500	0.0122	
050429	1.9070	1.9161	1.9051	1.9070				1.9182	1.8938	1.9188	1.8316	0.0222	0.5500	0.0122	
050502	1.9070	1.9076	1.8925	1.8949 SV	1.8977			1.9221	1.8977	1.8817	1.9697	0.0222	0.5500	0.0122	
050503	1.8949	1.8960	1.8887	1.8908				1.9111	1.8869	1.8817	1.9669	0.0220	0.5500	0.0121	
050504	1.8908	1.9030	1.8923	1.9013				1.9043	1.8798	1.8817	1.9628	0.0223	0.5500	0.0123	
050505	1.9013	1.9078	1.8995	1.9052				1.9123	1.8845	1.8817	1.9628	0.0253	0.5500	0.0139	
050506	1.9052	1.9029	1.8896	1.8907				1.9179	1.8900	1.8817	1.9628	0.0253	0.5500	0.0139	
050509	1.8907	1.8911	1.8805	1.8828 BP	1.8817	462.50	10575.00	-2412.50	1.9091	1.8812	1.8817	1.9627	0.0253	0.5500	0.0139
050510	1.8828	1.8856	1.8763	1.8822				1.8998	1.8706	1.8817	1.9627	0.0265	0.5500	0.0146	
050511	1.8822	1.8915	1.8695	1.8707				1.8971	1.8653	1.8817	1.9627	0.0289	0.5500	0.0159	
050512	1.8707	1.8737	1.8603	1.8655				1.8982	1.8589	1.8817	1.9627	0.0357	0.5500	0.0196	
050513	1.8655	1.8658	1.8483	1.8500				1.8914	1.8420	1.8817	1.9627	0.0449	0.5500	0.0247	
050516	1.8500	1.8510	1.8333	1.8369				1.8869	1.8243	1.8817	1.9627	0.0569	0.5500	0.0313	
050517	1.8369	1.8425	1.8318	1.8340				1.8727	1.8095	1.8817	1.9627	0.0574	0.5500	0.0316	
050518	1.8340	1.8409	1.8292	1.8407				1.8665	1.8065	1.8817	1.9627	0.0546	0.5500	0.0300	
050519	1.8407	1.8435	1.8322	1.8352				1.8678	1.8046	1.8817	1.9627	0.0575	0.5500	0.0316	
050520	1.8352	1.8392	1.8237	1.8261				1.8601	1.8145	1.8817	1.9627	0.0415	0.5500	0.0228	
050523	1.8261	1.8312	1.												

050707	1.7555	1.7542	1.7374	1.7445					1.7927	1.7199	1.7864	1.8626	0.0661	0.5500	0.0364	
050708	1.7445	1.7440	1.7310	1.7359					1.7830	1.7081	1.7864	1.8626	0.0681	0.5500	0.0375	
050711	1.7359	1.7591	1.7365	1.7582					1.7700	1.7044	1.7864	1.8626	0.0596	0.5500	0.0328	
050712	1.7582	1.7785	1.7547	1.7770	BV	1.7716			1.7716	1.7282	1.7876	1.6996	0.0394	0.5500	0.0217	
050713	1.7770	1.7780	1.7525	1.7570					1.7921	1.7452	1.7876	1.7050	0.0426	0.5500	0.0234	
050714	1.7570	1.7646	1.7548	1.7557					1.7889	1.7383	1.7876	1.7050	0.0460	0.5500	0.0253	
050715	1.7557	1.7636	1.7510	1.7516					1.7842	1.7336	1.7876	1.7050	0.0460	0.5500	0.0253	
050718	1.7516	1.7559	1.7465	1.7491					1.7815	1.7309	1.7876	1.7050	0.0460	0.5500	0.0253	
050719	1.7491	1.7490	1.7341	1.7403					1.7742	1.7274	1.7876	1.7050	0.0426	0.5500	0.0234	
050720	1.7403	1.7458	1.7270	1.7409					1.7649	1.7177	1.7876	1.7050	0.0429	0.5500	0.0236	
050721	1.7409	1.7615	1.7399	1.7528					1.7648	1.7098	1.7876	1.7050	0.0500	0.5500	0.0275	
050722	1.7528	1.7575	1.7359	1.7376					1.7676	1.7346	1.7876	1.7050	0.0300	0.5500	0.0165	
050725	1.7376	1.7474	1.7331	1.7471					1.7607	1.7291	1.7876	1.7050	0.0287	0.5500	0.0158	
050726	1.7471	1.7470	1.7348	1.7378					1.7558	1.7274	1.7876	1.7050	0.0258	0.5500	0.0142	
050727	1.7378	1.7475	1.7336	1.7464					1.7545	1.7261	1.7876	1.7050	0.0258	0.5500	0.0142	
050728	1.7464	1.7597	1.7403	1.7561					1.7559	1.7275	1.7876	1.7050	0.0258	0.5500	0.0142	
050729	1.7561	1.7613	1.7516	1.7580					1.7644	1.7381	1.7876	1.7050	0.0239	0.5500	0.0131	
050801	1.7580	1.7733	1.7540	1.7705					1.7698	1.7437	1.7876	1.7050	0.0237	0.5500	0.0130	
050802	1.7705	1.7754	1.7672	1.7718					1.7847	1.7454	1.7876	1.7050	0.0357	0.5500	0.0196	
050803	1.7718	1.7833	1.7651	1.7793					1.7921	1.7507	1.7876	1.7050	0.0376	0.5500	0.0207	
050804	1.7793	1.7827	1.7712	1.7804					1.8002	1.7502	1.7876	1.7073	0.0455	0.5500	0.0250	
050805	1.7804	1.7828	1.7715	1.7774					1.7991	1.7562	1.7876	1.7084	0.0390	0.5500	0.0214	
050808	1.7774	1.7903	1.7727	1.7856	SP	1.7876	462.50	9828.12	-3159.38	1.7930	1.7614	1.7876	1.7084	0.0288	0.5500	0.0158
050809	1.7867	1.7916	1.7820	1.7861					1.8003	1.7648	1.7876	1.7084	0.0323	0.5500	0.0178	
050810	1.7861	1.7980	1.7865	1.7951					1.7985	1.7748	1.7876	1.7084	0.0216	0.5500	0.0119	
050811	1.7951	1.8115	1.7957	1.8110	BV	1.8072			1.8072	1.7784	1.8232	1.7352	0.0262	0.5500	0.0144	
050812	1.8110	1.8178	1.8073	1.8150					1.8238	1.7863	1.8232	1.7390	0.0341	0.5500	0.0188	
050815	1.8150	1.8169	1.8073	1.8115					1.8353	1.7908	1.8232	1.7430	0.0404	0.5500	0.0222	
050816	1.8115	1.8147	1.8040	1.8096					1.8352	1.7887	1.8232	1.7430	0.0423	0.5500	0.0233	
050817	1.8096	1.8128	1.8018	1.8056					1.8276	1.7912	1.8232	1.7430	0.0330	0.5500	0.0182	
050818	1.8050	1.8092	1.7915	1.7936					1.8243	1.7894	1.8232	1.7430	0.0317	0.5500	0.0174	
050819	1.7936	1.7979	1.7819	1.7975					1.8119	1.7861	1.8232	1.7430	0.0235	0.5500	0.0129	
050822	1.7975	1.8047	1.7947	1.8001					1.8086	1.7800	1.8232	1.7430	0.0260	0.5500	0.0143	
050823	1.8001	1.8021	1.7962	1.8009					1.8141	1.7855	1.8232	1.7430	0.0260	0.5500	0.0143	
050824	1.8009	1.8030	1.7907	1.8000					1.8119	1.7871	1.8232	1.7430	0.0225	0.5500	0.0124	
050825	1.8000	1.8084	1.7981	1.8045					1.8097	1.7853	1.8232	1.7430	0.0222	0.5500	0.0122	
050826	1.8045	1.8099	1.7990	1.8010					1.8157	1.7913	1.8232	1.7430	0.0222	0.5500	0.0122	
050829	1.8010	1.8087	1.7926	1.7957					1.8160	1.7916	1.8232	1.7430	0.0222	0.5500	0.0122	
050830	1.7957	1.7915	1.7821	1.7856	SV	1.7875	-653.13	9175.00	-3812.50	1.8119	1.7875	1.8232	1.7430	0.0222	0.5500	0.0122
050830	1.7957	1.7915	1.7821	1.7856	SV	1.7875			1.8119	1.7875	1.7715	1.8595	0.0222	0.5500	0.0122	
050831	1.7856	1.8057	1.7819	1.8040	BV	1.7989	-393.75	8781.25	-4206.25	1.7989	1.7742	1.7715	1.8576	0.0224	0.5500	0.0123
050831	1.7856	1.8057	1.7819	1.8040	BV	1.7989			1.7989	1.7742	1.8149	1.7269	0.0224	0.5500	0.0123	
050901	1.8040	1.8365	1.8007	1.8335	SP	1.8149	462.50	9243.75	-3743.75	1.8092	1.7825	1.8149	1.7320	0.0243	0.5500	0.0134
050902	1.8335	1.8450	1.8304	1.8448					1.8496	1.7936	1.8149	1.7320	0.0509	0.5500	0.0280	
050905	1.8448	1.8500	1.8373	1.8435					1.8718	1.8064	1.8149	1.7320	0.0594	0.5500	0.0327	
050906	1.8435	1.8466	1.8370	1.8435					1.8790	1.8082	1.8149	1.7320	0.0644	0.5500	0.0354	
050907	1.8435	1.8462	1.8351	1.8366					1.8776	1.8067	1.8149	1.7320	0.0644	0.5500	0.0354	
050908	1.8366	1.8443	1.8330	1.8352					1.8753	1.8044	1.8149	1.7320	0.0644	0.5500	0.0354	
050909	1.8352	1.8427	1.8320	1.8385					1.8633	1.8127	1.8149	1.7320	0.0460	0.5500	0.0253	
050912	1.8385	1.8429	1.8191	1.8193	SV	1.8254			1.8498	1.8254	1.8094	1.8974	0.0222	0.5500	0.0122	
050913	1.8193	1.8263	1.8184	1.8226					1.8428	1.8145	1.8094	1.8913	0.0257	0.5500	0.0141	
050914	1.8226	1.8296	1.8215	1.8227					1.8374	1.8074	1.8094	1.8913	0.0273	0.5500	0.0150	
050915	1.8227	1.8235	1.8038	1.8058	BP	1.8094	462.50	9706.25	-3281.25	1.8398	1.8102	1.8094	1.8913	0.0269	0.5500	0.0148
050916	1.8058	1.8148	1.8018	1.8081					1.8312	1.7930	1.8094	1.8913	0.0347	0.5500	0.0191	
050919	1.8081	1.8065	1.7974	1.8037					1.8287	1.7879	1.8094	1.8913	0.0371	0.5500	0.0204	
050920	1.8037	1.8083	1.7980	1.7990					1.8249	1.7797	1.8094	1.8913	0.0411	0.5500	0.0226	
050921	1.7990	1.8128	1.7961	1.8085					1.8166	1.7881	1.8094	1.8913	0.0259	0.5500	0.0142	
050922	1.8085	1.8150	1.7880	1.7909	SV	1.7884			1.8221	1.7884	1.7724	1.8604	0.0306	0.5500	0.0168	
050923	1.7909	1.7930	1.7759	1.7774					1.8185	1.7803	1.7724	1.8604	0.0347	0.5500	0.0191	
050926	1.7774	1.7786	1.7702	1.7781	BP	1.7724	462.50	10168.75	-2818.75	1.8010	1.7651	1.7724	1.8494	0.0326	0.5500	0.0179
050927	1.7781	1.7788	1.7635	1.7664					1.7962	1.7541	1.7724	1.8494	0.0383	0.5500	0.0211	
050928	1.7664	1.7720	1.7606	1.7660					1.7950	1.7454	1.7724	1.8494	0.0450	0.5500	0.0248	
050929	1.7660	1.7705	1.7592	1.7611					1.7930	1.7395	1.7724	1.8494	0.0486	0.5500	0.0267	
050930	1.7611	1.7732	1.7565	1.7621					1.7912	1.7370	1.7724	1.8494	0.0493	0.5500	0.0271	
051003	1.7622	1.7634	1.7520	1.7558					1.7832	1.7454	1.7724	1.8494	0.0344	0.5500	0.0189	
051004	1.7558	1.7624	1.7512	1.7590					1.7717	1.7430	1.7724	1.8494	0.0261	0.5500	0.0144	
051005	1.7590	1.7662	1.7575	1.7613					1.7720	1.7424	1.7724	1.8494	0.0269	0.5500	0.0148	
051006	1.7613	1.7814	1.7640	1.7801	BV	1.7739			1.7739	1.7495	1.7899	1.7019	0.0222	0.5500	0.0122	
051007	1.7801	1.7789	1.7576	1.7625	SV	1.7601	-468.75	9700.00	-3287.50	1.7883	1.7601	1.7899	1.7081	0.0256	0.5500	0.0141
051007	1.7801	1.7789	1.7576	1.7625	SV	1.7601			1.7883	1.7601	1.7441	1.8321	0.0256	0.5500	0.0141	
051010	1.7625	1.7640	1.7515	1.7533					1.7830	1.7512	1.7441	1.8321	0.0289	0.5500	0.0159	
051011	1.7533	1.7559	1.7442	1.7450					1.7728	1.7410	1.7441	1.8253	0.0289	0.5500	0.0159	
051012	1.7450	1.7550	1.7392	1.7516	BP	1.7441	462.50	10162.50	-2825.00	1.7688	1.7293	1.7441	1.8170	0.0359	0.5500	0.0197
051013	1.7516	1.7574	1.7445	1.7570					1.7705	1.7255	1.7441	1.8170	0.0409	0.5500	0.0225	
051014	1.7570	1.7707	1.7485	1.7699					1.7747	1.7297	1.7441	1.8170	0.0409	0.5500	0.0225	
051017	1.7699	1.7735	1.7528	1.7540					1.7842	1.7392	1.7441	1.8170	0.0409	0.5500	0.0225	
051018	1.7540	1.7532	1.7424	1.7496	SV	1.7444			1.7782	1.7444	1.7284	1.8164	0.0307	0.5500	0.0169	
051019	1.7496	1.7640	1.7428	1.7630					1.7650	1.7313	1.7284	1.8164	0.0307	0.5500	0.0169	
051020	1.7630	1.7752	1.759													

051208	1.7349	1.7560	1.7330	1.7536	BV	1.7501				1.7501	1.7212	1.7661	1.6781	0.0263	0.5500	0.0145
051209	1.7536	1.7567	1.7463	1.7547						1.7614	1.7313	1.7661	1.6816	0.0274	0.5500	0.0151
051212	1.7547	1.7774	1.7494	1.7754	SP	1.7661	462.50	10306.25	-2681.25	1.7679	1.7364	1.7661	1.6827	0.0287	0.5500	0.0158
051213	1.7754	1.7782	1.7655	1.7694						1.7898	1.7418	1.7661	1.6827	0.0437	0.5500	0.0240
051214	1.7694	1.7810	1.7685	1.7733						1.7969	1.7458	1.7661	1.6827	0.0464	0.5500	0.0255
051215	1.7733	1.7746	1.7613	1.7643						1.8000	1.7489	1.7661	1.6827	0.0464	0.5500	0.0255
051216	1.7643	1.7735	1.7627	1.7716						1.7926	1.7419	1.7661	1.6827	0.0461	0.5500	0.0254
051219	1.7716	1.7735	1.7593	1.7624						1.7848	1.7528	1.7661	1.6827	0.0291	0.5500	0.0160
051220	1.7624	1.7685	1.7520	1.7549						1.7801	1.7511	1.7661	1.6827	0.0263	0.5500	0.0145
051221	1.7549	1.7593	1.7384	1.7435	SV	1.7463				1.7721	1.7463	1.7303	1.8183	0.0234	0.5500	0.0129
051222	1.7435	1.7457	1.7338	1.7378						1.7670	1.7286	1.7303	1.8155	0.0349	0.5500	0.0192
051223	1.7378	1.7404	1.7305	1.7334						1.7611	1.7176	1.7303	1.8098	0.0395	0.5500	0.0217
051226	1.7334	1.7355	1.7315	1.7343						1.7576	1.7124	1.7303	1.8054	0.0411	0.5500	0.0226
051227	1.7343	1.7384	1.7266	1.7267	BP	1.7303	462.50	10768.75	-2218.75	1.7563	1.7111	1.7303	1.8054	0.0411	0.5500	0.0226
051228	1.7267	1.7410	1.7130	1.7150						1.7510	1.7117	1.7303	1.8054	0.0358	0.5500	0.0197
051229	1.7150	1.7282	1.7168	1.7242						1.7476	1.7016	1.7303	1.8054	0.0419	0.5500	0.0230
051230	1.7242	1.7295	1.7165	1.7180						1.7397	1.7060	1.7303	1.8054	0.0307	0.5500	0.0169
060102	1.7180	1.7180	1.7180	1.7180						1.7363	1.7077	1.7303	1.8054	0.0260	0.5500	0.0143
060103	1.7180	1.7462	1.7188	1.7452	BV	1.7323				1.7323	1.7037	1.7483	1.6603	0.0260	0.5500	0.0143
060104	1.7452	1.7620	1.7457	1.7582	SP	1.7483	462.50	11231.25	-1756.25	1.7522	1.7179	1.7483	1.6732	0.0312	0.5500	0.0172
060105	1.7582	1.7589	1.7487	1.7559						1.7806	1.7289	1.7483	1.6732	0.0470	0.5500	0.0258
060106	1.7559	1.7724	1.7512	1.7707						1.7801	1.7284	1.7483	1.6732	0.0470	0.5500	0.0258
060109	1.7707	1.7725	1.7627	1.7651						1.7935	1.7337	1.7483	1.6732	0.0544	0.5500	0.0299
060110	1.7651	1.7702	1.7619	1.7656						1.7971	1.7371	1.7483	1.6732	0.0545	0.5500	0.0300
060111	1.7656	1.7673	1.7520	1.7642						1.7959	1.7360	1.7483	1.6732	0.0545	0.5500	0.0300
060112	1.7642	1.7727	1.7579	1.7598						1.7756	1.7455	1.7483	1.6732	0.0273	0.5500	0.0150
060113	1.7598	1.7781	1.7595	1.7767	BV	1.7763				1.7763	1.7521	1.7923	1.7043	0.0220	0.5500	0.0121
060116	1.7767	1.7798	1.7640	1.7668						1.7826	1.7582	1.7923	1.7047	0.0222	0.5500	0.0122
060117	1.7668	1.7703	1.7586	1.7663						1.7845	1.7573	1.7923	1.7047	0.0247	0.5500	0.0136
060118	1.7663	1.7706	1.7601	1.7616						1.7784	1.7512	1.7923	1.7047	0.0247	0.5500	0.0136
060119	1.7616	1.7640	1.7527	1.7588						1.7782	1.7510	1.7923	1.7047	0.0247	0.5500	0.0136
060120	1.7588	1.7725	1.7532	1.7715						1.7716	1.7452	1.7923	1.7047	0.0240	0.5500	0.0132
060123	1.7715	1.7875	1.7704	1.7868						1.7778	1.7514	1.7923	1.7047	0.0240	0.5500	0.0132
060124	1.7868	1.7897	1.7805	1.7860						1.7963	1.7647	1.7923	1.7148	0.0287	0.5500	0.0158
060125	1.7860	1.7935	1.7816	1.7841	SP	1.7923	462.50	11693.75	-1293.75	1.8040	1.7665	1.7923	1.7148	0.0341	0.5500	0.0188
060126	1.7841	1.7884	1.7777	1.7806						1.8059	1.7678	1.7923	1.7148	0.0347	0.5500	0.0191
060127	1.7806	1.7878	1.7665	1.7674						1.8016	1.7635	1.7923	1.7148	0.0347	0.5500	0.0191
060130	1.7674	1.7717	1.7635	1.7670						1.7943	1.7561	1.7923	1.7148	0.0347	0.5500	0.0191
060131	1.7670	1.7860	1.7667	1.7804	BV	1.7818				1.7818	1.7531	1.7978	1.7098	0.0261	0.5500	0.0144
060201	1.7804	1.7813	1.7730	1.7734						1.7917	1.7626	1.7978	1.7098	0.0265	0.5500	0.0146
060202	1.7734	1.7814	1.7713	1.7799						1.7910	1.7618	1.7978	1.7098	0.0265	0.5500	0.0146
060203	1.7799	1.7810	1.7594	1.7621	SV	1.7653	-553.12	11140.62	-1846.88	1.7888	1.7653	1.7978	1.7098	0.0214	0.5500	0.0118
060203	1.7799	1.7810	1.7594	1.7621	SV	1.7653				1.7888	1.7653	1.7493	1.8373	0.0214	0.5500	0.0118
060206	1.7621	1.7642	1.7435	1.7480	BP	1.7493	462.50	11603.12	-1384.38	1.7802	1.7569	1.7493	1.8341	0.0212	0.5500	0.0117
060207	1.7480	1.7516	1.7404	1.7454						1.7730	1.7324	1.7493	1.8341	0.0369	0.5500	0.0203
060208	1.7454	1.7475	1.7378	1.7392						1.7679	1.7239	1.7493	1.8341	0.0400	0.5500	0.0220
060209	1.7392	1.7465	1.7374	1.7393						1.7654	1.7185	1.7493	1.8341	0.0426	0.5500	0.0234
060210	1.7393	1.7575	1.7410	1.7441						1.7648	1.7180	1.7493	1.8341	0.0425	0.5500	0.0234
060213	1.7441	1.7447	1.7369	1.7425						1.7716	1.7248	1.7493	1.8341	0.0425	0.5500	0.0234
060214	1.7425	1.7446	1.7281	1.7356						1.7550	1.7273	1.7493	1.8341	0.0252	0.5500	0.0139
060215	1.7356	1.7490	1.7332	1.7397	BV	1.7484				1.7484	1.7240	1.7644	1.6764	0.0222	0.5500	0.0122
060216	1.7397	1.7411	1.7307	1.7391						1.7529	1.7288	1.7644	1.6764	0.0219	0.5500	0.0120
060217	1.7391	1.7425	1.7340	1.7393						1.7486	1.7245	1.7644	1.6764	0.0219	0.5500	0.0120
060220	1.7393	1.7460	1.7410	1.7445						1.7505	1.7264	1.7644	1.6764	0.0219	0.5500	0.0120
060221	1.7445	1.7474	1.7417	1.7460						1.7559	1.7315	1.7644	1.6764	0.0222	0.5500	0.0122
060222	1.7460	1.7467	1.7375	1.7422						1.7570	1.7326	1.7644	1.6764	0.0222	0.5500	0.0122
060223	1.7422	1.7556	1.7415	1.7517						1.7543	1.7299	1.7644	1.6764	0.0222	0.5500	0.0122
060224	1.7517	1.7537	1.7428	1.7445						1.7614	1.7370	1.7644	1.6797	0.0222	0.5500	0.0122
060227	1.7445	1.7458	1.7376	1.7403						1.7597	1.7353	1.7644	1.6797	0.0222	0.5500	0.0122
060228	1.7403	1.7570	1.7376	1.7541						1.7536	1.7292	1.7644	1.6797	0.0222	0.5500	0.0122
060301	1.7541	1.7595	1.7462	1.7499						1.7609	1.7365	1.7644	1.6821	0.0222	0.5500	0.0122
060302	1.7499	1.7548	1.7433	1.7547						1.7645	1.7401	1.7644	1.6821	0.0222	0.5500	0.0122
060303	1.7547	1.7587	1.7503	1.7538						1.7624	1.7380	1.7644	1.6827	0.0222	0.5500	0.0122
060306	1.7538	1.7625	1.7467	1.7490						1.7666	1.7422	1.7644	1.6827	0.0222	0.5500	0.0122
060307	1.7490	1.7508	1.7330	1.7362	SV	1.7413	-259.38	11343.75	-1643.75	1.7657	1.7413	1.7644	1.6827	0.0222	0.5500	0.0122
060307	1.7490	1.7508	1.7330	1.7362	SV	1.7413				1.7657	1.7413	1.7253	1.8133	0.0222	0.5500	0.0122
060308	1.7362	1.7419	1.7344	1.7369						1.7530	1.7286	1.7253	1.8082	0.0222	0.5500	0.0122
060309	1.7369	1.7407	1.7345	1.7356						1.7524	1.7234	1.7253	1.8082	0.0263	0.5500	0.0145
060310	1.7356	1.7400	1.7230	1.7265	BP	1.7253	462.50	11806.25	-1181.25	1.7517	1.7227	1.7253	1.8076	0.0263	0.5500	0.0145
060313	1.7265	1.7334	1.7235	1.7324						1.7479	1.7131	1.7253	1.8076	0.0317	0.5500	0.0174
060314	1.7324	1.7485	1.7329	1.7461						1.7490	1.7094	1.7253	1.8076	0.0360	0.5500	0.0198
060315	1.7461	1.7493	1.7422	1.7474						1.7561	1.7275	1.7253	1.8076	0.0260	0.5500	0.0143
060316	1.7474	1.7596	1.7441	1.7572	BV	1.7588				1.7588	1.7334	1.7748	1.6868	0.0231	0.5500	0.0127
060317	1.7572	1.7577	1.7512	1.7569						1.7711	1.7347	1.7748	1.6868	0.0331	0.5500	0.0182
060320	1.7569	1.7588	1.7525	1.7564						1.7737	1.7361	1.7748	1.6868	0.0342	0.5500	0.0188
060321	1.7564	1.7560	1.7450	1.7478						1.7743	1.7373	1.7748	1.6868	0.0337	0.5500	0.0185
060322	1.7478	1.7508	1.7452	1.7472												

060512	1.8816	1.9002	1.8822	1.8928					1.8964	1.8473	1.9007	1.8127	0.0446	0.5500	0.0245	
060515	1.8928	1.8997	1.8765	1.8800				1.9170	1.8660	1.9007	1.8208	0.0464	0.5500	0.0255		
060516	1.8800	1.8893	1.8746	1.8883				1.9101	1.8628	1.9007	1.8208	0.0430	0.5500	0.0236		
060517	1.8883	1.9026	1.8776	1.8812	SP	1.9007	462.50	12525.00	-462.50	1.9069	1.8596	1.9007	1.8208	0.0430	0.5500	0.0236
060518	1.8812	1.8949	1.8794	1.8933				1.9101	1.8665	1.9007	1.8208	0.0396	0.5500	0.0218		
060519	1.8933	1.8955	1.8700	1.8775				1.9102	1.8666	1.9007	1.8208	0.0396	0.5500	0.0218		
060522	1.8775	1.8888	1.8633	1.8865	SV	1.8689		1.8945	1.8689	1.8529	1.9409	0.0233	0.5500	0.0128		
060523	1.8865	1.8885	1.8775	1.8854				1.8946	1.8616	1.8529	1.9409	0.0300	0.5500	0.0165		
060524	1.8854	1.8862	1.8652	1.8717				1.9000	1.8670	1.8529	1.9409	0.0300	0.5500	0.0165		
060525	1.8717	1.8749	1.8666	1.8722				1.8914	1.8584	1.8529	1.9409	0.0300	0.5500	0.0165		
060526	1.8722	1.8767	1.8530	1.8560				1.8875	1.8545	1.8529	1.9409	0.0300	0.5500	0.0165		
060529	1.8560	1.8645	1.8563	1.8587				1.8852	1.8409	1.8529	1.9280	0.0403	0.5500	0.0222		
060530	1.8587	1.8870	1.8580	1.8837	BV	1.8785	-337.50	12187.50	-800.00	1.8785	1.8416	1.8529	1.9280	0.0335	0.5500	0.0184
060530	1.8587	1.8870	1.8580	1.8837	BV	1.8785		1.8785	1.8416	1.8945	1.8065	0.0335	0.5500	0.0184		
060531	1.8837	1.8856	1.8685	1.8701				1.8932	1.8563	1.8945	1.8117	0.0335	0.5500	0.0184		
060601	1.8701	1.8727	1.8567	1.8650	SV	1.8578	-684.37	11503.12	-1484.38	1.8935	1.8578	1.8945	1.8117	0.0324	0.5500	0.0178
060601	1.8701	1.8727	1.8567	1.8650	SV	1.8578		1.8935	1.8578	1.8418	1.9298	0.0324	0.5500	0.0178		
060602	1.8650	1.8861	1.8610	1.8833	BV	1.8818	-787.50	10715.62	-2271.88	1.8818	1.8477	1.8418	1.9298	0.0310	0.5500	0.0171
060602	1.8650	1.8861	1.8610	1.8833	BV	1.8818		1.8818	1.8477	1.8978	1.8098	0.0310	0.5500	0.0171		
060605	1.8833	1.8880	1.8724	1.8738				1.8925	1.8584	1.8978	1.8113	0.0310	0.5500	0.0171		
060606	1.8738	1.8773	1.8591	1.8622	SV	1.8613	-678.12	10037.50	-2950.00	1.8965	1.8613	1.8978	1.8113	0.0320	0.5500	0.0176
060606	1.8738	1.8773	1.8591	1.8622	SV	1.8613		1.8965	1.8613	1.8453	1.9333	0.0320	0.5500	0.0176		
060607	1.8622	1.8647	1.8527	1.8562				1.8831	1.8509	1.8453	1.9333	0.0293	0.5500	0.0161		
060608	1.8562	1.8578	1.8371	1.8419	BP	1.8453	462.50	10500.00	-2487.50	1.8752	1.8411	1.8453	1.9282	0.0310	0.5500	0.0171
060609	1.8419	1.8485	1.8368	1.8411				1.8717	1.8209	1.8453	1.9282	0.0462	0.5500	0.0254		
060612	1.8411	1.8470	1.8381	1.8450				1.8679	1.8168	1.8453	1.9282	0.0465	0.5500	0.0256		
060613	1.8450	1.8460	1.8316	1.8327				1.8688	1.8172	1.8453	1.9282	0.0469	0.5500	0.0258		
060614	1.8327	1.8500	1.8335	1.8421				1.8608	1.8144	1.8453	1.9282	0.0422	0.5500	0.0232		
060615	1.8421	1.8548	1.8421	1.8470				1.8594	1.8242	1.8453	1.9282	0.0320	0.5500	0.0176		
060616	1.8470	1.8561	1.8470	1.8515				1.8620	1.8344	1.8453	1.9282	0.0251	0.5500	0.0138		
060619	1.8515	1.8535	1.8370	1.8398	SV	1.8387		1.8644	1.8387	1.8227	1.9107	0.0234	0.5500	0.0129		
060620	1.8398	1.8460	1.8368	1.8423				1.8570	1.8313	1.8227	1.9107	0.0234	0.5500	0.0129		
060621	1.8423	1.8473	1.8409	1.8440				1.8544	1.8287	1.8227	1.9107	0.0234	0.5500	0.0129		
060622	1.8440	1.8468	1.8263	1.8284				1.8569	1.8312	1.8227	1.9107	0.0234	0.5500	0.0129		
060623	1.8284	1.8312	1.8127	1.8191	BP	1.8227	462.50	10962.50	-2025.00	1.8488	1.8211	1.8227	1.9004	0.0252	0.5500	0.0139
060626	1.8191	1.8246	1.8163	1.8234				1.8427	1.8000	1.8227	1.9004	0.0388	0.5500	0.0213		
060627	1.8234	1.8264	1.8186	1.8228				1.8424	1.7997	1.8227	1.9004	0.0388	0.5500	0.0213		
060628	1.8228	1.8241	1.8142	1.8183				1.8398	1.8053	1.8227	1.9004	0.0313	0.5500	0.0172		
060629	1.8183	1.8299	1.8090	1.8295				1.8362	1.8018	1.8227	1.9004	0.0313	0.5500	0.0172		
060630	1.8295	1.8500	1.8273	1.8475	BV	1.8407		1.8407	1.8022	1.8567	1.7687	0.0350	0.5500	0.0192		
060703	1.8475	1.8489	1.8385	1.8415				1.8579	1.8230	1.8567	1.7755	0.0317	0.5500	0.0174		
060704	1.8415	1.8481	1.8420	1.8464				1.8644	1.8221	1.8567	1.7755	0.0385	0.5500	0.0212		
060705	1.8464	1.8498	1.8327	1.8351				1.8665	1.8241	1.8567	1.7755	0.0385	0.5500	0.0212		
060706	1.8351	1.8410	1.8337	1.8359				1.8612	1.8188	1.8567	1.7755	0.0385	0.5500	0.0212		
060707	1.8359	1.8541	1.8355	1.8518				1.8582	1.8159	1.8567	1.7755	0.0385	0.5500	0.0212		
060710	1.8518	1.8522	1.8369	1.8405				1.8597	1.8327	1.8567	1.7798	0.0246	0.5500	0.0135		
060711	1.8405	1.8474	1.8364	1.8460				1.8559	1.8315	1.8567	1.7798	0.0222	0.5500	0.0122		
060712	1.8460	1.8481	1.8309	1.8326				1.8549	1.8305	1.8567	1.7798	0.0222	0.5500	0.0122		
060713	1.8326	1.8470	1.8332	1.8429				1.8503	1.8259	1.8567	1.7798	0.0222	0.5500	0.0122		
060714	1.8429	1.8450	1.8340	1.8370				1.8525	1.8288	1.8567	1.7798	0.0215	0.5500	0.0118		
060717	1.8370	1.8390	1.8177	1.8192	SV	1.8272	-459.37	10503.12	-2484.38	1.8508	1.8272	1.8567	1.7798	0.0215	0.5500	0.0118
060717	1.8370	1.8390	1.8177	1.8192	SV	1.8272		1.8508	1.8272	1.8112	1.8992	0.0215	0.5500	0.0118		
060718	1.8192	1.8330	1.8184	1.8267				1.8453	1.8078	1.8112	1.8912	0.0341	0.5500	0.0188		
060719	1.8267	1.8443	1.8228	1.8430	BV	1.8418	-493.75	10009.37	-2978.13	1.8418	1.8100	1.8112	1.8912	0.0289	0.5500	0.0159
060719	1.8267	1.8443	1.8228	1.8430	BV	1.8418		1.8418	1.8100	1.8578	1.7698	0.0289	0.5500	0.0159		
060720	1.8430	1.8520	1.8417	1.8494				1.8513	1.8195	1.8578	1.7710	0.0289	0.5500	0.0159		
060721	1.8494	1.8599	1.8468	1.8585	SP	1.8578	462.50	10471.87	-2515.63	1.8654	1.8293	1.8578	1.7774	0.0328	0.5500	0.0180
060724	1.8585	1.8599	1.8481	1.8500				1.8768	1.8320	1.8578	1.7774	0.0407	0.5500	0.0224		
060725	1.8500	1.8537	1.8385	1.8402				1.8756	1.8308	1.8578	1.7774	0.0408	0.5500	0.0224		
060726	1.8402	1.8551	1.8391	1.8520				1.8673	1.8225	1.8578	1.7774	0.0407	0.5500	0.0224		
060727	1.8520	1.8677	1.8528	1.8573	BV	1.8677		1.8677	1.8284	1.8837	1.7957	0.0357	0.5500	0.0196		
060728	1.8573	1.8668	1.8541	1.8639		1.8677		1.8748	1.8445	1.8837	1.7957	0.0275	0.5500	0.0151		
060731	1.8639	1.8690	1.8618	1.8676				1.8763	1.8460	1.8837	1.7957	0.0275	0.5500	0.0151		
060801	1.8676	1.8764	1.8626	1.8760				1.8817	1.8500	1.8837	1.7957	0.0288	0.5500	0.0158		
060802	1.8760	1.8798	1.8732	1.8781				1.8907	1.8509	1.8837	1.8040	0.0362	0.5500	0.0199		
060803	1.8781	1.8915	1.8700	1.8887	SP	1.8837	462.50	10934.37	-2053.13	1.8986	1.8550	1.8837	1.8061	0.0396	0.5500	0.0218
060804	1.8887	1.9130	1.8853	1.9088	BV	1.9041		1.9041	1.8606	1.9201	1.8321	0.0395	0.5500	0.0217		
060807	1.9088	1.9116	1.9045	1.9059				1.9317	1.8704	1.9201	1.8368	0.0557	0.5500	0.0306		
060808	1.9059	1.9146	1.9033	1.9097				1.9346	1.8806	1.9201	1.8368	0.0491	0.5500	0.0270		
060809	1.9097	1.9113	1.8974	1.9050				1.9350	1.8833	1.9201	1.8377	0.0470	0.5500	0.0259		
060810	1.9050	1.9090	1.8865	1.8932				1.9263	1.8826	1.9201	1.8377	0.0397	0.5500	0.0218		
060811	1.8932	1.8990	1.8886	1.8896				1.9187	1.8750	1.9201	1.8377	0.0397	0.5500	0.0218		
060814	1.8896	1.8952	1.8843	1.8877				1.9072	1.8787	1.9201	1.8377	0.0259	0.5500	0.0142		
060815	1.8877	1.8978	1.8853	1.8929				1.9033	1.8754	1.9201	1.8377	0.0254	0.5500	0.0140		
060816	1.8929	1.9025	1.8880	1.8950				1.9066	1.8770	1.9201	1.8377	0.0269	0.5500	0.0148		
060817	1.8950	1.9009	1.8821	1.8839				1.9092	1.8812	1.9201	1.8377	0.0254	0.5500	0.0140		
060818	1.8839	1.8869	1.8775	1.8811				1.9026	1.8774	1.9201	1.8377	0.0229	0.5500	0.0126		
060821	1.8811	1.8998	1.8809	1.8944				1.8942	1.8698	1.9201	1.8377	0.0222	0.5500	0.0122		
060822	1.8944	1.8951	1.8855	1.8869				1.9029	1.8794	1.9201	1.8377	0.0214	0.5500	0.0118		
060823	1															

061010	1.8672	1.8703	1.8527	1.8541	BP	1.8599	462.50	10712.50	-2275.00	1.8832	1.8515	1.8599	1.9392	0.0288	0.5500	0.0158
061011	1.8541	1.8589	1.8515	1.8533						1.8792	1.8408	1.8599	1.9392	0.0349	0.5500	0.0192
061012	1.8533	1.8615	1.8537	1.8576						1.8747	1.8350	1.8599	1.9392	0.0361	0.5500	0.0199
061013	1.8576	1.8636	1.8535	1.8568						1.8766	1.8386	1.8599	1.9392	0.0346	0.5500	0.0190
061016	1.8568	1.8648	1.8524	1.8605						1.8772	1.8392	1.8599	1.9392	0.0346	0.5500	0.0190
061017	1.8605	1.8737	1.8610	1.8701	BV	1.8712				1.8712	1.8468	1.8872	1.7992	0.0222	0.5500	0.0122
061018	1.8701	1.8740	1.8665	1.8673						1.8801	1.8557	1.8872	1.7992	0.0222	0.5500	0.0122
061019	1.8673	1.8800	1.8664	1.8776						1.8819	1.8575	1.8872	1.7992	0.0222	0.5500	0.0122
061020	1.8776	1.8860	1.8756	1.8841						1.8888	1.8594	1.8872	1.8056	0.0267	0.5500	0.0147
061023	1.8841	1.8835	1.8686	1.8738						1.8975	1.8654	1.8872	1.8121	0.0292	0.5500	0.0161
061024	1.8738	1.8770	1.8674	1.8742						1.8930	1.8582	1.8872	1.8121	0.0317	0.5500	0.0174
061025	1.8742	1.8802	1.8722	1.8792						1.8866	1.8586	1.8872	1.8121	0.0255	0.5500	0.0140
061026	1.8792	1.8925	1.8781	1.8906	SP	1.8872	462.50	11175.00	-1812.50	1.8890	1.8646	1.8872	1.8121	0.0222	0.5500	0.0122
061027	1.8906	1.9003	1.8872	1.8961	BV	1.9002				1.9002	1.8725	1.9162	1.8282	0.0252	0.5500	0.0139
061030	1.8961	1.9043	1.8956	1.9018						1.9088	1.8796	1.9162	1.8282	0.0265	0.5500	0.0146
061031	1.9018	1.9100	1.8959	1.9075						1.9171	1.8835	1.9162	1.8298	0.0305	0.5500	0.0168
061101	1.9075	1.9137	1.9057	1.9088						1.9238	1.8840	1.9162	1.8355	0.0362	0.5500	0.0199
061102	1.9088	1.9107	1.9035	1.9089						1.9312	1.8878	1.9162	1.8368	0.0395	0.5500	0.0217
061103	1.9089	1.9125	1.8975	1.9009						1.9264	1.8885	1.9162	1.8369	0.0345	0.5500	0.0190
061106	1.9009	1.9034	1.8949	1.8971						1.9169	1.8915	1.9162	1.8369	0.0231	0.5500	0.0127
061107	1.8971	1.9124	1.8977	1.9054						1.9109	1.8865	1.9162	1.8369	0.0222	0.5500	0.0122
061108	1.9054	1.9098	1.9006	1.9056						1.9173	1.8929	1.9162	1.8369	0.0222	0.5500	0.0122
061109	1.9056	1.9086	1.8976	1.9056						1.9175	1.8931	1.9162	1.8369	0.0222	0.5500	0.0122
061110	1.9056	1.9180	1.9065	1.9116	SP	1.9162	462.50	11637.50	-1350.00	1.9158	1.8914	1.9162	1.8369	0.0222	0.5500	0.0122
061113	1.9116	1.9153	1.8998	1.9011	SV	1.8999				1.9243	1.8999	1.8839	1.9719	0.0222	0.5500	0.0122
061114	1.9011	1.9051	1.8925	1.8971						1.9185	1.8941	1.8839	1.9719	0.0222	0.5500	0.0122
061115	1.8971	1.8969	1.8838	1.8891	BP	1.8839	462.50	12100.00	-887.50	1.9107	1.8863	1.8839	1.9691	0.0222	0.5500	0.0122
061116	1.8891	1.8935	1.8853	1.8880						1.9054	1.8748	1.8839	1.9691	0.0278	0.5500	0.0153
061117	1.8880	1.8968	1.8835	1.8938						1.9050	1.8732	1.8839	1.9691	0.0289	0.5500	0.0159
061120	1.8938	1.8988	1.8832	1.8965						1.9074	1.8744	1.8839	1.9691	0.0300	0.5500	0.0165
061121	1.8965	1.9004	1.8963	1.8996						1.9077	1.8765	1.8839	1.9691	0.0284	0.5500	0.0156
061122	1.8996	1.9168	1.8985	1.9137	BV	1.9108				1.9108	1.8864	1.9268	1.8388	0.0222	0.5500	0.0122
061123	1.9137	1.9169	1.9130	1.9156						1.9247	1.8930	1.9268	1.8417	0.0288	0.5500	0.0158
061124	1.9156	1.9351	1.9149	1.9315	SP	1.9268	462.50	12562.50	-425.00	1.9319	1.8983	1.9268	1.8436	0.0305	0.5500	0.0168
061127	1.9315	1.9476	1.9308	1.9373						1.9522	1.9004	1.9268	1.8436	0.0471	0.5500	0.0259
061128	1.9373	1.9530	1.9379	1.9509						1.9684	1.9092	1.9268	1.8436	0.0538	0.5500	0.0296
061129	1.9509	1.9546	1.9435	1.9447						1.9776	1.9155	1.9268	1.8436	0.0565	0.5500	0.0311
061130	1.9447	1.9700	1.9449	1.9660						1.9784	1.9179	1.9268	1.8436	0.0550	0.5500	0.0302
061201	1.9660	1.9849	1.9635	1.9804						1.9901	1.9282	1.9268	1.8436	0.0563	0.5500	0.0310
061204	1.9804	1.9841	1.9726	1.9797						2.0136	1.9373	1.9268	1.8436	0.0693	0.5500	0.0381
061205	1.9797	1.9822	1.9677	1.9742						2.0080	1.9492	1.9268	1.8436	0.0534	0.5500	0.0294
061206	1.9742	1.9739	1.9617	1.9652						2.0010	1.9486	1.9268	1.8436	0.0476	0.5500	0.0262
061207	1.9652	1.9712	1.9612	1.9621						1.9894	1.9452	1.9268	1.8436	0.0402	0.5500	0.0221
061208	1.9621	1.9731	1.9514	1.9530						1.9875	1.9433	1.9268	1.8436	0.0402	0.5500	0.0221
061211	1.9530	1.9594	1.9467	1.9585						1.9763	1.9445	1.9268	1.8436	0.0290	0.5500	0.0159
061212	1.9585	1.9714	1.9578	1.9698						1.9727	1.9356	1.9268	1.8436	0.0337	0.5500	0.0185
061213	1.9698	1.9729	1.9606	1.9658						1.9838	1.9475	1.9268	1.8436	0.0330	0.5500	0.0181
061214	1.9658	1.9713	1.9580	1.9609						1.9817	1.9514	1.9268	1.8436	0.0275	0.5500	0.0151
061215	1.9609	1.9666	1.9501	1.9515	SV	1.9512				1.9766	1.9512	1.9352	2.0232	0.0231	0.5500	0.0127
061218	1.9515	1.9580	1.9435	1.9489						1.9697	1.9443	1.9352	2.0232	0.0231	0.5500	0.0127
061219	1.9489	1.9702	1.9467	1.9680	BV	1.9648	-462.50	12100.00	-887.50	1.9648	1.9359	1.9352	2.0209	0.0263	0.5500	0.0145
061219	1.9489	1.9702	1.9467	1.9680	BV	1.9648				1.9648	1.9359	1.9808	1.8928	0.0263	0.5500	0.0145
061220	1.9680	1.9749	1.9618	1.9644						1.9748	1.9459	1.9808	1.8960	0.0263	0.5500	0.0145
061221	1.9644	1.9698	1.9559	1.9615						1.9820	1.9531	1.9808	1.8960	0.0263	0.5500	0.0145
061222	1.9615	1.9683	1.9560	1.9663						1.9769	1.9483	1.9808	1.8960	0.0260	0.5500	0.0143
061225	1.9663	1.9560	1.9560	1.9560						1.9773	1.9487	1.9808	1.8960	0.0260	0.5500	0.0143
061226	1.9560	1.9598	1.9519	1.9535						1.9703	1.9417	1.9808	1.8960	0.0260	0.5500	0.0143
061227	1.9535	1.9633	1.9528	1.9570						1.9697	1.9411	1.9808	1.8960	0.0260	0.5500	0.0143
061228	1.9570	1.9680	1.9556	1.9627						1.9696	1.9461	1.9808	1.8960	0.0214	0.5500	0.0118
061229	1.9627	1.9670	1.9568	1.9572						1.9742	1.9498	1.9808	1.8960	0.0222	0.5500	0.0122
070101	1.9572	1.9627	1.9627	1.9627						1.9732	1.9488	1.9808	1.8960	0.0222	0.5500	0.0122
070102	1.9627	1.9742	1.9600	1.9738						1.9749	1.9505	1.9808	1.8960	0.0222	0.5500	0.0122
070103	1.9738	1.9752	1.9481	1.9504	SV	1.9562	-306.25	11793.75	-1193.75	1.9806	1.9562	1.9808	1.9018	0.0222	0.5500	0.0122
070103	1.9738	1.9752	1.9481	1.9504	SV	1.9562				1.9806	1.9562	1.9402	2.0282	0.0222	0.5500	0.0122
070104	1.9504	1.9531	1.9398	1.9441	BP	1.9402	462.50	12256.25	-731.25	1.9735	1.9453	1.9402	2.0224	0.0257	0.5500	0.0141
070105	1.9441	1.9445	1.9264	1.9302	SV	1.9273				1.9647	1.9273	1.9113	1.9993	0.0340	0.5500	0.0187
070108	1.9302	1.9406	1.9260	1.9379						1.9605	1.9083	1.9113	1.9993	0.0474	0.5500	0.0261
070109	1.9379	1.9457	1.9378	1.9398						1.9605	1.9079	1.9113	1.9993	0.0478	0.5500	0.0263
070110	1.9398	1.9423	1.9320	1.9328						1.9677	1.9151	1.9113	1.9993	0.0478	0.5500	0.0263
070111	1.9328	1.9550	1.9319	1.9448						1.9626	1.9100	1.9113	1.9993	0.0478	0.5500	0.0263
070112	1.9448	1.9610	1.9427	1.9570	BV	1.9574	-978.13	11278.12	-1709.38	1.9574	1.9301	1.9113	1.9993	0.0248	0.5500	0.0136
070112	1.9448	1.9610	1.9427	1.9570	BV	1.9574				1.9574	1.9301	1.9734	1.8854	0.0248	0.5500	0.0136
070115	1.9570	1.9669	1.9571	1.9645						1.9698	1.9359	1.9734	1.8854	0.0308	0.5500	0.0169
070116	1.9645	1.9710	1.9590	1.9624						1.9827	1.9423	1.9734	1.8925	0.0367	0.5500	0.0202
070117	1.9624	1.9724	1.9606	1.9689						1.9855	1.9435	1.9734	1.8925	0.0382	0.5500	0.0210
070118	1.9689	1.9780	1.9636	1.9732	SP	1.9734	462.50	11740.62	-1246.88	1.9888	1.9452	1.9734	1.8969	0.0396	0.5500	0.0218
070119																

070313	1.9317	1.9353	1.9274	1.9281					1.9476	1.9200	1.9321	2.0154	0.0251	0.5500	0.0138	
070314	1.9281	1.9372	1.9214	1.9352					1.9429	1.9185	1.9321	2.0154	0.0222	0.5500	0.0122	
070315	1.9352	1.9392	1.9309	1.9362					1.9427	1.9183	1.9321	2.0154	0.0222	0.5500	0.0122	
070316	1.9362	1.9505	1.9360	1.9418	BV	1.9475			1.9475	1.9231	1.9635	1.8755	0.0222	0.5500	0.0122	
070319	1.9418	1.9473	1.9386	1.9438					1.9553	1.9306	1.9635	1.8755	0.0224	0.5500	0.0123	
070320	1.9438	1.9623	1.9433	1.9605					1.9554	1.9308	1.9635	1.8755	0.0224	0.5500	0.0123	
070321	1.9605	1.9692	1.9565	1.9676	SP	1.9635	462.50	12428.12	-559.38	1.9731	1.9355	1.9635	1.8885	0.0342	0.5500	0.0188
070322	1.9676	1.9726	1.9613	1.9650					1.9864	1.9412	1.9635	1.8885	0.0411	0.5500	0.0226	
070323	1.9650	1.9690	1.9589	1.9614					1.9871	1.9460	1.9635	1.8885	0.0374	0.5500	0.0206	
070326	1.9614	1.9722	1.9585	1.9697					1.9835	1.9434	1.9635	1.8885	0.0364	0.5500	0.0200	
070327	1.9697	1.9703	1.9622	1.9661					1.9832	1.9493	1.9635	1.8885	0.0308	0.5500	0.0169	
070328	1.9661	1.9682	1.9598	1.9617					1.9821	1.9504	1.9635	1.8885	0.0288	0.5500	0.0158	
070329	1.9617	1.9658	1.9614	1.9621					1.9757	1.9513	1.9635	1.8885	0.0222	0.5500	0.0122	
070330	1.9621	1.9717	1.9548	1.9672					1.9755	1.9511	1.9635	1.8885	0.0222	0.5500	0.0122	
070402	1.9672	1.9800	1.9665	1.9783	BV	1.9762			1.9762	1.9518	1.9922	1.9042	0.0222	0.5500	0.0122	
070403	1.9783	1.9824	1.9730	1.9747					1.9865	1.9621	1.9922	1.9063	0.0222	0.5500	0.0122	
070404	1.9747	1.9774	1.9719	1.9753					1.9900	1.9642	1.9922	1.9063	0.0235	0.5500	0.0129	
070405	1.9753	1.9770	1.9670	1.9708					1.9877	1.9619	1.9922	1.9063	0.0235	0.5500	0.0129	
070406	1.9708	1.9721	1.9638	1.9648					1.9847	1.9588	1.9922	1.9063	0.0235	0.5500	0.0129	
070409	1.9648	1.9650	1.9594	1.9615					1.9802	1.9544	1.9922	1.9063	0.0235	0.5500	0.0129	
070410	1.9615	1.9750	1.9672	1.9717					1.9743	1.9499	1.9922	1.9063	0.0222	0.5500	0.0122	
070411	1.9717	1.9817	1.9712	1.9751					1.9834	1.9590	1.9922	1.9063	0.0222	0.5500	0.0122	
070412	1.9751	1.9812	1.9728	1.9781					1.9884	1.9640	1.9922	1.9063	0.0222	0.5500	0.0122	
070413	1.9781	1.9887	1.9786	1.9864					1.9894	1.9650	1.9922	1.9063	0.0222	0.5500	0.0122	
070416	1.9864	1.9940	1.9857	1.9898	SP	1.9922	462.50	12890.62	-96.88	1.9992	1.9692	1.9922	1.9144	0.0272	0.5500	0.0150
070417	1.9898	2.0075	1.9883	2.0060					2.0077	1.9720	1.9922	1.9144	0.0325	0.5500	0.0179	
070418	2.0060	2.0133	2.0016	2.0056					2.0248	1.9742	1.9922	1.9144	0.0460	0.5500	0.0253	
070419	2.0056	2.0094	1.9987	2.0017					2.0300	1.9842	1.9922	1.9144	0.0416	0.5500	0.0229	
070420	2.0017	2.0058	1.9992	2.0037					2.0246	1.9826	1.9922	1.9144	0.0382	0.5500	0.0210	
070423	2.0037	2.0061	1.9973	2.0009					2.0221	1.9834	1.9922	1.9144	0.0352	0.5500	0.0194	
070424	2.0009	2.0045	1.9957	1.9999					2.0163	1.9877	1.9922	1.9144	0.0269	0.5500	0.0148	
070425	1.9999	2.0063	2.0004	2.0019					2.0130	1.9871	1.9922	1.9144	0.0235	0.5500	0.0129	
070426	2.0019	2.0059	1.9893	1.9912	SV	1.9909			2.0153	1.9909	1.9749	2.0629	0.0222	0.5500	0.0122	
070427	1.9912	2.0044	1.9867	1.9967					2.0085	1.9841	1.9749	2.0629	0.0222	0.5500	0.0122	
070430	1.9967	2.0031	1.9892	1.9994					2.0080	1.9836	1.9749	2.0629	0.0222	0.5500	0.0122	
070501	1.9994	2.0074	1.9981	1.9996					2.0090	1.9846	1.9749	2.0629	0.0222	0.5500	0.0122	
070502	1.9996	1.9998	1.9871	1.9895					2.0143	1.9899	1.9749	2.0629	0.0222	0.5500	0.0122	
070503	1.9895	1.9946	1.9855	1.9878					2.0049	1.9805	1.9749	2.0615	0.0222	0.5500	0.0122	
070504	1.9878	1.9944	1.9845	1.9931					2.0018	1.9774	1.9749	2.0598	0.0222	0.5500	0.0122	
070507	1.9931	1.9974	1.9932	1.9933					2.0024	1.9780	1.9749	2.0598	0.0222	0.5500	0.0122	
070508	1.9933	1.9962	1.9681	1.9888	BP	1.9749	462.50	13353.12	0.00	2.0071	1.9827	1.9749	2.0598	0.0222	0.5500	0.0122
070509	1.9888	1.9998	1.9884	1.9942					2.0008	1.9662	1.9749	2.0598	0.0315	0.5500	0.0173	
070510	1.9942	1.9962	1.9773	1.9785					2.0114	1.9768	1.9749	2.0598	0.0315	0.5500	0.0173	
070511	1.9785	1.9846	1.9764	1.9822					1.9995	1.9707	1.9749	2.0598	0.0261	0.5500	0.0144	
070514	1.9822	1.9845	1.9782	1.9783					1.9952	1.9665	1.9749	2.0598	0.0261	0.5500	0.0144	
070515	1.9783	1.9872	1.9748	1.9853					1.9951	1.9664	1.9749	2.0598	0.0261	0.5500	0.0144	
070516	1.9853	1.9873	1.9759	1.9782					1.9962	1.9675	1.9749	2.0598	0.0261	0.5500	0.0144	
070517	1.9782	1.9791	1.9734	1.9744					1.9927	1.9691	1.9749	2.0598	0.0215	0.5500	0.0118	
070518	1.9744	1.9779	1.9702	1.9743					1.9881	1.9637	1.9749	2.0598	0.0222	0.5500	0.0122	
070521	1.9743	1.9756	1.9678	1.9702					1.9863	1.9619	1.9749	2.0598	0.0222	0.5500	0.0122	
070522	1.9702	1.9769	1.9704	1.9702					1.9836	1.9592	1.9749	2.0598	0.0222	0.5500	0.0122	
070523	1.9702	1.9895	1.9717	1.9861	BV	1.9852			1.9852	1.9608	2.0012	1.9132	0.0222	0.5500	0.0122	
070524	1.9861	1.9889	1.9832	1.9858					1.9939	1.9695	2.0012	1.9141	0.0222	0.5500	0.0122	
070525	1.9858	1.9880	1.9835	1.9846					1.9982	1.9738	2.0012	1.9141	0.0222	0.5500	0.0122	
070528	1.9846	1.9847	1.9826	1.9832					1.9977	1.9733	2.0012	1.9141	0.0222	0.5500	0.0122	
070529	1.9832	1.9900	1.9793	1.9800					1.9958	1.9714	2.0012	1.9141	0.0222	0.5500	0.0122	
070530	1.9800	1.9830	1.9735	1.9758					1.9959	1.9715	2.0012	1.9141	0.0222	0.5500	0.0122	
070531	1.9758	1.9799	1.9738	1.9797					1.9900	1.9656	2.0012	1.9141	0.0222	0.5500	0.0122	
070601	1.9797	1.9826	1.9770	1.9821					1.9896	1.9652	2.0012	1.9141	0.0222	0.5500	0.0122	
070604	1.9821	1.9927	1.9816	1.9903					1.9925	1.9681	2.0012	1.9141	0.0222	0.5500	0.0122	
070605	1.9903	1.9968	1.9911	1.9919					2.0000	1.9756	2.0012	1.9183	0.0222	0.5500	0.0122	
070606	1.9919	1.9956	1.9909	1.9926					2.0057	1.9813	2.0012	1.9199	0.0222	0.5500	0.0122	
070607	1.9926	1.9942	1.9748	1.9771	SV	1.9809	-171.87	13181.25	-171.87	2.0053	1.9809	2.0012	1.9206	0.0222	0.5500	0.0122
070607	1.9926	1.9942	1.9748	1.9771	SV	1.9809			2.0053	1.9809	1.9649	2.0529	0.0222	0.5500	0.0122	
070608	1.9771	1.9793	1.9624	1.9667	BP	1.9649	462.50	13643.75	0.00	1.9952	1.9708	1.9649	2.0491	0.0222	0.5500	0.0122
070611	1.9667	1.9703	1.9654	1.9694					1.9866	1.9534	1.9649	2.0491	0.0302	0.5500	0.0166	
070612	1.9694	1.9783	1.9689	1.9763					1.9848	1.9515	1.9649	2.0491	0.0302	0.5500	0.0166	
070613	1.9763	1.9769	1.9679	1.9734					1.9907	1.9575	1.9649	2.0491	0.0302	0.5500	0.0166	
070614	1.9734	1.9735	1.9657	1.9693					1.9892	1.9560	1.9649	2.0491	0.0302	0.5500	0.0166	
070615	1.9693	1.9778	1.9690	1.9755					1.9862	1.9529	1.9649	2.0491	0.0302	0.5500	0.0166	
070618	1.9751	1.9843	1.9755	1.9835					1.9859	1.9615	1.9649	2.0491	0.0222	0.5500	0.0122	
070619	1.9835	1.9889	1.9828	1.9887					1.9928	1.9684	1.9649	2.0491	0.0222	0.5500	0.0122	
070620	1.9887	1.9947	1.9872	1.9945					1.9986	1.9742	1.9649	2.0491	0.0222	0.5500	0.0122	
070621	1.9945	1.9941	1.9889	1.9921					2.0056	1.9777	1.9649	2.0491	0.0254	0.5500	0.0140	
070622	1.9921	1.9996	1.9914	1.9992					2.0075	1.9758	1.9649	2.0491	0.0288	0.5500	0.0158	
070625	1.9992	2.0006	1.9958	1.9986					2.0129	1.9796	1.9649	2.0491	0.0303	0.5500	0.0167	
070626	1.9986	2.0017	1.9961	1.9992					2.0123	1.9843	1.9649	2.0491	0.0255	0.5500	0.0140	
070627	1.9992	1.9989	1.9929	1.9977					2.0112	1.9868	1.9649	2.0491	0.0222	0.5500	0.0122	
070628	1.9977	2.0042	1.9976	2.0013					2.0085	1.9841	1.9649	2.0491	0.0222	0.5500	0.0122	
070629	2.0013	2.0085	2.0													

070820	1.9800	1.9900	1.9772	1.9881					2.0114	1.9479	2.0053	2.0857	0.0577	0.5500	0.0317
070821	1.9881	1.9908	1.9746	1.9823					2.0156	1.9534	2.0053	2.0857	0.0565	0.5500	0.0311
070822	1.9823	1.9928	1.9804	1.9917					2.0092	1.9560	2.0053	2.0857	0.0484	0.5500	0.0266
070823	1.9917	2.0092	1.9920	2.0030	BV	2.0051			2.0051	1.9702	2.0211	1.9331	0.0317	0.5500	0.0174
070824	2.0030	2.0138	1.9981	2.0134					2.0177	1.9845	2.0211	1.9331	0.0302	0.5500	0.0166
070827	2.0134	2.0192	2.0122	2.0133					2.0282	1.9867	2.0211	1.9414	0.0377	0.5500	0.0207
070828	2.0133	2.0141	2.0028	2.0073					2.0368	1.9937	2.0211	1.9414	0.0392	0.5500	0.0216
070829	2.0073	2.0181	1.9964	2.0180					2.0296	1.9869	2.0211	1.9414	0.0388	0.5500	0.0213
070830	2.0180	2.0183	2.0045	2.0135					2.0297	1.9891	2.0211	1.9460	0.0369	0.5500	0.0203
070831	2.0135	2.0232	2.0111	2.0163	SP	2.0211	462.50	15493.75	2.0269	1.9967	2.0211	1.9460	0.0275	0.5500	0.0151
070903	2.0163	2.0208	2.0149	2.0174					2.0289	2.0051	2.0211	1.9460	0.0216	0.5500	0.0119
070904	2.0174	2.0195	2.0076	2.0146					2.0296	2.0059	2.0211	1.9460	0.0216	0.5500	0.0119
070905	2.0146	2.0225	2.0045	2.0203					2.0256	2.0019	2.0211	1.9460	0.0216	0.5500	0.0119
070906	2.0203	2.0265	2.0143	2.0230					2.0267	2.0030	2.0211	1.9460	0.0216	0.5500	0.0119
070907	2.0230	2.0324	2.0162	2.0279					2.0331	2.0087	2.0211	1.9460	0.0222	0.5500	0.0122
070910	2.0279	2.0331	2.0265	2.0278					2.0372	2.0128	2.0211	1.9460	0.0222	0.5500	0.0122
070911	2.0278	2.0336	2.0221	2.0313					2.0423	2.0165	2.0211	1.9460	0.0234	0.5500	0.0129
070912	2.0313	2.0366	2.0289	2.0303					2.0414	2.0157	2.0211	1.9460	0.0234	0.5500	0.0129
070913	2.0303	2.0346	2.0237	2.0286					2.0470	2.0175	2.0211	1.9460	0.0268	0.5500	0.0147
070914	2.0286	2.0252	2.0058	2.0102	SV	2.0168			2.0412	2.0168	2.0008	2.0888	0.0222	0.5500	0.0122
070917	2.0102	2.0092	1.9915	1.9939	BP	2.0008	462.50	15956.25	2.0285	2.0004	2.0008	2.0822	0.0255	0.5500	0.0140
070918	1.9939	2.0150	1.9882	2.0120					2.0210	1.9772	2.0008	2.0822	0.0398	0.5500	0.0219
070919	2.0120	2.0172	1.9963	2.0012					2.0274	1.9800	2.0008	2.0822	0.0431	0.5500	0.0237
070920	2.0012	2.0145	1.9975	2.0095					2.0293	1.9819	2.0008	2.0822	0.0431	0.5500	0.0237
070921	2.0095	2.0217	2.0079	2.0201					2.0299	1.9835	2.0008	2.0822	0.0421	0.5500	0.0232
070924	2.0201	2.0320	2.0201	2.0211					2.0381	1.9936	2.0008	2.0822	0.0404	0.5500	0.0222
070925	2.0211	2.0228	2.0086	2.0179					2.0460	2.0041	2.0008	2.0822	0.0381	0.5500	0.0210
070926	2.0179	2.0217	2.0107	2.0154					2.0371	1.9952	2.0008	2.0822	0.0381	0.5500	0.0210
070927	2.0154	2.0284	2.0140	2.0268					2.0330	1.9991	2.0008	2.0822	0.0308	0.5500	0.0169
070928	2.0268	2.0467	2.0198	2.0452	BV	2.0393			2.0393	2.0054	2.0553	1.9673	0.0308	0.5500	0.0169
071001	2.0452	2.0494	2.0378	2.0440					2.0561	2.0152	2.0553	1.9732	0.0372	0.5500	0.0205
071002	2.0440	2.0446	2.0371	2.0416					2.0638	2.0235	2.0553	1.9732	0.0366	0.5500	0.0201
071003	2.0416	2.0442	2.0313	2.0321					2.0611	2.0209	2.0553	1.9732	0.0366	0.5500	0.0201
071004	2.0321	2.0428	2.0279	2.0321					2.0556	2.0176	2.0553	1.9732	0.0345	0.5500	0.0190
071005	2.0321	2.0440	2.0303	2.0428					2.0534	2.0160	2.0553	1.9732	0.0340	0.5500	0.0187
071008	2.0428	2.0426	2.0342	2.0350					2.0523	2.0243	2.0553	1.9732	0.0254	0.5500	0.0140
071009	2.0350	2.0376	2.0259	2.0353					2.0499	2.0255	2.0553	1.9732	0.0222	0.5500	0.0122
071010	2.0353	2.0476	2.0368	2.0411					2.0447	2.0203	2.0553	1.9732	0.0222	0.5500	0.0122
071011	2.0411	2.0425	2.0323	2.0315					2.0542	2.0298	2.0553	1.9732	0.0222	0.5500	0.0122
071012	2.0315	2.0365	2.0249	2.0344					2.0484	2.0240	2.0553	1.9732	0.0222	0.5500	0.0122
071015	2.0344	2.0435	2.0321	2.0422					2.0436	2.0192	2.0553	1.9732	0.0222	0.5500	0.0122
071016	2.0422	2.0437	2.0295	2.0313					2.0509	2.0265	2.0553	1.9732	0.0222	0.5500	0.0122
071017	2.0313	2.0419	2.0289	2.0355					2.0477	2.0233	2.0553	1.9732	0.0222	0.5500	0.0122
071018	2.0355	2.0514	2.0385	2.0448					2.0476	2.0232	2.0553	1.9732	0.0222	0.5500	0.0122
071019	2.0448	2.0524	2.0411	2.0498					2.0571	2.0327	2.0553	1.9732	0.0222	0.5500	0.0122
071022	2.0498	2.0548	2.0259	2.0286	SV	2.0352	-165.62	15790.62	2.0596	2.0352	2.0553	1.9778	0.0222	0.5500	0.0122
071022	2.0498	2.0548	2.0259	2.0286	SV	2.0352			2.0596	2.0352	2.0192	2.1072	0.0222	0.5500	0.0122
071023	2.0286	2.0509	2.0305	2.0503					2.0511	2.0249	2.0192	2.1006	0.0239	0.5500	0.0131
071024	2.0503	2.0517	2.0428	2.0494					2.0570	2.0282	2.0192	2.1006	0.0262	0.5500	0.0144
071025	2.0494	2.0552	2.0455	2.0511					2.0621	2.0333	2.0192	2.1006	0.0262	0.5500	0.0144
071026	2.0511	2.0573	2.0483	2.0519					2.0651	2.0359	2.0192	2.1006	0.0266	0.5500	0.0146
071029	2.0519	2.0631	2.0531	2.0617					2.0684	2.0368	2.0192	2.1006	0.0287	0.5500	0.0158
071030	2.0617	2.0703	2.0567	2.0683					2.0778	2.0398	2.0192	2.1006	0.0345	0.5500	0.0190
071031	2.0683	2.0822	2.0665	2.0792					2.0874	2.0415	2.0192	2.1006	0.0417	0.5500	0.0229
071101	2.0792	2.0874	2.0756	2.0840					2.0934	2.0573	2.0192	2.1006	0.0328	0.5500	0.0180
071102	2.0840	2.0897	2.0767	2.0889					2.1029	2.0611	2.0192	2.1006	0.0380	0.5500	0.0209
071105	2.0889	2.0893	2.0784	2.0805					2.1056	2.0631	2.0192	2.1006	0.0386	0.5500	0.0212
071106	2.0805	2.0905	2.0804	2.0866					2.1040	2.0624	2.0192	2.1006	0.0378	0.5500	0.0208
071107	2.0866	2.1070	2.0863	2.1013	BT	2.1006	-2081.25	13709.37	2.1034	2.0680	2.0192	2.1006	0.0322	0.5500	0.0177
071107	2.0866	2.1070	2.0863	2.1013	BV	2.1034			2.1034	2.0680	2.1194	2.0314	0.0322	0.5500	0.0177
071108	2.1013	2.1116	2.0974	2.1085					2.1189	2.0763	2.1194	2.0314	0.0387	0.5500	0.0213
071109	2.1085	2.1160	2.0893	2.0895					2.1231	2.0875	2.1194	2.0365	0.0324	0.5500	0.0178
071112	2.0895	2.0870	2.0590	2.0638	SV	2.0805	-753.12	12956.25	2.1195	2.0805	2.1194	2.0365	0.0355	0.5500	0.0195
071112	2.0895	2.0870	2.0590	2.0638	SV	2.0805			2.1195	2.0805	2.0645	2.1525	0.0355	0.5500	0.0195
071112	2.0895	2.0870	2.0590	2.0638	BP	2.0645	462.50	13418.75	2.1195	2.0805	2.0645	2.1525	0.0355	0.5500	0.0195
071113	2.0638	2.0761	2.0524	2.0703					2.0984	2.0439	2.0645	2.1525	0.0495	0.5500	0.0272
071114	2.0703	2.0857	2.0545	2.0546					2.0963	2.0346	2.0645	2.1525	0.0561	0.5500	0.0309
071115	2.0546	2.0617	2.0422	2.0428					2.0979	2.0361	2.0645	2.1525	0.0561	0.5500	0.0309
071116	2.0428	2.0530	2.0354	2.0513					2.0866	2.0137	2.0645	2.1525	0.0663	0.5500	0.0365
071119	2.0513	2.0555	2.0453	2.0491					2.0859	2.0054	2.0645	2.1525	0.0732	0.5500	0.0403
071120	2.0491	2.0677	2.0458	2.0659					2.0799	2.0204	2.0645	2.1525	0.0541	0.5500	0.0298
071121	2.0659	2.0697	2.0529	2.0665					2.0822	2.0350	2.0645	2.1525	0.0429	0.5500	0.0236
071122	2.0665	2.0684	2.0618	2.0625					2.0859	2.0387	2.0645	2.1525	0.0429	0.5500	0.0236
071123	2.0625	2.0762	2.0561	2.0585					2.0817	2.0475	2.0645	2.1525	0.0311	0.5500	0.0171
071126	2.0585	2.0721	2.0606	2.0708					2.0830	2.0462	2.0645	2.1525	0.0334	0.5500	0.0184
071127	2.0708	2.0757	2.0643	2.0698					2.0821	2.0523	2.0645	2.1525	0.0271	0.5500	0.0149
071128	2.0698	2.0824	2.0584	2.0811					2.0849	2.0551	2.0645	2.1525	0.0271	0.5500	0.0149
071129	2.0811	2.0823	2.0595	2.0615					2.0857	2.0594	2.0645	2.1525	0.0239	0.5500	0.0131
071130	2.0615	2.0700	2.0535	2.0567	SV	2.0553			2.0828	2.0553	2.0393	2.1273	0.0250	0.5500	0.0138
071203	2.0567	2.0679	2.0522												

080118	1.9712	1.9727	1.9514	1.9554 SV	1.9583	-500.00	13356.25	-2928.12	1.9828	1.9583	1.9891	1.9011	0.0223	0.5500	0.0123
080118	1.9712	1.9727	1.9514	1.9554 SV	1.9583				1.9828	1.9583	1.9423	2.0303	0.0223	0.5500	0.0123
080121	1.9554	1.9583	1.9433	1.9435					1.9731	1.9483	1.9423	2.0274	0.0226	0.5500	0.0124
080122	1.9435	1.9626	1.9339	1.9620 BP	1.9423	462.50	13818.75	-2465.62	1.9647	1.9340	1.9423	2.0155	0.0279	0.5500	0.0153
080123	1.9620	1.9644	1.9467	1.9542					1.9715	1.9305	1.9423	2.0155	0.0373	0.5500	0.0205
080124	1.9542	1.9743	1.9502	1.9741					1.9758	1.9348	1.9423	2.0155	0.0373	0.5500	0.0205
080125	1.9741	1.9848	1.9746	1.9803					1.9851	1.9441	1.9423	2.0155	0.0373	0.5500	0.0205
080128	1.9803	1.9892	1.9732	1.9834					2.0025	1.9571	1.9423	2.0155	0.0413	0.5500	0.0227
080129	1.9834	1.9928	1.9814	1.9895					2.0072	1.9561	1.9423	2.0155	0.0464	0.5500	0.0255
080130	1.9895	1.9960	1.9850	1.9914					2.0148	1.9604	1.9423	2.0155	0.0495	0.5500	0.0272
080131	1.9914	1.9945	1.9827	1.9864					2.0142	1.9671	1.9423	2.0155	0.0428	0.5500	0.0235
080201	1.9864	1.9941	1.9656	1.9674					2.0112	1.9652	1.9423	2.0155	0.0418	0.5500	0.0230
080204	1.9674	1.9783	1.9629	1.9738 SV	1.9632				1.9915	1.9632	1.9472	2.0352	0.0258	0.5500	0.0142
080205	1.9738	1.9762	1.9606	1.9638					1.9870	1.9555	1.9472	2.0352	0.0286	0.5500	0.0157
080206	1.9638	1.9662	1.9556	1.9597					1.9844	1.9505	1.9472	2.0352	0.0308	0.5500	0.0169
080207	1.9597	1.9622	1.9398	1.9417 BP	1.9472	462.50	14281.25	-2003.12	1.9803	1.9410	1.9472	2.0317	0.0358	0.5500	0.0197
080208	1.9417	1.9511	1.9406	1.9451					1.9775	1.9208	1.9472	2.0317	0.0516	0.5500	0.0284
080211	1.9451	1.9529	1.9404	1.9497					1.9745	1.9169	1.9472	2.0317	0.0524	0.5500	0.0288
080212	1.9497	1.9633	1.9446	1.9620					1.9674	1.9271	1.9472	2.0317	0.0366	0.5500	0.0201
080213	1.9620	1.9654	1.9552	1.9650					1.9745	1.9366	1.9472	2.0317	0.0345	0.5500	0.0190
080214	1.9650	1.9738	1.9616	1.9688					1.9747	1.9478	1.9472	2.0317	0.0245	0.5500	0.0135
080215	1.9688	1.9721	1.9583	1.9603					1.9856	1.9503	1.9472	2.0317	0.0321	0.5500	0.0177
080218	1.9603	1.9522	1.9477	1.9603					1.9819	1.9466	1.9472	2.0317	0.0321	0.5500	0.0177
080219	1.9603	1.9541	1.9455	1.9487					1.9678	1.9362	1.9472	2.0317	0.0287	0.5500	0.0158
080220	1.9487	1.9503	1.9358	1.9419 SV	1.9363				1.9629	1.9363	1.9203	2.0083	0.0242	0.5500	0.0133
080221	1.9419	1.9618	1.9489	1.9627 BV	1.9610	-809.37	13471.87	-2812.50	1.9610	1.9247	1.9203	2.0083	0.0330	0.5500	0.0181
080221	1.9419	1.9618	1.9489	1.9627 BV	1.9610				1.9610	1.9247	1.9770	1.8890	0.0330	0.5500	0.0181
080222	1.9627	1.9709	1.9607	1.9684					1.9750	1.9387	1.9770	1.8907	0.0330	0.5500	0.0181
080225	1.9684	1.9692	1.9623	1.9673					1.9845	1.9482	1.9770	1.8964	0.0330	0.5500	0.0181
080226	1.9673	1.9874	1.9640	1.9858 SP	1.9770	462.50	13934.37	-2350.00	1.9840	1.9481	1.9770	1.8964	0.0326	0.5500	0.0179
080227	1.9858	1.9966	1.9833	1.9833					2.0027	1.9527	1.9770	1.8964	0.0455	0.5500	0.0250
080228	1.9833	1.9948	1.9759	1.9921					2.0187	1.9585	1.9770	1.8964	0.0547	0.5500	0.0301
080229	1.9921	1.9922	1.9786	1.9881					2.0168	1.9566	1.9770	1.8964	0.0547	0.5500	0.0301
080303	1.9881	1.9935	1.9810	1.9846					2.0046	1.9673	1.9770	1.8964	0.0339	0.5500	0.0186
080304	1.9846	1.9892	1.9827	1.9862					2.0031	1.9703	1.9770	1.8964	0.0298	0.5500	0.0164
080305	1.9862	1.9967	1.9718	1.9917					2.0021	1.9699	1.9770	1.8964	0.0293	0.5500	0.0161
080306	1.9917	2.0116	1.9896	2.0104 BV	1.9979				1.9979	1.9735	2.0139	1.9259	0.0222	0.5500	0.0122
080307	2.0104	2.0216	2.0097	2.0149 SP	2.0139	462.50	14396.87	-1887.50	2.0181	1.9870	2.0139	1.9384	0.0283	0.5500	0.0156
080310	2.0149	2.0220	2.0091	2.0100					2.0367	1.9943	2.0139	1.9384	0.0386	0.5500	0.0212
080311	2.0100	2.0211	1.9999	2.0028					2.0381	1.9907	2.0139	1.9384	0.0431	0.5500	0.0237
080312	2.0028	2.0254	2.0076	2.0274					2.0327	1.9853	2.0139	1.9384	0.0431	0.5500	0.0237
080313	2.0274	2.0370	2.0252	2.0289					2.0424	1.9950	2.0139	1.9384	0.0431	0.5500	0.0237
080314	2.0289	2.0398	2.0200	2.0221					2.0556	2.0057	2.0139	1.9384	0.0453	0.5500	0.0249
080317	2.0221	2.0238	1.9994	2.0021 SV	2.0080				2.0487	2.0080	1.9920	2.0800	0.0370	0.5500	0.0203
080318	2.0021	2.0273	1.9957	2.0074					2.0300	1.9893	1.9920	2.0741	0.0370	0.5500	0.0203
080319	2.0074	2.0151	1.9807	1.9815 BP	1.9920	462.50	14859.37	-1425.00	2.0314	1.9899	1.9920	2.0741	0.0377	0.5500	0.0207
080320	1.9815	1.9878	1.9738	1.9838					2.0211	1.9681	1.9920	2.0741	0.0482	0.5500	0.0265
080321	1.9838	1.9865	1.9819	1.9833					2.0135	1.9493	1.9920	2.0741	0.0583	0.5500	0.0321
080324	1.9833	1.9876	1.9761	1.9842					2.0161	1.9520	1.9920	2.0741	0.0583	0.5500	0.0321
080325	1.9842	2.0005	1.9850	1.9995					2.0089	1.9558	1.9920	2.0741	0.0483	0.5500	0.0266
080326	1.9995	2.0111	1.9928	2.0074					2.0193	1.9689	1.9920	2.0741	0.0458	0.5500	0.0252
080327	2.0074	2.0192	2.0029	2.0038					2.0215	1.9846	1.9920	2.0741	0.0336	0.5500	0.0185
080328	2.0038	2.0090	1.9883	1.9932 SV	1.9889				2.0303	1.9889	1.9729	2.0609	0.0377	0.5500	0.0207
080331	1.9932	1.9979	1.9815	1.9832					2.0173	1.9778	1.9729	2.0609	0.0359	0.5500	0.0197
080401	1.9832	1.9874	1.9731	1.9765					2.0081	1.9687	1.9729	2.0552	0.0359	0.5500	0.0197
080402	1.9765	1.9899	1.9750	1.9871					1.9993	1.9597	1.9729	2.0485	0.0360	0.5500	0.0198
080403	1.9871	1.9975	1.9750	1.9950					2.0069	1.9599	1.9729	2.0485	0.0427	0.5500	0.0235
080404	1.9950	2.0049	1.9912	1.9912					2.0115	1.9645	1.9729	2.0485	0.0427	0.5500	0.0235
080407	1.9912	1.9951	1.9836	1.9867					2.0146	1.9788	1.9729	2.0485	0.0325	0.5500	0.0179
080408	1.9867	1.9927	1.9662	1.9693 BP	1.9729	462.50	15321.87	-962.50	2.0044	1.9732	1.9729	2.0485	0.0284	0.5500	0.0156
080409	1.9693	1.9791	1.9653	1.9750					1.9933	1.9616	1.9729	2.0485	0.0288	0.5500	0.0158
080410	1.9750	1.9842	1.9708	1.9723					1.9923	1.9532	1.9729	2.0485	0.0356	0.5500	0.0196
080411	1.9723	1.9767	1.9685	1.9717					1.9960	1.9569	1.9729	2.0485	0.0356	0.5500	0.0196
080414	1.9717	1.9893	1.9656	1.9751					1.9920	1.9528	1.9729	2.0485	0.0356	0.5500	0.0196
080415	1.9751	1.9780	1.9603	1.9607 SV	1.9627				1.9912	1.9627	1.9467	2.0347	0.0259	0.5500	0.0142
080416	1.9607	1.9805	1.9603	1.9706					1.9820	1.9529	1.9467	2.0327	0.0264	0.5500	0.0145
080417	1.9706	1.9924	1.9693	1.9909 BV	1.9862	-771.88	14550.00	-1734.37	1.9862	1.9547	1.9467	2.0327	0.0286	0.5500	0.0157
080417	1.9706	1.9924	1.9693	1.9909 BV	1.9862				1.9862	1.9547	2.0022	1.9142	0.0286	0.5500	0.0157
080418	1.9909	1.9998	1.9884	1.9941					2.0003	1.9654	2.0022	1.9189	0.0317	0.5500	0.0174
080421	1.9941	2.0037	1.9778	1.9812 SP	2.0022	462.50	15012.50	-1271.87	2.0156	1.9726	2.0022	1.9221	0.0391	0.5500	0.0215
080422	1.9812	1.9998	1.9747	1.9951					2.0125	1.9652	2.0022	1.9221	0.0430	0.5500	0.0236
080423	1.9951	1.9970	1.9776	1.9795					2.0125	1.9652	2.0022	1.9221	0.0430	0.5500	0.0236
080424	1.9795	1.9815	1.9688	1.9746					2.0094	1.9621	2.0022	1.9221	0.0430	0.5500	0.0236
080425	1.9746	1.9889	1.9679	1.9821					1.9932	1.9568	2.0022	1.9221	0.0331	0.5500	0.0182
080428	1.9821	1.9964	1.9784	1.9896 BV	1.9951				1.9951	1.9631	2.0111	1.9231	0.0291	0.5500	0.0160
080429	1.9896	1.9918	1.9668	1.9880 SV	1.9718	-765.63	14246.87	-2037.50	2.0038	1.9718	2.0111	1.9231	0.0291	0.5500	0.0160
080429	1.9896	1.9918	1.9668	1.9880 SV	1.9718				2.0038	1.9718	1.9558	2.0438	0.0291	0.5500	0.0160
080430	1.9880	1.9893	1.9626	1.9879					1.9966	1.9655	1.9558	2.0438	0.0283		

080623	1.9760	1.9757	1.9588	1.9651					1.9930	1.9569	1.9891	1.9040	0.0328	0.5500	0.0180	
080624	1.9651	1.9723	1.9627	1.9695					1.9844	1.9492	1.9891	1.9040	0.0320	0.5500	0.0176	
080625	1.9695	1.9769	1.9658	1.9695					1.9838	1.9520	1.9891	1.9040	0.0289	0.5500	0.0159	
080626	1.9695	1.9894	1.9716	1.9873	SP	1.9891	462.50	16096.87	-187.50	1.9864	1.9556	1.9891	1.9040	0.0280	0.5500	0.0154
080627	1.9873	1.9952	1.9807	1.9927					1.9982	1.9655	1.9891	1.9040	0.0297	0.5500	0.0163	
080630	1.9927	1.9966	1.9882	1.9927					2.0055	1.9723	1.9891	1.9040	0.0301	0.5500	0.0166	
080701	1.9927	2.0006	1.9890	1.9941					2.0111	1.9738	1.9891	1.9040	0.0339	0.5500	0.0186	
080703	1.9941	1.9937	1.9812	1.9822					2.0142	1.9751	1.9891	1.9040	0.0355	0.5500	0.0195	
080704	1.9822	1.9848	1.9796	1.9828					2.0035	1.9693	1.9891	1.9040	0.0311	0.5500	0.0171	
080707	1.9828	1.9828	1.9650	1.9770	SV	1.9652			1.9994	1.9652	1.9492	2.0372	0.0311	0.5500	0.0171	
080708	1.9770	1.9795	1.9668	1.9689					1.9905	1.9585	1.9492	2.0372	0.0291	0.5500	0.0160	
080709	1.9689	1.9820	1.9674	1.9819					1.9883	1.9563	1.9492	2.0372	0.0291	0.5500	0.0160	
080710	1.9819	1.9837	1.9715	1.9771					1.9936	1.9587	1.9492	2.0372	0.0317	0.5500	0.0174	
080711	1.9771	1.9958	1.9755	1.9870	BV	1.9935	-921.87	15175.00	-1109.37	1.9935	1.9615	1.9492	2.0372	0.0291	0.5500	0.0160
080711	1.9771	1.9958	1.9755	1.9870	BV	1.9935			1.9935	1.9615	2.0095	1.9215	0.0291	0.5500	0.0160	
080714	1.9870	1.9962	1.9816	1.9941					2.0007	1.9711	2.0095	1.9215	0.0269	0.5500	0.0148	
080715	1.9941	2.0157	1.9933	2.0018	SP	2.0095	462.50	15637.50	-646.87	2.0050	1.9749	2.0095	1.9221	0.0273	0.5500	0.0150
080716	2.0018	2.0097	1.9958	1.9984					2.0297	1.9782	2.0095	1.9221	0.0468	0.5500	0.0257	
080717	1.9984	2.0067	1.9951	1.9988					2.0276	1.9761	2.0095	1.9221	0.0468	0.5500	0.0257	
080718	1.9988	2.0038	1.9908	1.9978					2.0217	1.9792	2.0095	1.9221	0.0386	0.5500	0.0212	
080721	1.9978	1.9990	1.9908	1.9984					2.0186	1.9762	2.0095	1.9221	0.0386	0.5500	0.0212	
080722	1.9984	2.0075	1.9899	1.9908					2.0114	1.9798	2.0095	1.9221	0.0287	0.5500	0.0158	
080723	1.9908	2.0029	1.9904	1.9976					2.0090	1.9852	2.0095	1.9221	0.0216	0.5500	0.0119	
080724	1.9976	1.9989	1.9817	1.9843	SV	1.9846			2.0090	1.9846	1.9686	2.0566	0.0222	0.5500	0.0122	
080725	1.9843	1.9978	1.9833	1.9901					2.0013	1.9769	1.9686	2.0563	0.0222	0.5500	0.0122	
080728	1.9901	1.9963	1.9844	1.9950					2.0032	1.9777	1.9686	2.0563	0.0232	0.5500	0.0128	
080729	1.9950	1.9967	1.9763	1.9786					2.0040	1.9785	1.9686	2.0563	0.0232	0.5500	0.0128	
080730	1.9786	1.9842	1.9748	1.9817					1.9977	1.9722	1.9686	2.0566	0.0232	0.5500	0.0128	
080731	1.9817	1.9928	1.9783	1.9825					1.9933	1.9666	1.9686	2.0506	0.0243	0.5500	0.0134	
080801	1.9825	1.9841	1.9729	1.9735					1.9975	1.9724	1.9686	2.0506	0.0228	0.5500	0.0125	
080804	1.9735	1.9761	1.9647	1.9634	BP	1.9686	462.50	16100.00	-184.37	1.9897	1.9653	1.9686	2.0455	0.0221	0.5500	0.0122
080805	1.9634	1.9642	1.9523	1.9555	SV	1.9523			1.9857	1.9523	1.9363	2.0243	0.0303	0.5500	0.0167	
080806	1.9555	1.9595	1.9469	1.9470					1.9812	1.9342	1.9363	2.0243	0.0427	0.5500	0.0235	
080807	1.9470	1.9531	1.9422	1.9430					1.9725	1.9314	1.9363	2.0190	0.0373	0.5500	0.0205	
080808	1.9430	1.9438	1.9149	1.9201	BP	1.9363	462.50	16562.50	0.00	1.9719	1.9215	1.9363	2.0150	0.0458	0.5500	0.0252
080811	1.9201	1.9256	1.9059	1.9127					1.9647	1.8903	1.9363	2.0150	0.0676	0.5500	0.0372	
080812	1.9127	1.9121	1.8978	1.8961					1.9523	1.8780	1.9363	2.0150	0.0676	0.5500	0.0372	
080813	1.8961	1.9035	1.8649	1.8724	SV	1.8671			1.9393	1.8671	1.8511	1.9391	0.0656	0.5500	0.0361	
080814	1.8724	1.8786	1.8621	1.8665					1.9317	1.8320	1.8511	1.9391	0.0906	0.5500	0.0498	
080815	1.8665	1.8698	1.8513	1.8627					1.9163	1.8229	1.8511	1.9385	0.0849	0.5500	0.0467	
080818	1.8627	1.8722	1.8627	1.8646					1.9114	1.8105	1.8511	1.9347	0.0917	0.5500	0.0504	
080819	1.8646	1.8678	1.8538	1.8670					1.9047	1.8290	1.8511	1.9347	0.0688	0.5500	0.0378	
080820	1.8670	1.8684	1.8541	1.8617					1.8958	1.8283	1.8511	1.9347	0.0614	0.5500	0.0338	
080821	1.8617	1.8782	1.8609	1.8762					1.8860	1.8367	1.8511	1.9337	0.0448	0.5500	0.0246	
080822	1.8762	1.8793	1.8507	1.8510	BP	1.8511	462.50	17025.00	0.00	1.8831	1.8587	1.8511	1.9337	0.0222	0.5500	0.0122
080825	1.8510	1.8590	1.8407	1.8521	SV	1.8482			1.8762	1.8482	1.8322	1.9202	0.0255	0.5500	0.0140	
080826	1.8521	1.8530	1.8332	1.8379					1.8698	1.8308	1.8322	1.9202	0.0355	0.5500	0.0195	
080827	1.8379	1.8497	1.8287	1.8328	BP	1.8322	462.50	17487.50	0.00	1.8657	1.8184	1.8322	1.9099	0.0430	0.5500	0.0236
080828	1.8328	1.8401	1.8241	1.8287					1.8640	1.8118	1.8322	1.9099	0.0475	0.5500	0.0261	
080829	1.8287	1.8342	1.8173	1.8194					1.8601	1.8028	1.8322	1.9099	0.0521	0.5500	0.0287	
080901	1.8194	1.8153	1.7996	1.8026					1.8569	1.7921	1.8322	1.9099	0.0589	0.5500	0.0324	
080902	1.8026	1.7824	1.7785	1.8026					1.8354	1.7776	1.8322	1.9099	0.0525	0.5500	0.0289	
080903	1.8026	1.7840	1.7669	1.7757					1.8254	1.7444	1.8322	1.9099	0.0736	0.5500	0.0405	
080904	1.7757	1.7856	1.7627	1.7693					1.8146	1.7364	1.8322	1.9099	0.0710	0.5500	0.0391	
080905	1.7693	1.7744	1.7639	1.7631					1.8117	1.7346	1.8322	1.9099	0.0701	0.5500	0.0386	
080908	1.7631	1.7975	1.7473	1.7547					1.8042	1.7316	1.8322	1.9099	0.0660	0.5500	0.0363	
080909	1.7547	1.7706	1.7507	1.7580					1.8085	1.7292	1.8322	1.9099	0.0721	0.5500	0.0397	
080910	1.7580	1.7679	1.7538	1.7562					1.7905	1.7297	1.8322	1.9099	0.0553	0.5500	0.0304	
080911	1.7562	1.7589	1.7448	1.7514					1.7903	1.7295	1.8322	1.9099	0.0553	0.5500	0.0304	
080912	1.7514	1.7958	1.7544	1.7931	BV	1.7753			1.7753	1.7282	1.7913	1.7033	0.0428	0.5500	0.0235	
080912	1.7514	1.7958	1.7544	1.7931	SP	1.7913	462.50	17950.00	0.00	9999.9900	1.7282	1.7913	1.7033	0.0428	0.5500	0.0235
080915	1.7931	1.8129	1.7901	1.7931	BV	1.8041			1.8041	1.7533	1.8201	1.7321	0.0461	0.5500	0.0254	
080916	1.7931	1.8011	1.7735	1.7859					1.8336	1.7660	1.8201	1.7321	0.0615	0.5500	0.0338	
080917	1.7859	1.8244	1.7788	1.8235	SP	1.8201	462.50	18412.50	0.00	1.8208	1.7532	1.8201	1.7321	0.0615	0.5500	0.0338
080918	1.8235	1.8276	1.8093	1.8124					1.8461	1.7658	1.8201	1.7321	0.0730	0.5500	0.0401	
080919	1.8124	1.8374	1.7916	1.8359					1.8605	1.7740	1.8201	1.7321	0.0787	0.5500	0.0433	
080922	1.8359	1.8640	1.8267	1.8603					1.8661	1.7715	1.8201	1.7321	0.0860	0.5500	0.0473	
080923	1.8603	1.8636	1.8473	1.8599					1.8913	1.8054	1.8201	1.7321	0.0781	0.5500	0.0430	
080924	1.8599	1.8607	1.8479	1.8517					1.9041	1.8086	1.8201	1.7321	0.0868	0.5500	0.0477	
080925	1.8517	1.8667	1.8309	1.8373					1.8986	1.8090	1.8201	1.7321	0.0815	0.5500	0.0448	
080926	1.8373	1.8467	1.8336	1.8410					1.8843	1.8087	1.8201	1.7321	0.0687	0.5500	0.0378	
080929	1.8410	1.8359	1.7961	1.8135	SV	1.8025			1.8781	1.8025	1.7865	1.8745	0.0687	0.5500	0.0378	
080930	1.8135	1.8118	1.7759	1.7767	BP	1.7865	462.50	18875.00	0.00	1.8508	1.7802	1.7865	1.8745	0.0642	0.5500	0.0353
081001	1.7767	1.7873	1.7637	1.7746					1.8368	1.7440	1.7865	1.8745	0.0844	0.5500	0.0464	
081002	1.7746	1.7723	1.7553	1.7655					1.8282	1.7224	1.7865	1.8745	0.0962	0.5500	0.0529	
081003	1.7655	1.7839	1.7562	1.7777					1.8172	1.7111	1.7865	1.8745	0.0964	0.5500	0.0530	
081006	1.7777	1.7695	1.7336	1.7381					1.8187	1.7244	1.7865	1.8745	0.0857	0.5500	0.0471	
081007	1.7381	1.7657	1.7320	1.7499					1.8079	1.6898	1.7865	1.8745	0.1074	0.5		

081124	1.4869	1.5177	1.4844	1.5128	BV	1.5161				1.5161	1.4606	1.5321	1.4441	0.0504	0.5500	0.0277
081125	1.5128	1.5532	1.4984	1.5493	SP	1.5321	462.50	16521.87	-3278.13	1.5311	1.4757	1.5321	1.4441	0.0504	0.5500	0.0277
081126	1.5493	1.5479	1.5178	1.5188						1.5738	1.4872	1.5321	1.4441	0.0788	0.5500	0.0433
081127	1.5188	1.5511	1.5312	1.5394						1.5734	1.4867	1.5321	1.4441	0.0788	0.5500	0.0433
081128	1.5394	1.5448	1.5259	1.5415						1.5841	1.4975	1.5321	1.4441	0.0788	0.5500	0.0433
081201	1.5415	1.5405	1.4808	1.4910	SV	1.4932				1.5799	1.4932	1.4772	1.5652	0.0788	0.5500	0.0433
081202	1.4910	1.5069	1.4779	1.4869						1.5444	1.4690	1.4772	1.5630	0.0685	0.5500	0.0377
081203	1.4869	1.4933	1.4664	1.4729	BP	1.4772	462.50	16984.37	-2815.63	1.5306	1.4520	1.4772	1.5589	0.0714	0.5500	0.0393
081204	1.4729	1.4813	1.4468	1.4727						1.5241	1.4329	1.4772	1.5589	0.0829	0.5500	0.0456
081205	1.4727	1.4752	1.4527	1.4687						1.5179	1.4137	1.4772	1.5589	0.0947	0.5500	0.0521
081208	1.4687	1.5046	1.4695	1.4946						1.5170	1.4128	1.4772	1.5589	0.0947	0.5500	0.0521
081209	1.4946	1.4918	1.4678	1.4756						1.5406	1.4365	1.4772	1.5589	0.0947	0.5500	0.0521
081210	1.4756	1.4879	1.4737	1.4776						1.5053	1.4527	1.4772	1.5589	0.0478	0.5500	0.0263
081211	1.4776	1.5080	1.4775	1.4990	BV	1.5065				1.5065	1.4539	1.5225	1.4345	0.0478	0.5500	0.0263
081212	1.4990	1.5117	1.4817	1.4970						1.5203	1.4677	1.5225	1.4345	0.0478	0.5500	0.0263
081215	1.4970	1.5378	1.4946	1.5254	SP	1.5225	462.50	17446.87	-2353.13	1.5222	1.4713	1.5225	1.4345	0.0463	0.5500	0.0255
081216	1.5254	1.5647	1.5206	1.5618	BV	1.5560				1.5560	1.4800	1.5720	1.4840	0.0691	0.5500	0.0380
081217	1.5618	1.5504	1.5246	1.5471						1.5955	1.4975	1.5720	1.4898	0.0891	0.5500	0.0490
081218	1.5471	1.5615	1.4890	1.5020	SV	1.4904	-2087.50	15359.37	-4440.63	1.5884	1.4904	1.5720	1.4898	0.0891	0.5500	0.0490
081218	1.5471	1.5615	1.4890	1.5020	SV	1.4904				1.5884	1.4904	1.4744	1.5624	0.0891	0.5500	0.0490
081219	1.5020	1.5185	1.4814	1.4856						1.5685	1.4727	1.4744	1.5624	0.0871	0.5500	0.0479
081222	1.4856	1.4990	1.4688	1.4825	BP	1.4744	462.50	15821.87	-3978.13	1.5413	1.4529	1.4744	1.5576	0.0804	0.5500	0.0442
081223	1.4825	1.4897	1.4675	1.4761						1.5348	1.4325	1.4744	1.5576	0.0930	0.5500	0.0512
081224	1.4761	1.4804	1.4659	1.4663						1.5300	1.4262	1.4744	1.5576	0.0943	0.5500	0.0519
081225	1.4663	1.4760	1.4650	1.4648						1.5245	1.4190	1.4744	1.5576	0.0959	0.5500	0.0527
081226	1.4648	1.4803	1.4646	1.4648						1.5217	1.4170	1.4744	1.5576	0.0952	0.5500	0.0524
081229	1.4648	1.4771	1.4454	1.4520						1.5005	1.4414	1.4744	1.5576	0.0537	0.5500	0.0295
081230	1.4520	1.4550	1.4385	1.4415						1.4815	1.4373	1.4744	1.5576	0.0402	0.5500	0.0221
081231	1.4415	1.4656	1.4405	1.4585						1.4699	1.4215	1.4744	1.5576	0.0440	0.5500	0.0242
090101	1.4585	1.4585	1.4585	1.4585						1.4755	1.4327	1.4744	1.5576	0.0389	0.5500	0.0214
090102	1.4585	1.4793	1.4377	1.4472						1.4798	1.4372	1.4744	1.5576	0.0388	0.5500	0.0213
090105	1.4472	1.4738	1.4430	1.4722						1.4776	1.4349	1.4744	1.5576	0.0388	0.5500	0.0213
090106	1.4722	1.4992	1.4505	1.4990	BV	1.4820				1.4820	1.4404	1.4980	1.4100	0.0378	0.5500	0.0208
090106	1.4722	1.4992	1.4505	1.4990	SP	1.4980	462.50	16284.37	-3515.63	9999.9000	1.4404	1.4980	1.4100	0.0378	0.5500	0.0208
090107	1.4990	1.5281	1.4806	1.5110	BV	1.5114				1.5114	1.4479	1.5274	1.4394	0.0577	0.5500	0.0317
090107	1.4990	1.5281	1.4806	1.5110	SP	1.5274	462.50	16746.87	-3053.13	9999.9000	1.4479	1.5274	1.4394	0.0577	0.5500	0.0317
090108	1.5110	1.5372	1.4985	1.5235						1.5533	1.4580	1.5274	1.4394	0.0866	0.5500	0.0476
090109	1.5235	1.5348	1.5118	1.5139						1.5685	1.4695	1.5274	1.4394	0.0900	0.5500	0.0495
090112	1.5139	1.5115	1.4814	1.4828						1.5709	1.4719	1.5274	1.4394	0.0900	0.5500	0.0495
090113	1.4828	1.4818	1.4476	1.4490						1.5432	1.4442	1.5274	1.4394	0.0900	0.5500	0.0495
090114	1.4490	1.4709	1.4492	1.4583						1.5033	1.4198	1.5274	1.4394	0.0759	0.5500	0.0417
090115	1.4583	1.4685	1.4475	1.4658						1.5082	1.4112	1.5274	1.4394	0.0882	0.5500	0.0485
090116	1.4658	1.4980	1.4653	1.4702						1.5081	1.4111	1.5274	1.4394	0.0882	0.5500	0.0485
090119	1.4702	1.4908	1.4450	1.4501						1.5266	1.4322	1.5274	1.4394	0.0858	0.5500	0.0472
090120	1.4501	1.4430	1.3864	1.3902	SV	1.4264				1.5022	1.4264	1.4104	1.4984	0.0689	0.5500	0.0379
090120	1.4501	1.4430	1.3864	1.3902	BP	1.4104	462.50	17209.37	-2590.63	1.5022	0.0000	1.4104	1.4984	0.0689	0.5500	0.0379
090121	1.3902	1.4023	1.3616	1.3975						1.4628	1.3568	1.4104	1.4984	0.0964	0.5500	0.0530
090122	1.3975	1.3977	1.3690	1.3886						1.4448	1.3253	1.4104	1.4984	0.1086	0.5500	0.0597
090123	1.3886	1.3882	1.3505	1.3770						1.4441	1.3247	1.4104	1.4984	0.1086	0.5500	0.0597
090126	1.3770	1.3994	1.3549	1.3973						1.4367	1.3050	1.4104	1.4984	0.1197	0.5500	0.0658
090127	1.3973	1.4242	1.3931	1.4152						1.4470	1.3153	1.4104	1.4984	0.1197	0.5500	0.0658
090128	1.4152	1.4375	1.4127	1.4210						1.4647	1.3552	1.4104	1.4984	0.0996	0.5500	0.0548
090129	1.4210	1.4411	1.4127	1.4332						1.4599	1.3887	1.4104	1.4984	0.0647	0.5500	0.0356
090130	1.4332	1.4498	1.4188	1.4455						1.4669	1.3894	1.4104	1.4984	0.0705	0.5500	0.0388
090202	1.4455	1.4440	1.4053	1.4263						1.4820	1.3911	1.4104	1.4984	0.0827	0.5500	0.0455
090203	1.4263	1.4446	1.4155	1.4486						1.4748	1.3752	1.4104	1.4984	0.0906	0.5500	0.0498
090204	1.4486	1.4578	1.4325	1.4464						1.4626	1.4049	1.4104	1.4984	0.0525	0.5500	0.0289
090205	1.4464	1.4703	1.4367	1.4637	BV	1.4692				1.4692	1.4216	1.4852	1.3972	0.0433	0.5500	0.0238
090206	1.4637	1.4844	1.4591	1.4800						1.4827	1.4284	1.4852	1.3972	0.0493	0.5500	0.0271
090209	1.4800	1.4986	1.4703	1.4917	SP	1.4852	462.50	17671.87	-2128.13	1.5055	1.4413	1.4852	1.4080	0.0584	0.5500	0.0321
090210	1.4917	1.4994	1.4453	1.4497						1.5270	1.4448	1.4852	1.4080	0.0747	0.5500	0.0411
090211	1.4497	1.4563	1.4317	1.4383						1.5097	1.4259	1.4852	1.4080	0.0762	0.5500	0.0419
090212	1.4383	1.4414	1.4137	1.4255						1.4759	1.4099	1.4852	1.4080	0.0600	0.5500	0.0330
090213	1.4255	1.4605	1.4279	1.4392						1.4700	1.3842	1.4852	1.4080	0.0780	0.5500	0.0429
090216	1.4392	1.4319	1.4152	1.4266						1.4861	1.4003	1.4852	1.4080	0.0780	0.5500	0.0429
090217	1.4266	1.4311	1.4125	1.4265						1.4671	1.3813	1.4852	1.4080	0.0780	0.5500	0.0429
090218	1.4265	1.4300	1.4094	1.4231						1.4663	1.3792	1.4852	1.4080	0.0792	0.5500	0.0436
090219	1.4231	1.4447	1.4239	1.4308	BV	1.4425				1.4425	1.3982	1.4585	1.3705	0.0403	0.5500	0.0222
090220	1.4308	1.4484	1.4152	1.4452						1.4542	1.4130	1.4585	1.3705	0.0374	0.5500	0.0206
090223	1.4452	1.4661	1.4365	1.4482	SP	1.4585	462.50	18134.37	-1665.63	1.4551	1.4139	1.4585	1.3732	0.0374	0.5500	0.0206
090224	1.4482	1.4578	1.4376	1.4490						1.4743	1.4270	1.4585	1.3732	0.0430	0.5500	0.0236
090225	1.4490	1.4608	1.4175	1.4204	SV	1.4243				1.4716	1.4243	1.4083	1.4963	0.0430	0.5500	0.0236
090226	1.4204	1.4385	1.4163	1.4313						1.4591	1.4118	1.4083	1.4924	0.0430	0.5500	0.0236
090227	1.4313	1.4365	1.4112	1.4313						1.4533	1.4030	1.4083	1.4924	0.0457	0.5500	0.0251
090302	1.4313	1.4289	1.3967	1.4040	BP	1.4083	462.50	18596.87	-1203.13	1.4505	1.4002	1.4083	1.4924	0.0457	0.5500	0.0251
090303	1.4040	1.4157	1.3985	1.4076						1.4398	1.3823	1				

090423	1.4506	1.4745	1.4443	1.4697					1.4839	1.4221	1.4441	1.5259	0.0562	0.5500	0.0309	
090424	1.4697	1.4773	1.4577	1.4577	1.4924	1.4305	1.4441	1.5259	0.0562	0.5500	0.0309					
090427	1.4675	1.4670	1.4515	1.4654				1.4960	1.4390	1.4441	1.5259	0.0519	0.5500	0.0285		
090428	1.4654	1.4691	1.4518	1.4626				1.4822	1.4388	1.4441	1.5259	0.0395	0.5500	0.0217		
090429	1.4626	1.4814	1.4632	1.4770	BV	1.4773		1.4773	1.4444	1.4933	1.4053	0.0299	0.5500	0.0164		
090430	1.4770	1.4948	1.4703	1.4785	SP	1.4933	462.50	19765.62	-34.38	1.4902	1.4563	1.4933	1.4053	0.0308	0.5500	0.0169
090501	1.4785	1.4935	1.4755	1.4916				1.5060	1.4574	1.4933	1.4053	0.0442	0.5500	0.0243		
090504	1.4916	1.5010	1.4836	1.4965				1.5036	1.4682	1.4933	1.4053	0.0322	0.5500	0.0177		
090505	1.4965	1.5162	1.4982	1.5067	BV	1.5152		1.5152	1.4711	1.5312	1.4432	0.0401	0.5500	0.0221		
090506	1.5067	1.5142	1.4993	1.5133				1.5366	1.4776	1.5312	1.4432	0.0536	0.5500	0.0295		
090507	1.5133	1.5154	1.4941	1.5133				1.5375	1.4786	1.5312	1.4432	0.0536	0.5500	0.0295		
090508	1.5133	1.5236	1.4980	1.5216				1.5301	1.4828	1.5312	1.4432	0.0430	0.5500	0.0236		
090511	1.5216	1.5234	1.5068	1.5132				1.5378	1.4882	1.5312	1.4496	0.0451	0.5500	0.0248		
090512	1.5132	1.5352	1.5075	1.5273	SP	1.5312	462.50	20228.12	0.00	1.5356	1.4938	1.5312	1.4496	0.0380	0.5500	0.0209
090513	1.5273	1.5333	1.5087	1.5139				1.5438	1.5013	1.5312	1.4496	0.0387	0.5500	0.0213		
090514	1.5139	1.5247	1.5060	1.5237				1.5378	1.5013	1.5312	1.4496	0.0332	0.5500	0.0183		
090515	1.5237	1.5288	1.5131	1.5163				1.5353	1.4988	1.5312	1.4496	0.0332	0.5500	0.0183		
090518	1.5163	1.5345	1.5117	1.5342				1.5361	1.5039	1.5312	1.4496	0.0293	0.5500	0.0161		
090519	1.5342	1.5524	1.5296	1.5483	BV	1.5374		1.5374	1.5132	1.5534	1.4654	0.0220	0.5500	0.0121		
090520	1.5483	1.5795	1.5449	1.5754	SP	1.5534	462.50	20690.62	0.00	1.5640	1.5209	1.5534	1.4763	0.0392	0.5500	0.0216
090521	1.5754	1.5891	1.5516	1.5839				1.6009	1.5288	1.5534	1.4763	0.0656	0.5500	0.0361		
090522	1.5839	1.5945	1.5757	1.5916				1.6144	1.5317	1.5534	1.4763	0.0752	0.5500	0.0414		
090525	1.5916	1.5937	1.5837	1.5908				1.6294	1.5434	1.5534	1.4763	0.0782	0.5500	0.0430		
090526	1.5908	1.5959	1.5779	1.5930				1.6331	1.5452	1.5534	1.4763	0.0799	0.5500	0.0439		
090527	1.5930	1.6086	1.5926	1.6000				1.6222	1.5540	1.5534	1.4763	0.0620	0.5500	0.0341		
090528	1.6000	1.6014	1.5856	1.5939				1.6336	1.5673	1.5534	1.4763	0.0603	0.5500	0.0332		
090529	1.5939	1.6198	1.5929	1.6132				1.6202	1.5670	1.5534	1.4763	0.0484	0.5500	0.0266		
090601	1.6132	1.6497	1.6163	1.6436	BV	1.6275		1.6275	1.5880	1.6435	1.5555	0.0359	0.5500	0.0197		
090601	1.6132	1.6497	1.6163	1.6436	SP	1.6435	462.50	21153.12	0.00	9999.9900	1.5880	1.6435	1.5555	0.0359	0.5500	0.0197
090602	1.6436	1.6596	1.6354	1.6577				1.6675	1.6027	1.6435	1.5555	0.0589	0.5500	0.0324		
090603	1.6577	1.6663	1.6243	1.6276				1.6874	1.6117	1.6435	1.5555	0.0688	0.5500	0.0378		
090604	1.6276	1.6434	1.6086	1.6190				1.6821	1.6014	1.6435	1.5555	0.0733	0.5500	0.0403		
090605	1.6190	1.6242	1.5939	1.5978				1.6644	1.5848	1.6435	1.5555	0.0724	0.5500	0.0398		
090608	1.5978	1.6070	1.5802	1.6050				1.6466	1.5670	1.6435	1.5555	0.0724	0.5500	0.0398		
090609	1.6050	1.6361	1.5987	1.6342				1.6385	1.5533	1.6435	1.5555	0.0775	0.5500	0.0426		
090610	1.6342	1.6473	1.6241	1.6314				1.6634	1.5781	1.6435	1.5555	0.0775	0.5500	0.0426		
090611	1.6314	1.6621	1.6341	1.6588				1.6775	1.5922	1.6435	1.5555	0.0775	0.5500	0.0426		
090612	1.6588	1.6598	1.6379	1.6452				1.6856	1.6149	1.6435	1.5555	0.0643	0.5500	0.0354		
090615	1.6452	1.6423	1.6243	1.6290				1.6914	1.6049	1.6435	1.5555	0.0786	0.5500	0.0432		
090616	1.6290	1.6508	1.6211	1.6428				1.6757	1.5892	1.6435	1.5555	0.0786	0.5500	0.0432		
090617	1.6428	1.6481	1.6221	1.6395				1.6704	1.6043	1.6435	1.5555	0.0601	0.5500	0.0331		
090618	1.6395	1.6469	1.6188	1.6346				1.6567	1.6152	1.6435	1.5555	0.0377	0.5500	0.0207		
090619	1.6346	1.6562	1.6305	1.6517	BV	1.6552		1.6552	1.6112	1.6712	1.5832	0.0400	0.5500	0.0220		
090622	1.6517	1.6515	1.6322	1.6349				1.6670	1.6230	1.6712	1.5832	0.0400	0.5500	0.0220		
090623	1.6349	1.6474	1.6209	1.6447	SV	1.6224	-1062.50	20090.62	-1062.50	1.6586	1.6224	1.6712	1.5832	0.0329	0.5500	0.0181
090623	1.6349	1.6474	1.6209	1.6447	SV	1.6224		1.6586	1.6224	1.6064	1.6944	0.0329	0.5500	0.0181		
090624	1.6447	1.6602	1.6366	1.6395	BV	1.6544	-1037.50	19053.12	-2100.00	1.6544	1.6182	1.6064	1.6944	0.0329	0.5500	0.0181
090624	1.6447	1.6602	1.6366	1.6395	BV	1.6544		1.6544	1.6182	1.6704	1.5824	0.0329	0.5500	0.0181		
090625	1.6395	1.6468	1.6234	1.6366	SV	1.6285	-846.88	18206.25	-2946.88	1.6647	1.6285	1.6704	1.5824	0.0329	0.5500	0.0181
090625	1.6395	1.6468	1.6234	1.6366	SV	1.6285		1.6647	1.6285	1.6125	1.7005	0.0329	0.5500	0.0181		
090626	1.6366	1.6560	1.6373	1.6530	BV	1.6535	-818.75	17387.50	-3765.62	1.6535	1.6173	1.6125	1.7005	0.0329	0.5500	0.0181
090626	1.6366	1.6560	1.6373	1.6530	BV	1.6535		1.6535	1.6173	1.6695	1.5815	0.0329	0.5500	0.0181		
090629	1.6530	1.6581	1.6429	1.6575				1.6649	1.6310	1.6695	1.5815	0.0308	0.5500	0.0169		
090630	1.6575	1.6744	1.6423	1.6467	SP	1.6695	462.50	17850.00	-3193.75	1.6696	1.6342	1.6695	1.5855	0.0321	0.5500	0.0177
090701	1.6467	1.6545	1.6384	1.6478				1.6777	1.6343	1.6695	1.5855	0.0395	0.5500	0.0217		
090702	1.6478	1.6501	1.6324	1.6399				1.6675	1.6259	1.6695	1.5855	0.0378	0.5500	0.0208		
090703	1.6399	1.6430	1.6304	1.6328				1.6618	1.6202	1.6695	1.5855	0.0378	0.5500	0.0208		
090706	1.6328	1.6327	1.6097	1.6254	SV	1.6151		1.6567	1.6151	1.5991	1.6871	0.0378	0.5500	0.0208		
090707	1.6254	1.6293	1.6118	1.6124				1.6483	1.5957	1.5991	1.6871	0.0478	0.5500	0.0263		
090708	1.6124	1.6138	1.5985	1.6026	BP	1.5991	462.50	18312.50	-2731.25	1.6459	1.5920	1.5991	1.6844	0.0490	0.5500	0.0270
090709	1.6026	1.6380	1.6030	1.6342	BV	1.6326		1.6326	1.5783	1.6486	1.5606	0.0493	0.5500	0.0271		
090710	1.6342	1.6333	1.6174	1.6189				1.6504	1.5961	1.6486	1.5622	0.0493	0.5500	0.0271		
090713	1.6189	1.6239	1.6033	1.6232				1.6468	1.6013	1.6486	1.5622	0.0414	0.5500	0.0228		
090714	1.6232	1.6344	1.6229	1.6276				1.6352	1.5959	1.6486	1.5622	0.0357	0.5500	0.0196		
090715	1.6276	1.6469	1.6303	1.6422				1.6481	1.6088	1.6486	1.5622	0.0357	0.5500	0.0196		
090716	1.6422	1.6479	1.6357	1.6442				1.6637	1.6150	1.6486	1.5702	0.0443	0.5500	0.0244		
090717	1.6442	1.6444	1.6265	1.6380				1.6672	1.6174	1.6486	1.5722	0.0453	0.5500	0.0249		
090720	1.6380	1.6550	1.6330	1.6534	SP	1.6486	462.50	18775.00	-2268.75	1.6585	1.6135	1.6486	1.5722	0.0409	0.5500	0.0225
090721	1.6534	1.6553	1.6385	1.6422				1.6684	1.6234	1.6486	1.5722	0.0409	0.5500	0.0225		
090722	1.6422	1.6505	1.6311	1.6456				1.6636	1.6283	1.6486	1.5722	0.0321	0.5500	0.0177		
090723	1.6456	1.6586	1.6433	1.6529	BV	1.6570		1.6570	1.6265	1.6730	1.5850	0.0277	0.5500	0.0152		
090724	1.6529	1.6543	1.6391	1.6440				1.6661	1.6365	1.6730	1.5850	0.0269	0.5500	0.0148		
090727	1.6440	1.6524	1.6383	1.6498				1.6610	1.6314	1.6730	1.5850	0.0269	0.5500	0.0148		
090728	1.6498	1.6556	1.6391	1.6432				1.6585	1.6340	1.6730	1.5850	0.0223	0.5500	0.0123		
090729	1.6432	1.6469	1.6347	1.6385				1.6588	1.6343	1.6730	1.5850	0.0223	0.5500	0.0123		
090730	1.6385	1.6525	1.6358	1.6493				1.6523	1.6284	1.6730	1.5850	0.0218				

090923	1.6365	1.6467	1.6330	1.6360					1.6563	1.6066	1.6176	1.6988	0.0452	0.5500	0.0249
090924	1.6360	1.6388	1.6024	1.6063 SV	1.6187				1.6594	1.6187	1.6027	1.6907	0.0370	0.5500	0.0204
090924	1.6360	1.6388	1.6024	1.6063 BP	1.6027	462.50	21550.00	0.00	1.6594	0.0000	1.6027	1.6907	0.0370	0.5500	0.0204
090925	1.6063	1.6046	1.5918	1.5934					1.6442	1.5913	1.6027	1.6907	0.0481	0.5500	0.0265
090928	1.5934	1.5972	1.5772	1.5872					1.6261	1.5684	1.6027	1.6907	0.0525	0.5500	0.0289
090929	1.5872	1.5989	1.5826	1.5948					1.6198	1.5546	1.6027	1.6907	0.0593	0.5500	0.0326
090930	1.5948	1.6125	1.5941	1.5983					1.6243	1.5588	1.6027	1.6907	0.0595	0.5500	0.0327
091001	1.5983	1.6023	1.5926	1.5936					1.6350	1.5696	1.6027	1.6907	0.0595	0.5500	0.0327
091002	1.5936	1.5955	1.5805	1.5914					1.6290	1.5643	1.6027	1.6907	0.0588	0.5500	0.0323
091005	1.5914	1.6024	1.5906	1.5941					1.6047	1.5727	1.6027	1.6907	0.0291	0.5500	0.0160
091006	1.5941	1.6047	1.5878	1.5910					1.6099	1.5821	1.6027	1.6907	0.0253	0.5500	0.0139
091007	1.5910	1.5971	1.5860	1.5948					1.6091	1.5813	1.6027	1.6907	0.0253	0.5500	0.0139
091008	1.5948	1.6120	1.5950	1.6072 BV	1.6040				1.6040	1.5804	1.6200	1.5320	0.0215	0.5500	0.0118
091009	1.6072	1.6073	1.5827	1.5938 SV	1.5920	-412.50	21137.50	-412.50	1.6164	1.5920	1.6200	1.5352	0.0222	0.5500	0.0122
091009	1.6072	1.6073	1.5827	1.5938 SV	1.5920				1.6164	1.5920	1.5760	1.6640	0.0222	0.5500	0.0122
091012	1.5938	1.5882	1.5729	1.5787 BP	1.5760	462.50	21600.00	-50.00	1.6094	1.5801	1.5760	1.6640	0.0267	0.5500	0.0147
091013	1.5787	1.5928	1.5710	1.5892					1.5990	1.5613	1.5760	1.6640	0.0343	0.5500	0.0189
091014	1.5892	1.6025	1.5904	1.5971					1.6033	1.5634	1.5760	1.6640	0.0362	0.5500	0.0199
091015	1.5971	1.6298	1.5994	1.6250 BV	1.6165				1.6165	1.5767	1.6325	1.5445	0.0362	0.5500	0.0199
091016	1.6250	1.6400	1.6253	1.6355 SP	1.6325	462.50	22062.50	0.00	1.6448	1.5886	1.6325	1.5530	0.0511	0.5500	0.0281
091019	1.6355	1.6409	1.6242	1.6371					1.6669	1.5995	1.6325	1.5530	0.0613	0.5500	0.0337
091020	1.6371	1.6489	1.6329	1.6368					1.6689	1.5980	1.6325	1.5530	0.0645	0.5500	0.0355
091021	1.6368	1.6636	1.6348	1.6579					1.6787	1.6015	1.6325	1.5530	0.0702	0.5500	0.0386
091022	1.6579	1.6636	1.6489	1.6617					1.6919	1.6100	1.6325	1.5530	0.0744	0.5500	0.0409
091023	1.6617	1.6693	1.6300	1.6308					1.6939	1.6208	1.6325	1.5530	0.0665	0.5500	0.0366
091026	1.6308	1.6395	1.6248	1.6300					1.6702	1.6215	1.6325	1.5530	0.0443	0.5500	0.0244
091027	1.6300	1.6438	1.6287	1.6372					1.6529	1.6105	1.6325	1.5530	0.0385	0.5500	0.0212
091028	1.6372	1.6467	1.6287	1.6374					1.6581	1.6148	1.6325	1.5530	0.0393	0.5500	0.0216
091029	1.6374	1.6604	1.6337	1.6529 BV	1.6593				1.6593	1.6160	1.6753	1.5873	0.0393	0.5500	0.0216
091030	1.6529	1.6578	1.6410	1.6415					1.6698	1.6266	1.6753	1.5873	0.0393	0.5500	0.0216
091102	1.6415	1.6479	1.6330	1.6394					1.6694	1.6262	1.6753	1.5873	0.0393	0.5500	0.0216
091103	1.6394	1.6455	1.6263	1.6413					1.6570	1.6235	1.6753	1.5873	0.0304	0.5500	0.0167
091104	1.6413	1.6596	1.6403	1.6561					1.6537	1.6203	1.6753	1.5873	0.0304	0.5500	0.0167
091105	1.6561	1.6636	1.6468	1.6586					1.6658	1.6366	1.6753	1.5873	0.0266	0.5500	0.0146
091106	1.6586	1.6635	1.6521	1.6615					1.6723	1.6395	1.6753	1.5873	0.0298	0.5500	0.0164
091109	1.6615	1.6843	1.6618	1.6745 SP	1.6753	462.50	22525.00	0.00	1.6763	1.6408	1.6753	1.5895	0.0323	0.5500	0.0178
091110	1.6745	1.6788	1.6602	1.6728					1.6980	1.6486	1.6753	1.5895	0.0449	0.5500	0.0247
091111	1.6728	1.6797	1.6537	1.6555					1.6967	1.6436	1.6753	1.5895	0.0482	0.5500	0.0265
091112	1.6555	1.6627	1.6517	1.6581					1.6881	1.6408	1.6753	1.5895	0.0430	0.5500	0.0236
091113	1.6581	1.6705	1.6572	1.6690					1.6732	1.6415	1.6753	1.5895	0.0288	0.5500	0.0158
091116	1.6690	1.6877	1.6671	1.6829 BV	1.6807				1.6807	1.6490	1.6967	1.6087	0.0288	0.5500	0.0158
091117	1.6829	1.6872	1.6757	1.6813					1.6962	1.6608	1.6967	1.6109	0.0322	0.5500	0.0177
091118	1.6813	1.6845	1.6717	1.6744					1.6991	1.6637	1.6967	1.6109	0.0322	0.5500	0.0177
091119	1.6744	1.6755	1.6608	1.6658					1.6951	1.6596	1.6967	1.6109	0.0322	0.5500	0.0177
091120	1.6658	1.6675	1.6462	1.6497 SV	1.6500	-996.87	21528.12	-996.87	1.6854	1.6500	1.6967	1.6109	0.0322	0.5500	0.0177
091120	1.6658	1.6675	1.6462	1.6497 SV	1.6500				1.6854	1.6500	1.6340	1.7220	0.0322	0.5500	0.0177
091123	1.6497	1.6648	1.6475	1.6614					1.6756	1.6352	1.6340	1.7217	0.0367	0.5500	0.0202
091124	1.6614	1.6618	1.6498	1.6576					1.6781	1.6363	1.6340	1.7217	0.0380	0.5500	0.0209
091125	1.6576	1.6745	1.6578	1.6715					1.6768	1.6355	1.6340	1.7217	0.0375	0.5500	0.0206
091126	1.6715	1.6726	1.6469	1.6496					1.6865	1.6479	1.6340	1.7217	0.0351	0.5500	0.0193
091127	1.6496	1.6535	1.6272	1.6480 BP	1.6340	462.50	21990.62	-603.12	1.6732	1.6422	1.6340	1.7216	0.0282	0.5500	0.0155
091130	1.6480	1.6591	1.6382	1.6448					1.6662	1.6175	1.6340	1.7216	0.0443	0.5500	0.0244
091201	1.6448	1.6647	1.6394	1.6619					1.6722	1.6235	1.6340	1.7216	0.0443	0.5500	0.0244
091202	1.6619	1.6695	1.6551	1.6634					1.6784	1.6297	1.6340	1.7216	0.0443	0.5500	0.0244
091203	1.6634	1.6722	1.6558	1.6562					1.6869	1.6382	1.6340	1.7216	0.0443	0.5500	0.0244
091204	1.6562	1.6667	1.6423	1.6442					1.6868	1.6381	1.6340	1.7216	0.0443	0.5500	0.0244
091207	1.6442	1.6516	1.6315	1.6442 SV	1.6325				1.6724	1.6325	1.6165	1.7045	0.0362	0.5500	0.0199
091208	1.6442	1.6477	1.6257	1.6288					1.6596	1.6245	1.6165	1.7045	0.0319	0.5500	0.0175
091209	1.6288	1.6374	1.6168	1.6270					1.6559	1.6144	1.6165	1.7008	0.0377	0.5500	0.0207
091210	1.6270	1.6345	1.6217	1.6270					1.6527	1.6014	1.6165	1.6990	0.0466	0.5500	0.0256
091211	1.6270	1.6338	1.6198	1.6236					1.6535	1.6022	1.6165	1.6990	0.0466	0.5500	0.0256
091214	1.6236	1.6329	1.6192	1.6304					1.6480	1.6043	1.6165	1.6956	0.0397	0.5500	0.0218
091215	1.6304	1.6318	1.6206	1.6266					1.6423	1.6115	1.6165	1.6956	0.0280	0.5500	0.0154
091216	1.6266	1.6411	1.6234	1.6329					1.6414	1.6112	1.6165	1.6956	0.0274	0.5500	0.0151
091217	1.6329	1.6340	1.6081	1.6160 BP	1.6165	462.50	22453.12	-140.62	1.6446	1.6202	1.6165	1.6956	0.0222	0.5500	0.0122
091218	1.6160	1.6249	1.6053	1.6140 SV	1.6064				1.6337	1.6064	1.5904	1.6784	0.0248	0.5500	0.0136
091221	1.6140	1.6164	1.6032	1.6049					1.6301	1.5997	1.5904	1.6784	0.0276	0.5500	0.0152
091222	1.6049	1.6099	1.5924	1.5967					1.6252	1.5925	1.5904	1.6769	0.0297	0.5500	0.0163
091223	1.5967	1.5994	1.5925	1.5958					1.6225	1.5780	1.5904	1.6687	0.0405	0.5500	0.0223
091224	1.5958	1.6022	1.5930	1.5951					1.6203	1.5715	1.5904	1.6678	0.0444	0.5500	0.0244
091225	1.5951	1.5988	1.5962	1.5961					1.6194	1.5748	1.5904	1.6671	0.0405	0.5500	0.0223
091228	1.5961	1.6015	1.5936	1.6004					1.6136	1.5808	1.5904	1.6671	0.0298	0.5500	0.0164
091229	1.6004	1.6067	1.5869	1.5904 BP	1.5904	462.50	22915.62	0.00	1.6100	1.5862	1.5904	1.6671	0.0216	0.5500	0.0119
091230	1.5904	1.6094	1.5834	1.6071 BV	1.6077				1.6077	1.5833	1.6237	1.5357	0.0222	0.5500	0.0122
091231	1.6071	1.6235	1.6051	1.6166					1.6107	1.5863	1.6237	1.5357	0.0222	0.5500	0.0122
100101	1.6166	1.6166	1.6166	1.6166					1.6330	1.5966	1.6237	1.5446	0.0331	0.5500	0.0182
100104	1.6166	1.6240	1.6060	1.6099 SP	1.6237	462.50	23378.12	0.00	1.6349	1.5983	1.6237	1.5446	0.0332	0.5500	0.0183
100105	1.6099	1.6153	1.5967	1.5993					1.6325	1.5955	1.6237	1.5446	0.0336	0.5500	0.0185
100106	1.5993	1.6064</													

002225	1.5395	1.5420	1.5191	1.5270					1.5664	1.5184	1.5441	1.6321	0.0436	0.5500	0.0240
100226	1.5270	1.5318	1.5151	1.5246					1.5566	1.5031	1.5441	1.6321	0.0487	0.5500	0.0268
100301	1.5246	1.5203	1.4784	1.4988 SV	1.4980				1.5494	1.4980	1.4820	1.5700	0.0467	0.5500	0.0257
100301	1.5246	1.5203	1.4784	1.4988 BP	1.4820	462.50	25068.75	0.00	1.5494	0.0000	1.4820	1.5700	0.0467	0.5500	0.0257
100302	1.4988	1.4999	1.4856	1.4961					1.5375	1.4610	1.4820	1.5700	0.0696	0.5500	0.0383
100303	1.4961	1.5130	1.4960	1.5104					1.5317	1.4551	1.4820	1.5700	0.0696	0.5500	0.0383
100304	1.5104	1.5136	1.5006	1.5035					1.5399	1.4714	1.4820	1.5700	0.0623	0.5500	0.0343
100305	1.5035	1.5166	1.4994	1.5146					1.5400	1.4728	1.4820	1.5700	0.0611	0.5500	0.0336
100308	1.5146	1.5195	1.5032	1.5060					1.5360	1.4826	1.4820	1.5700	0.0486	0.5500	0.0267
100309	1.5060	1.5067	1.4938	1.4992					1.5357	1.4849	1.4820	1.5700	0.0462	0.5500	0.0254
100310	1.4992	1.5016	1.4874	1.4960					1.5160	1.4841	1.4820	1.5700	0.0290	0.5500	0.0160
100311	1.4960	1.5066	1.4948	1.5058					1.5098	1.4798	1.4820	1.5700	0.0272	0.5500	0.0150
100312	1.5058	1.5217	1.5028	1.5181 BV	1.5167				1.5167	1.4868	1.5327	1.4447	0.0272	0.5500	0.0150
100315	1.5181	1.5207	1.5021	1.5050					1.5284	1.4985	1.5327	1.4461	0.0272	0.5500	0.0150
100316	1.5050	1.5259	1.4979	1.5225					1.5270	1.4932	1.5327	1.4461	0.0307	0.5500	0.0169
100317	1.5257	1.5380	1.5210	1.5323 SP	1.5327	462.50	25531.25	0.00	1.5315	1.4978	1.5327	1.4537	0.0307	0.5500	0.0169
100318	1.5323	1.5328	1.5218	1.5246					1.5532	1.5070	1.5327	1.4537	0.0420	0.5500	0.0231
100319	1.5246	1.5255	1.4990	1.5014 SV	1.5037				1.5499	1.5037	1.4877	1.5757	0.0420	0.5500	0.0231
100322	1.5014	1.5098	1.4934	1.5093					1.5290	1.4912	1.4877	1.5734	0.0344	0.5500	0.0189
100323	1.5093	1.5112	1.4974	1.5044					1.5245	1.4817	1.4877	1.5734	0.0389	0.5500	0.0214
100324	1.5044	1.5041	1.4871	1.4889 BP	1.4877	462.50	25993.75	0.00	1.5257	1.4829	1.4877	1.5734	0.0389	0.5500	0.0214
100325	1.4889	1.4987	1.4800	1.4815					1.5191	1.4694	1.4877	1.5734	0.0452	0.5500	0.0249
100326	1.4815	1.4923	1.4808	1.4899					1.5165	1.4590	1.4877	1.5734	0.0523	0.5500	0.0288
100329	1.4899	1.5019	1.4894	1.4980					1.5118	1.4627	1.4877	1.5734	0.0446	0.5500	0.0245
100330	1.4980	1.5125	1.4975	1.5066 BV	1.5125				1.5125	1.4798	1.5285	1.4405	0.0297	0.5500	0.0163
100331	1.5066	1.5203	1.5044	1.5177					1.5224	1.4883	1.5285	1.4405	0.0310	0.5500	0.0171
100401	1.5177	1.5303	1.5174	1.5287 SP	1.5285	462.50	26456.25	0.00	1.5348	1.4921	1.5285	1.4457	0.0388	0.5500	0.0213
100402	1.5287	1.5296	1.5183	1.5192					1.5517	1.4980	1.5285	1.4457	0.0488	0.5500	0.0268
100405	1.5192	1.5319	1.5222	1.5279					1.5498	1.4962	1.5285	1.4457	0.0488	0.5500	0.0268
100406	1.5279	1.5306	1.5131	1.5270					1.5503	1.5041	1.5285	1.4457	0.0420	0.5500	0.0231
100407	1.5270	1.5286	1.5140	1.5245					1.5415	1.5042	1.5285	1.4457	0.0339	0.5500	0.0186
100408	1.5245	1.5278	1.5143	1.5265					1.5359	1.5080	1.5285	1.4457	0.0253	0.5500	0.0139
100409	1.5265	1.5391	1.5269	1.5367 BV	1.5343				1.5343	1.5099	1.5503	1.4623	0.0222	0.5500	0.0122
100412	1.5367	1.5485	1.5354	1.5362					1.5459	1.5215	1.5503	1.4647	0.0222	0.5500	0.0122
100413	1.5362	1.5449	1.5338	1.5369					1.5569	1.5247	1.5503	1.4647	0.0293	0.5500	0.0161
100414	1.5369	1.5490	1.5373	1.5465					1.5521	1.5257	1.5503	1.4649	0.0240	0.5500	0.0132
100415	1.5465	1.5523	1.5387	1.5493 SP	1.5503	462.50	26918.75	0.00	1.5573	1.5303	1.5503	1.4745	0.0245	0.5500	0.0135
100416	1.5493	1.5480	1.5362	1.5389					1.5640	1.5285	1.5503	1.4745	0.0322	0.5500	0.0177
100419	1.5389	1.5340	1.5191	1.5336 SV	1.5273				1.5557	1.5273	1.5113	1.5993	0.0258	0.5500	0.0142
100420	1.5336	1.5432	1.5290	1.5369					1.5446	1.5113	1.5113	1.5993	0.0302	0.5500	0.0166
100421	1.5369	1.5439	1.5333	1.5407					1.5529	1.5197	1.5113	1.5993	0.0302	0.5500	0.0166
100422	1.5407	1.5473	1.5343	1.5382					1.5556	1.5224	1.5113	1.5993	0.0302	0.5500	0.0166
100423	1.5382	1.5398	1.5296	1.5369					1.5569	1.5237	1.5113	1.5993	0.0302	0.5500	0.0166
100426	1.5369	1.5498	1.5374	1.5455					1.5518	1.5185	1.5113	1.5993	0.0302	0.5500	0.0166
100427	1.5455	1.5482	1.5242	1.5241					1.5559	1.5321	1.5113	1.5993	0.0216	0.5500	0.0119
100428	1.5241	1.5288	1.5126	1.5183					1.5455	1.5221	1.5113	1.5961	0.0213	0.5500	0.0117
100429	1.5183	1.5344	1.5144	1.5339					1.5383	1.5021	1.5113	1.5903	0.0329	0.5500	0.0181
100430	1.5339	1.5390	1.5253	1.5290					1.5444	1.5082	1.5113	1.5903	0.0329	0.5500	0.0181
100503	1.5290	1.5319	1.5212	1.5244					1.5496	1.5134	1.5113	1.5903	0.0329	0.5500	0.0181
100504	1.5244	1.5267	1.5092	1.5156 BP	1.5113	462.50	27381.25	0.00	1.5442	1.5080	1.5113	1.5903	0.0329	0.5500	0.0181
100505	1.5156	1.5172	1.5068	1.5091					1.5374	1.4975	1.5113	1.5903	0.0363	0.5500	0.0200
100506	1.5091	1.5148	1.4715	1.4816 SV	1.4965				1.5263	1.4965	1.4805	1.5685	0.0271	0.5500	0.0149
100506	1.5091	1.5148	1.4715	1.4816 BP	1.4805	462.50	27843.75	0.00	1.5263	0.0000	1.4805	1.5685	0.0271	0.5500	0.0149
100507	1.4816	1.4935	1.4478	1.4815 SV	1.4565				1.5252	1.4565	1.4405	1.5285	0.0624	0.5500	0.0343
100510	1.4815	1.5053	1.4764	1.4855					1.5202	1.4255	1.4405	1.5285	0.0861	0.5500	0.0474
100511	1.4855	1.5005	1.4721	1.4948					1.5344	1.4451	1.4405	1.5285	0.0812	0.5500	0.0447
100512	1.4948	1.5044	1.4820	1.4825					1.5301	1.4459	1.4405	1.5285	0.0766	0.5500	0.0421
100513	1.4825	1.4916	1.4616	1.4627					1.5283	1.4538	1.4405	1.5285	0.0678	0.5500	0.0373
100514	1.4627	1.4638	1.4497	1.4536					1.5075	1.4401	1.4405	1.5285	0.0613	0.5500	0.0337
100517	1.4536	1.4546	1.4253	1.4471 BP	1.4405	462.50	28306.25	0.00	1.4820	1.4303	1.4405	1.5256	0.0470	0.5500	0.0258
100518	1.4471	1.4520	1.4307	1.4333					1.4796	1.4032	1.4405	1.5256	0.0695	0.5500	0.0382
100519	1.4333	1.4443	1.4240	1.4417					1.4780	1.4015	1.4405	1.5256	0.0695	0.5500	0.0382
100520	1.4417	1.4461	1.4232	1.4409					1.4748	1.3966	1.4405	1.5256	0.0711	0.5500	0.0391
100521	1.4409	1.4496	1.4318	1.4486					1.4685	1.4033	1.4405	1.5256	0.0593	0.5500	0.0326
100524	1.4486	1.4528	1.4353	1.4435					1.4640	1.4206	1.4405	1.5256	0.0395	0.5500	0.0217
100525	1.4435	1.4413	1.4262	1.4395 SV	1.4272				1.4607	1.4272	1.4112	1.4992	0.0304	0.5500	0.0167
100526	1.4395	1.4442	1.4333	1.4403					1.4489	1.4209	1.4112	1.4992	0.0254	0.5500	0.0140
100527	1.4403	1.4607	1.4370	1.4574 BV	1.4530	-843.75	27462.50	-843.75	1.4530	1.4251	1.4112	1.4992	0.0254	0.5500	0.0140
100527	1.4403	1.4607	1.4370	1.4574 BV	1.4530				1.4530	1.4251	1.4690	1.3810	0.0254	0.5500	0.0140
100528	1.4574	1.4610	1.4435	1.4458					1.4645	1.4366	1.4690	1.3854	0.0254	0.5500	0.0140
100531	1.4458	1.4548	1.4429	1.4538					1.4681	1.4338	1.4690	1.3854	0.0312	0.5500	0.0172
100601	1.4538	1.4723	1.4440	1.4649 SP	1.4690	462.50	27925.00	-9.37	1.4670	1.4327	1.4690	1.3854	0.0312	0.5500	0.0172
100602	1.4649	1.4769	1.4555	1.4650					1.4775	1.4415	1.4690	1.3854	0.0328	0.5500	0.0180
100603	1.4650	1.4743	1.4587	1.4614					1.4865	1.4454	1.4690	1.3854	0.0374	0.5500	0.0206
100604	1.4614	1.4681	1.4456	1.4466					1.4856	1.4453	1.4690	1.3854	0.0366	0.5500	0.0201
100607	1.4466	1.4562	1.4390	1.4467					1.4719	1.4377	1.4690	1.3854	0.0311	0.5500	0.0171
100608	1.4467	1.4529	1.4347	1.4426					1.4645	1.4303	1.4690	1.3854	0.0311	0.5500	0.0171
100609	1.4426	1.4607	1.4398	1.4526 BV	1.4602				1.4602	1.4269	1.4762	1.3882	0.0303	0.5500	0.0167
100610	1.4526	1.4717													

00729	1.5576	1.5662	1.5581	1.5618					1.5849	1.5330	1.5566	1.4761	0.0472	0.5500	0.0260	
100730	1.5618	1.5722	1.5553	1.5702					1.5894	1.5348	1.5566	1.4761	0.0496	0.5500	0.0273	
100802	1.5702	1.5908	1.5698	1.5888	BV	1.5900			1.5900	1.5401	1.6060	1.5180	0.0453	0.5500	0.0249	
100803	1.5888	1.5968	1.5863	1.5942					1.6089	1.5551	1.6060	1.5180	0.0489	0.5500	0.0269	
100804	1.5942	1.5967	1.5859	1.5893					1.6189	1.5653	1.6060	1.5222	0.0487	0.5500	0.0268	
100805	1.5893	1.5929	1.5822	1.5882					1.6126	1.5692	1.6060	1.5222	0.0394	0.5500	0.0217	
100806	1.5882	1.6002	1.5841	1.5960					1.6092	1.5661	1.6060	1.5222	0.0392	0.5500	0.0216	
100809	1.5960	1.5997	1.5895	1.5903					1.6143	1.5715	1.6060	1.5240	0.0389	0.5500	0.0214	
100810	1.5903	1.5910	1.5712	1.5856	SV	1.5772	-437.50	28218.75	-718.75	1.6102	1.5772	1.6060	1.5240	0.0300	0.5500	0.0165
100810	1.5903	1.5910	1.5712	1.5856	SV	1.5772				1.6102	1.5772	1.5612	1.6492	0.0300	0.5500	0.0165
100811	1.5856	1.5866	1.5630	1.5682					1.5956	1.5684	1.5612	1.6492	0.0248	0.5500	0.0136	
100812	1.5682	1.5716	1.5563	1.5575	BP	1.5612	462.50	28681.25	-256.25	1.5916	1.5553	1.5612	1.6402	0.0330	0.5500	0.0181
100813	1.5575	1.5680	1.5572	1.5591					1.5845	1.5408	1.5612	1.6402	0.0397	0.5500	0.0218	
100816	1.5591	1.5707	1.5537	1.5646					1.5854	1.5384	1.5612	1.6402	0.0427	0.5500	0.0235	
100817	1.5646	1.5697	1.5554	1.5576					1.5859	1.5394	1.5612	1.6402	0.0423	0.5500	0.0233	
100818	1.5576	1.5688	1.5500	1.5600					1.5817	1.5414	1.5612	1.6402	0.0366	0.5500	0.0201	
100819	1.5600	1.5672	1.5504	1.5597					1.5791	1.5399	1.5612	1.6402	0.0356	0.5500	0.0196	
100820	1.5597	1.5597	1.5464	1.5530	SV	1.5468			1.5712	1.5468	1.5308	1.6188	0.0222	0.5500	0.0122	
100823	1.5530	1.5620	1.5502	1.5519					1.5652	1.5408	1.5308	1.6188	0.0222	0.5500	0.0122	
100824	1.5519	1.5513	1.5373	1.5430					1.5675	1.5431	1.5308	1.6188	0.0222	0.5500	0.0122	
100825	1.5430	1.5470	1.5390	1.5446					1.5591	1.5290	1.5308	1.6150	0.0273	0.5500	0.0150	
100826	1.5446	1.5597	1.5468	1.5539	BV	1.5575	-371.87	28309.37	-628.13	1.5575	1.5291	1.5308	1.6150	0.0258	0.5500	0.0142
100826	1.5446	1.5597	1.5468	1.5539	BV	1.5575				1.5575	1.5291	1.5735	1.4855	0.0258	0.5500	0.0142
100827	1.5539	1.5539	1.5445	1.5517					1.5667	1.5401	1.5735	1.4855	0.0242	0.5500	0.0133	
100830	1.5517	1.5580	1.5457	1.5459					1.5620	1.5374	1.5735	1.4855	0.0224	0.5500	0.0123	
100831	1.5459	1.5477	1.5329	1.5350	SV	1.5385	-631.25	27678.12	-1259.38	1.5629	1.5385	1.5735	1.4855	0.0222	0.5500	0.0122
100831	1.5459	1.5477	1.5329	1.5350	SV	1.5385				1.5629	1.5385	1.5225	1.6105	0.0222	0.5500	0.0122
100901	1.5350	1.5491	1.5337	1.5453					1.5514	1.5270	1.5225	1.6070	0.0222	0.5500	0.0122	
100902	1.5453	1.5455	1.5351	1.5392					1.5558	1.5286	1.5225	1.6070	0.0247	0.5500	0.0136	
100903	1.5392	1.5466	1.5391	1.5456					1.5537	1.5265	1.5225	1.6070	0.0247	0.5500	0.0136	
100906	1.5456	1.5489	1.5347	1.5402					1.5561	1.5308	1.5225	1.6070	0.0230	0.5500	0.0127	
100907	1.5402	1.5424	1.5297	1.5373					1.5541	1.5288	1.5225	1.6070	0.0230	0.5500	0.0127	
100908	1.5373	1.5533	1.5346	1.5467	BV	1.5485	-350.00	27328.12	-1609.38	1.5485	1.5241	1.5225	1.6070	0.0222	0.5500	0.0122
100908	1.5373	1.5533	1.5346	1.5467	BV	1.5485				1.5485	1.5241	1.5645	1.4765	0.0222	0.5500	0.0122
100909	1.5467	1.5477	1.5376	1.5442					1.5567	1.5323	1.5645	1.4765	0.0222	0.5500	0.0122	
100910	1.5442	1.5466	1.5346	1.5351					1.5552	1.5308	1.5645	1.4765	0.0222	0.5500	0.0122	
100913	1.5351	1.5488	1.5356	1.5417					1.5517	1.5273	1.5645	1.4765	0.0222	0.5500	0.0122	
100914	1.5417	1.5586	1.5348	1.5562					1.5543	1.5299	1.5645	1.4765	0.0222	0.5500	0.0122	
100915	1.5562	1.5651	1.5450	1.5617	SP	1.5645	462.50	27790.62	-1146.88	1.5615	1.5357	1.5645	1.4842	0.0235	0.5500	0.0129
100916	1.5617	1.5649	1.5540	1.5631					1.5729	1.5399	1.5645	1.4842	0.0300	0.5500	0.0165	
100917	1.5631	1.5728	1.5598	1.5626					1.5767	1.5437	1.5645	1.4842	0.0300	0.5500	0.0165	
100920	1.5626	1.5685	1.5538	1.5550					1.5863	1.5448	1.5645	1.4842	0.0377	0.5500	0.0207	
100921	1.5550	1.5643	1.5504	1.5615					1.5807	1.5392	1.5645	1.4842	0.0377	0.5500	0.0207	
100922	1.5615	1.5715	1.5604	1.5668					1.5753	1.5411	1.5645	1.4842	0.0311	0.5500	0.0171	
100923	1.5668	1.5741	1.5613	1.5679					1.5783	1.5539	1.5645	1.4842	0.0222	0.5500	0.0122	
100924	1.5679	1.5843	1.5643	1.5822	BV	1.5799			1.5799	1.5555	1.5959	1.5079	0.0222	0.5500	0.0122	
100927	1.5822	1.5867	1.5788	1.5852					1.5920	1.5598	1.5959	1.5102	0.0293	0.5500	0.0161	
100928	1.5852	1.5895	1.5720	1.5798					1.6007	1.5657	1.5959	1.5132	0.0318	0.5500	0.0175	
100929	1.5798	1.5874	1.5764	1.5781					1.5997	1.5614	1.5959	1.5132	0.0348	0.5500	0.0191	
100930	1.5781	1.5922	1.5670	1.5707					1.5965	1.5657	1.5959	1.5132	0.0280	0.5500	0.0154	
101001	1.5707	1.5871	1.5705	1.5834					1.5918	1.5639	1.5959	1.5132	0.0254	0.5500	0.0140	
101004	1.5834	1.5870	1.5750	1.5829					1.5931	1.5664	1.5959	1.5132	0.0243	0.5500	0.0134	
101005	1.5829	1.5930	1.5774	1.5887					1.5932	1.5696	1.5959	1.5132	0.0215	0.5500	0.0118	
101006	1.5887	1.5938	1.5833	1.5885					1.5982	1.5736	1.5959	1.5167	0.0223	0.5500	0.0123	
101007	1.5885	1.6017	1.5829	1.5869	SP	1.5959	462.50	28253.12	-684.38	1.6012	1.5758	1.5959	1.5167	0.0231	0.5500	0.0127
101008	1.5869	1.5965	1.5824	1.5951					1.6083	1.5742	1.5959	1.5167	0.0310	0.5500	0.0170	
101011	1.5951	1.5962	1.5870	1.5871					1.6076	1.5735	1.5959	1.5167	0.0310	0.5500	0.0170	
101012	1.5871	1.5916	1.5760	1.5793	SV	1.5785			1.6029	1.5785	1.5625	1.6505	0.0222	0.5500	0.0122	
101013	1.5793	1.5909	1.5775	1.5895					1.5951	1.5707	1.5625	1.6505	0.0222	0.5500	0.0122	
101014	1.5895	1.6066	1.5890	1.6009	BV	1.5976	-634.38	27618.75	-1318.75	1.5976	1.5729	1.5625	1.6505	0.0224	0.5500	0.0123
101014	1.5895	1.6066	1.5890	1.6009	BV	1.5976				1.5976	1.5729	1.6136	1.5256	0.0224	0.5500	0.0123
101015	1.6009	1.6104	1.5975	1.5984					1.6134	1.5834	1.6136	1.5289	0.0273	0.5500	0.0150	
101018	1.5984	1.6003	1.5838	1.5934	SV	1.5857	-409.38	27209.37	-1728.13	1.6199	1.5857	1.6136	1.5289	0.0311	0.5500	0.0171
101018	1.5984	1.6003	1.5838	1.5934	SV	1.5857				1.6199	1.5857	1.5697	1.6577	0.0311	0.5500	0.0171
101019	1.5934	1.5940	1.5680	1.5699	BP	1.5697	462.50	27671.87	-1265.63	1.6094	1.5752	1.5697	1.6577	0.0311	0.5500	0.0171
101020	1.5699	1.5878	1.5655	1.5833					1.5969	1.5607	1.5697	1.6577	0.0329	0.5500	0.0181	
101021	1.5833	1.5848	1.5688	1.5704					1.6003	1.5557	1.5697	1.6577	0.0405	0.5500	0.0223	
101022	1.5704	1.5750	1.5657	1.5678					1.5978	1.5532	1.5697	1.6577	0.0405	0.5500	0.0223	
101025	1.5678	1.5772	1.5667	1.5741					1.5921	1.5476	1.5697	1.6577	0.0405	0.5500	0.0223	
101026	1.5741	1.5896	1.5692	1.5841					1.5905	1.5543	1.5697	1.6577	0.0329	0.5500	0.0181	
101027	1.5841	1.5864	1.5732	1.5763					1.5957	1.5650	1.5697	1.6577	0.0279	0.5500	0.0153	
101028	1.5763	1.5976	1.5763	1.5940	BV	1.5911			1.5911	1.5671	1.6071	1.5191	0.0218	0.5500	0.0120	
101029	1.5940	1.6035	1.5878	1.6032					1.6047	1.5720	1.6071	1.5220	0.0298	0.5500	0.0164	
101101	1.6032	1.6089	1.6009	1.6031	SP	1.6071	462.50	28134.37	-803.13	1.6168	1.5775	1.6071	1.5312	0.0357	0.5500	0.0196
101102	1.6031	1.6080	1.5962	1.6022					1.6271	1.5819	1.6071	1.5312	0.0411	0.5500	0.0226	
101103	1.6022	1.6173	1.6008	1.6094					1.6213	1.5830	1.6071	1.5312	0.0348	0.5500	0.0191	
101104	1.6094	1.6299	1.6087	1.6291					1.6317	1.5866	1.6071	1.5312	0.0410	0.5500	0.0226	
101105	1.6291	1.6292	1.616													

1101228	1.5415	1.5511	1.5346	1.5381		1.5536	1.5292	1.5534	1.6414	0.0222	0.5500	0.0122			
1012229	1.5381	1.5518	1.5352	1.5504		1.5541	1.5297	1.5534	1.6414	0.0222	0.5500	0.0122			
101230	1.5504	1.5535	1.5368	1.5413		1.5571	1.5327	1.5534	1.6414	0.0222	0.5500	0.0122			
101231	1.5413	1.5664	1.5426	1.5602 BV	1.5566	1.5566	1.5322	1.5726	1.4846	0.0222	0.5500	0.0122			
110103	1.5602	1.5584	1.5435	1.5477		1.5712	1.5401	1.5726	1.4882	0.0283	0.5500	0.0156			
110104	1.5477	1.5645	1.5456	1.5586		1.5659	1.5347	1.5726	1.4882	0.0283	0.5500	0.0156			
110105	1.5586	1.5627	1.5453	1.5507		1.5713	1.5402	1.5726	1.4882	0.0283	0.5500	0.0156			
110106	1.5507	1.5561	1.5450	1.5469		1.5689	1.5378	1.5726	1.4882	0.0283	0.5500	0.0156			
110107	1.5469	1.5578	1.5410	1.5556		1.5636	1.5360	1.5726	1.4882	0.0251	0.5500	0.0138			
110110	1.5556	1.5602	1.5476	1.5574		1.5644	1.5368	1.5726	1.4882	0.0251	0.5500	0.0138			
110111	1.5574	1.5639	1.5514	1.5615		1.5668	1.5424	1.5726	1.4882	0.0222	0.5500	0.0122			
110112	1.5615	1.5780	1.5582	1.5767 SP	1.5726	462.50	29984.37	0.00	1.5706	1.5462	1.5726	1.4895	0.0222	0.5500	0.0122
110113	1.5767	1.5883	1.5720	1.5829 BV	1.5869				1.5869	1.5527	1.6029	1.5149	0.0311	0.5500	0.0171
110114	1.5829	1.5888	1.5816	1.5862		1.6035	1.5579	1.6029	1.5149	0.0414	0.5500	0.0228			
110117	1.5862	1.5954	1.5837	1.5891		1.6084	1.5624	1.6029	1.5149	0.0419	0.5500	0.0230			
110118	1.5891	1.6059	1.5879	1.5956 SP	1.6029	462.50	30446.87	0.00	1.6113	1.5676	1.6029	1.5171	0.0398	0.5500	0.0219
110119	1.5956	1.6037	1.5947	1.5986		1.6233	1.5700	1.6029	1.5171	0.0485	0.5500	0.0267			
110120	1.5986	1.6009	1.5841	1.5902		1.6235	1.5747	1.6029	1.5171	0.0444	0.5500	0.0244			
110121	1.5902	1.6017	1.5868	1.6007		1.6081	1.5760	1.6029	1.5171	0.0292	0.5500	0.0161			
110124	1.6007	1.6013	1.5922	1.5994		1.6082	1.5829	1.6029	1.5171	0.0230	0.5500	0.0127			
110125	1.5994	1.6017	1.5753	1.5816 SV	1.5851				1.6095	1.5851	1.5691	1.6571	0.0222	0.5500	0.0122
110126	1.5816	1.5910	1.5771	1.5895		1.6011	1.5731	1.5691	1.6536	0.0254	0.5500	0.0140			
110127	1.5895	1.5990	1.5881	1.5927		1.5991	1.5712	1.5691	1.6536	0.0254	0.5500	0.0140			
110128	1.5927	1.5966	1.5826	1.5865		1.6073	1.5794	1.5691	1.6536	0.0254	0.5500	0.0140			
110131	1.5865	1.6049	1.5822	1.6016 BV	1.6030	-596.87	29850.00	-596.87	1.6030	1.5750	1.5691	1.6536	0.0254	0.5500	0.0140
110131	1.5865	1.6049	1.5822	1.6016 BV	1.6030				1.6030	1.5750	1.6190	1.5310	0.0254	0.5500	0.0140
110201	1.6016	1.6157	1.6011	1.6150		1.6091	1.5812	1.6190	1.5310	0.0254	0.5500	0.0140			
110202	1.6150	1.6229	1.6129	1.6185 SP	1.6190	462.50	30312.50	-243.75	1.6285	1.5910	1.6190	1.5430	0.0341	0.5500	0.0188
110203	1.6185	1.6277	1.6123	1.6145		1.6407	1.5953	1.6190	1.5430	0.0413	0.5500	0.0227			
110204	1.6145	1.6172	1.6037	1.6096		1.6416	1.5962	1.6190	1.5430	0.0412	0.5500	0.0227			
110207	1.6096	1.6185	1.6091	1.6113		1.6329	1.5876	1.6190	1.5430	0.0412	0.5500	0.0227			
110208	1.6113	1.6162	1.6029	1.6071		1.6360	1.5906	1.6190	1.5430	0.0412	0.5500	0.0227			
110209	1.6071	1.6124	1.6034	1.6093		1.6234	1.5947	1.6190	1.5430	0.0261	0.5500	0.0144			
110210	1.6093	1.6137	1.6011	1.6092		1.6204	1.5960	1.6190	1.5430	0.0222	0.5500	0.0122			
110211	1.6092	1.6111	1.5965	1.6012		1.6200	1.5956	1.6190	1.5430	0.0222	0.5500	0.0122			
110214	1.6012	1.6078	1.5983	1.6029		1.6155	1.5911	1.6190	1.5430	0.0222	0.5500	0.0122			
110215	1.6029	1.6170	1.6009	1.6123 BV	1.6152				1.6152	1.5908	1.6312	1.5432	0.0222	0.5500	0.0122
110216	1.6123	1.6185	1.5988	1.6095		1.6218	1.5974	1.6312	1.5432	0.0222	0.5500	0.0122			
110217	1.6095	1.6186	1.6077	1.6169		1.6210	1.5966	1.6312	1.5432	0.0222	0.5500	0.0122			
110218	1.6169	1.6262	1.6149	1.6236		1.6261	1.6017	1.6312	1.5449	0.0222	0.5500	0.0122			
110221	1.6236	1.6260	1.6202	1.6215		1.6349	1.6074	1.6312	1.5516	0.0250	0.5500	0.0137			
110222	1.6215	1.6227	1.6099	1.6134		1.6367	1.6089	1.6312	1.5516	0.0253	0.5500	0.0139			
110223	1.6134	1.6270	1.6132	1.6207		1.6294	1.6021	1.6312	1.5516	0.0248	0.5500	0.0136			
110224	1.6207	1.6254	1.6083	1.6131		1.6339	1.6066	1.6312	1.5516	0.0248	0.5500	0.0136			
110225	1.6131	1.6161	1.6029	1.6102 SV	1.6039	-390.62	29921.87	-634.38	1.6283	1.6039	1.6312	1.5516	0.0222	0.5500	0.0122
110225	1.6131	1.6161	1.6029	1.6102 SV	1.6039				1.6283	1.6039	1.5879	1.6759	0.0222	0.5500	0.0122
110228	1.6102	1.6275	1.6070	1.6260 BV	1.6218	-596.88	29325.00	-1231.25	1.6218	1.5974	1.5879	1.6759	0.0222	0.5500	0.0122
110228	1.6102	1.6275	1.6070	1.6260 BV	1.6218				1.6218	1.5974	1.6378	1.5498	0.0222	0.5500	0.0122
110301	1.6260	1.6329	1.6249	1.6258		1.6312	1.6068	1.6378	1.5540	0.0222	0.5500	0.0122			
110302	1.6258	1.6343	1.6214	1.6329		1.6410	1.6156	1.6378	1.5540	0.0231	0.5500	0.0127			
110303	1.6329	1.6333	1.6251	1.6271		1.6421	1.6156	1.6378	1.5609	0.0241	0.5500	0.0133			
110304	1.6271	1.6305	1.6233	1.6268		1.6453	1.6123	1.6378	1.5609	0.0300	0.5500	0.0165			
110307	1.6268	1.6342	1.6181	1.6200		1.6434	1.6104	1.6378	1.5609	0.0300	0.5500	0.0165			
110308	1.6200	1.6209	1.6123	1.6152		1.6392	1.6107	1.6378	1.5609	0.0259	0.5500	0.0142			
110309	1.6152	1.6243	1.6137	1.6203		1.6285	1.6041	1.6378	1.5609	0.0222	0.5500	0.0122			
110310	1.6203	1.6216	1.6036	1.6045 SV	1.6071	-496.88	28828.12	-1728.13	1.6315	1.6071	1.6378	1.5609	0.0222	0.5500	0.0122
110310	1.6203	1.6216	1.6036	1.6045 SV	1.6071				1.6315	1.6071	1.5911	1.6791	0.0222	0.5500	0.0122
110311	1.6045	1.6080	1.5975	1.6071		1.6271	1.5949	1.5911	1.6765	0.0293	0.5500	0.0161			
110314	1.6071	1.6198	1.6025	1.6179		1.6200	1.5873	1.5911	1.6765	0.0297	0.5500	0.0163			
110315	1.6179	1.6184	1.5980	1.6071		1.6288	1.5962	1.5911	1.6765	0.0297	0.5500	0.0163			
110316	1.6071	1.6131	1.5984	1.6020		1.6205	1.5954	1.5911	1.6765	0.0228	0.5500	0.0125			
110317	1.6020	1.6169	1.5981	1.6132		1.6175	1.5925	1.5911	1.6740	0.0228	0.5500	0.0125			
110318	1.6132	1.6254	1.6059	1.6223 BV	1.6212	-478.13	28350.00	-2206.25	1.6212	1.5961	1.5911	1.6740	0.0228	0.5500	0.0125
110318	1.6132	1.6254	1.6059	1.6223 BV	1.6212				1.6212	1.5961	1.6372	1.5492	0.0228	0.5500	0.0125
110321	1.6223	1.6328	1.6202	1.6309		1.6298	1.6041	1.6372	1.5503	0.0234	0.5500	0.0129			
110322	1.6309	1.6401	1.6290	1.6383 SP	1.6372	462.50	28812.50	-1762.50	1.6443	1.6104	1.6372	1.5589	0.0308	0.5500	0.0169
110323	1.6383	1.6382	1.6217	1.6252		1.6563	1.6143	1.6372	1.5589	0.0381	0.5500	0.0210			
110324	1.6252	1.6267	1.6089	1.6106		1.6511	1.6069	1.6372	1.5589	0.0402	0.5500	0.0221			
110325	1.6106	1.6142	1.6005	1.6021		1.6385	1.5942	1.6372	1.5589	0.0402	0.5500	0.0221			
110328	1.6021	1.6037	1.5934	1.5997		1.6271	1.5855	1.6372	1.5589	0.0378	0.5500	0.0208			
110329	1.5997	1.6042	1.5941	1.5996		1.6235	1.5741	1.6372	1.5589	0.0449	0.5500	0.0247			
110330	1.5996	1.6082	1.5977	1.6078		1.6239	1.5745	1.6372	1.5589	0.0449	0.5500	0.0247			
110331	1.6078	1.6151	1.6015	1.6060		1.6286	1.5792	1.6372	1.5589	0.0449	0.5500	0.0247			
110401	1.6060	1.6132	1.5970	1.6113		1.6253	1.5903	1.6372	1.5589	0.0318	0.5500	0.0175			
110404	1.6113	1.6177	1.6104	1.6122		1.6185	1.5941	1.6372	1.5589	0.0222	0.5500	0.0122			
110405	1.6122	1.6296	1.6090	1.6286 BV	1.6259				1.6259	1.6015	1.6419	1.5539	0.0222	0.5500	0.0122
110406	1.6286	1.6363	1.6255	1.6332		1.6377	1.6047	1.6419	1.5566	0.0300	0.5500	0.0165			
110407	1.6332	1.6342	1.6261	1.6320		1.6515	1.6112	1.6419	1.5612	0.0367	0.5500	0.0202			
110408	1.6320	1.6427	1.6312	1.6351 SP	1.6419	462.50	29275.00	-1300.00	1.6504	1.6106	1.6419	1.5612	0.0362	0.5500	0.0199

110526	1.6283	1.6396	1.6270	1.6390					1.6348	1.6104	1.6428	1.5563	0.0222	0.5500	0.0122
110527	1.6390	1.6509	1.6378	1.6479 SP	1.6428	462.50	29253.12	-1321.88	1.6504	1.6185	1.6428	1.5670	0.0290	0.5500	0.0160
110530	1.6479	1.6512	1.6448	1.6466					1.6672	1.6229	1.6428	1.5670	0.0403	0.5500	0.0222
110531	1.6466	1.6546	1.6423	1.6450					1.6708	1.6246	1.6428	1.5670	0.0420	0.5500	0.0231
110601	1.6450	1.6495	1.6334	1.6342					1.6720	1.6236	1.6428	1.5670	0.0440	0.5500	0.0242
110602	1.6342	1.6418	1.6304	1.6359					1.6594	1.6206	1.6428	1.5670	0.0352	0.5500	0.0194
110603	1.6359	1.6438	1.6284	1.6435					1.6505	1.6216	1.6428	1.5670	0.0263	0.5500	0.0145
110606	1.6435	1.6459	1.6339	1.6346					1.6498	1.6254	1.6428	1.5670	0.0222	0.5500	0.0122
110607	1.6346	1.6470	1.6322	1.6442					1.6510	1.6266	1.6428	1.5670	0.0222	0.5500	0.0122
110608	1.6442	1.6446	1.6346	1.6396					1.6527	1.6283	1.6428	1.5670	0.0222	0.5500	0.0122
110609	1.6396	1.6466	1.6356	1.6370					1.6518	1.6274	1.6428	1.5670	0.0222	0.5500	0.0122
110610	1.6370	1.6382	1.6217	1.6231 SV	1.6281				1.6525	1.6281	1.6121	1.7001	0.0222	0.5500	0.0122
110613	1.6231	1.6384	1.6214	1.6380					1.6410	1.6162	1.6121	1.6951	0.0225	0.5500	0.0124
110614	1.6380	1.6441	1.6354	1.6369					1.6447	1.6184	1.6121	1.6951	0.0239	0.5500	0.0131
110615	1.6369	1.6384	1.6166	1.6169					1.6523	1.6260	1.6121	1.6951	0.0239	0.5500	0.0131
110616	1.6169	1.6227	1.6076	1.6138 BP	1.6121	462.50	29715.62	-859.38	1.6406	1.6102	1.6121	1.6889	0.0276	0.5500	0.0152
110617	1.6138	1.6195	1.6092	1.6165					1.6325	1.5973	1.6121	1.6889	0.0320	0.5500	0.0176
110620	1.6165	1.6235	1.6107	1.6199					1.6315	1.5981	1.6121	1.6889	0.0304	0.5500	0.0167
110621	1.6199	1.6253	1.6165	1.6239					1.6344	1.6009	1.6121	1.6889	0.0304	0.5500	0.0167
110622	1.6239	1.6261	1.6067	1.6068					1.6382	1.6048	1.6121	1.6889	0.0304	0.5500	0.0167
110623	1.6068	1.6070	1.5937	1.5991 SV	1.5979				1.6311	1.5979	1.5819	1.6699	0.0302	0.5500	0.0166
110624	1.5991	1.6046	1.5949	1.5969					1.6167	1.5835	1.5819	1.6699	0.0302	0.5500	0.0166
110627	1.5969	1.6011	1.5912	1.5980					1.6158	1.5826	1.5819	1.6689	0.0302	0.5500	0.0166
110628	1.5980	1.6044	1.5910	1.5985					1.6145	1.5785	1.5819	1.6689	0.0327	0.5500	0.0180
110629	1.5985	1.6074	1.5968	1.6059					1.6160	1.5798	1.5819	1.6689	0.0329	0.5500	0.0181
110630	1.6059	1.6117	1.5971	1.6058					1.6210	1.5848	1.5819	1.6689	0.0329	0.5500	0.0181
110701	1.6058	1.6095	1.5987	1.6072					1.6169	1.5925	1.5819	1.6689	0.0222	0.5500	0.0122
110704	1.6072	1.6140	1.6051	1.6088					1.6169	1.5925	1.5819	1.6689	0.0222	0.5500	0.0122
110705	1.6088	1.6128	1.5989	1.6057					1.6216	1.5972	1.5819	1.6689	0.0222	0.5500	0.0122
110706	1.6057	1.6090	1.5946	1.5989					1.6180	1.5936	1.5819	1.6689	0.0222	0.5500	0.0122
110707	1.5989	1.6017	1.5945	1.5963					1.6134	1.5890	1.5819	1.6689	0.0222	0.5500	0.0122
110708	1.5963	1.6077	1.5930	1.6039					1.6099	1.5855	1.5819	1.6689	0.0222	0.5500	0.0122
110711	1.6039	1.6041	1.5880	1.5902					1.6133	1.5889	1.5819	1.6683	0.0222	0.5500	0.0122
110712	1.5902	1.5948	1.5780	1.5912 BP	1.5819	462.50	30178.12	-396.88	1.6071	1.5827	1.5819	1.6622	0.0222	0.5500	0.0122
110713	1.5912	1.6120	1.5909	1.6104 BV	1.6043				1.6043	1.5704	1.6203	1.5323	0.0308	0.5500	0.0169
110714	1.6104	1.6191	1.6092	1.6134					1.6185	1.5880	1.6203	1.5384	0.0277	0.5500	0.0152
110715	1.6134	1.6174	1.6075	1.6130					1.6318	1.5962	1.6203	1.5414	0.0324	0.5500	0.0178
110718	1.6130	1.6131	1.6003	1.6038					1.6320	1.5931	1.6203	1.5414	0.0354	0.5500	0.0195
110719	1.6038	1.6176	1.6040	1.6116					1.6256	1.5866	1.6203	1.5414	0.0354	0.5500	0.0195
110720	1.6116	1.6167	1.6067	1.6163					1.6304	1.5915	1.6203	1.5414	0.0354	0.5500	0.0195
110721	1.6163	1.6323	1.6120	1.6297 SP	1.6203	462.50	30640.62	0.00	1.6280	1.5973	1.6203	1.5443	0.0279	0.5500	0.0153
110722	1.6297	1.6327	1.6263	1.6299					1.6393	1.6080	1.6203	1.5443	0.0285	0.5500	0.0157
110725	1.6299	1.6331	1.6260	1.6296					1.6457	1.6134	1.6203	1.5443	0.0294	0.5500	0.0162
110726	1.6296	1.6428	1.6264	1.6411					1.6458	1.6133	1.6203	1.5443	0.0296	0.5500	0.0163
110727	1.6411	1.6439	1.6310	1.6331					1.6573	1.6145	1.6203	1.5443	0.0390	0.5500	0.0214
110728	1.6331	1.6364	1.6293	1.6339					1.6555	1.6177	1.6203	1.5443	0.0344	0.5500	0.0189
110729	1.6339	1.6470	1.6259	1.6427					1.6491	1.6171	1.6203	1.5443	0.0291	0.5500	0.0160
110801	1.6427	1.6475	1.6236	1.6305 SV	1.6255				1.6499	1.6255	1.6095	1.6975	0.0222	0.5500	0.0122
110802	1.6305	1.6328	1.6222	1.6310					1.6467	1.6223	1.6095	1.6975	0.0222	0.5500	0.0122
110803	1.6310	1.6430	1.6249	1.6423 BV	1.6404	-503.12	30137.50	-503.12	1.6404	1.6160	1.6095	1.6975	0.0222	0.5500	0.0122
110803	1.6310	1.6430	1.6249	1.6423 BV	1.6404				1.6404	1.6160	1.6564	1.5684	0.0222	0.5500	0.0122
110804	1.6423	1.6439	1.6255	1.6262					1.6478	1.6234	1.6564	1.5703	0.0222	0.5500	0.0122
110805	1.6262	1.6396	1.6227	1.6358					1.6452	1.6208	1.6564	1.5703	0.0222	0.5500	0.0122
110808	1.6358	1.6471	1.6295	1.6350					1.6438	1.6204	1.6564	1.5703	0.0213	0.5500	0.0117
110809	1.6350	1.6410	1.6174	1.6282 SV	1.6259	-490.62	29646.87	-993.75	1.6494	1.6259	1.6564	1.5703	0.0213	0.5500	0.0117
110809	1.6350	1.6410	1.6174	1.6282 SV	1.6259				1.6494	1.6259	1.6099	1.6979	0.0213	0.5500	0.0117
110810	1.6282	1.6330	1.6121	1.6130					1.6427	1.6153	1.6099	1.6979	0.0249	0.5500	0.0137
110811	1.6130	1.6236	1.6109	1.6232					1.6373	1.6040	1.6099	1.6850	0.0302	0.5500	0.0166
110812	1.6232	1.6312	1.6165	1.6276					1.6372	1.5997	1.6099	1.6850	0.0341	0.5500	0.0188
110815	1.6276	1.6409	1.6255	1.6383					1.6434	1.6058	1.6099	1.6850	0.0341	0.5500	0.0188
110816	1.6383	1.6476	1.6321	1.6471					1.6530	1.6155	1.6099	1.6850	0.0341	0.5500	0.0188
110817	1.6471	1.6590	1.6353	1.6549					1.6603	1.6223	1.6099	1.6850	0.0346	0.5500	0.0190
110818	1.6549	1.6553	1.6419	1.6503					1.6740	1.6234	1.6099	1.6850	0.0460	0.5500	0.0253
110819	1.6503	1.6618	1.6442	1.6478					1.6742	1.6236	1.6099	1.6850	0.0460	0.5500	0.0253
110822	1.6478	1.6520	1.6434	1.6472					1.6732	1.6307	1.6099	1.6850	0.0386	0.5500	0.0212
110823	1.6472	1.6570	1.6452	1.6505					1.6664	1.6288	1.6099	1.6850	0.0342	0.5500	0.0188
110824	1.6505	1.6533	1.6363	1.6381					1.6639	1.6381	1.6099	1.6850	0.0235	0.5500	0.0129
110825	1.6381	1.6397	1.6260	1.6286					1.6557	1.6313	1.6099	1.6850	0.0222	0.5500	0.0122
110826	1.6286	1.6362	1.6207	1.6349					1.6479	1.6161	1.6099	1.6850	0.0289	0.5500	0.0159
110829	1.6349	1.6455	1.6325	1.6404					1.6480	1.6115	1.6099	1.6850	0.0332	0.5500	0.0183
110830	1.6404	1.6419	1.6253	1.6316					1.6557	1.6229	1.6099	1.6850	0.0298	0.5500	0.0164
110831	1.6316	1.6333	1.6237	1.6246					1.6496	1.6168	1.6099	1.6850	0.0298	0.5500	0.0164
110901	1.6246	1.6257	1.6130	1.6174					1.6441	1.6113	1.6099	1.6850	0.0298	0.5500	0.0164
110902	1.6174	1.6253	1.6171	1.6222					1.6340	1.6039	1.6099	1.6850	0.0274	0.5500	0.0151
110905	1.6222	1.6186	1.6060	1.6096 BP	1.6099	462.50	30109.37	-531.25	1.6369	1.6059	1.6099	1.6850	0.0281	0.5500	0.0155
110906	1.6096	1.6180	1.5923	1.5940 SV	1.5928				1.6307	1.5928	1.5768	1.6648	0.0344	0.5500	0.0189
110907	1.5940	1.6039	1.5919	1.5974					1.6294	1.5765	1.5768	1.6648	0.0481	0.5500	0.0265
110908	1.5974	1.6083	1.5912	1.5967					1.6196	1.5760	1.5768	1.6648	0.0397	0.5500	0.0218
110909	1.5967	1.5990	1.5842	1.5873					1.6175	1.5808	1.5768	1.6648	0.0334	0.5500	

111031	1.6124	1.6165	1.5964	1.6081				1.6307	1.5919	1.6035	1.5259	0.0353	0.5500	0.0194		
111101	1.6081	1.6093	1.5889	1.5931	SV	1.5939		1.6197	1.5939	1.5779	1.6659	0.0234	0.5500	0.0129		
111102	1.5931	1.6046	1.5915	1.5946				1.6108	1.5850	1.5779	1.6651	0.0235	0.5500	0.0129		
111103	1.5946	1.6060	1.5875	1.6042				1.6103	1.5844	1.5779	1.6651	0.0235	0.5500	0.0129		
111104	1.6042	1.6063	1.5943	1.6030				1.6119	1.5845	1.5779	1.6651	0.0249	0.5500	0.0137		
111107	1.6030	1.6078	1.5978	1.6048				1.6145	1.5871	1.5779	1.6651	0.0249	0.5500	0.0137		
111108	1.6048	1.6129	1.6033	1.6103				1.6169	1.5895	1.5779	1.6651	0.0249	0.5500	0.0137		
111109	1.6103	1.6119	1.5903	1.5922				1.6207	1.5963	1.5779	1.6651	0.0222	0.5500	0.0122		
111110	1.5922	1.5984	1.5866	1.5921				1.6119	1.5868	1.5779	1.6642	0.0228	0.5500	0.0125		
111111	1.5921	1.6092	1.5893	1.6065	BV	1.6055	-400.00	30875.00	-400.00	1.6055	1.5794	1.5779	1.6641	0.0237	0.5500	0.0130
111111	1.5921	1.6092	1.5893	1.6065	BV	1.6055		1.6055	1.5794	1.6215	1.5335	0.0237	0.5500	0.0130		
111114	1.6065	1.6090	1.5879	1.5911				1.6137	1.5877	1.6215	1.5345	0.0237	0.5500	0.0130		
111115	1.5911	1.5931	1.5797	1.5827	BV	1.5839	-712.50	30162.50	-1112.50	1.6100	1.5839	1.6215	1.5345	0.0237	0.5500	0.0130
111115	1.5911	1.5931	1.5797	1.5827	SV	1.5839		1.6100	1.5839	1.5679	1.6559	0.0237	0.5500	0.0130		
111116	1.5827	1.5827	1.5734	1.5748				1.6025	1.5688	1.5679	1.6547	0.0306	0.5500	0.0168		
111117	1.5748	1.5811	1.5689	1.5747				1.5977	1.5571	1.5679	1.6468	0.0369	0.5500	0.0203		
111118	1.5747	1.5888	1.5737	1.5786				1.5956	1.5543	1.5679	1.6467	0.0376	0.5500	0.0207		
111121	1.5786	1.5796	1.5610	1.5656	BP	1.5679	462.50	30625.00	-706.25	1.6014	1.5600	1.5679	1.6467	0.0376	0.5500	0.0207
111122	1.5656	1.5691	1.5581	1.5632				1.5944	1.5443	1.5679	1.6467	0.0455	0.5500	0.0250		
111123	1.5632	1.5654	1.5492	1.5534				1.5817	1.5454	1.5679	1.6467	0.0330	0.5500	0.0184		
111124	1.5534	1.5565	1.5482	1.5487				1.5749	1.5381	1.5679	1.6467	0.0335	0.5500	0.0184		
111125	1.5487	1.5518	1.5421	1.5448				1.5711	1.5322	1.5679	1.6467	0.0354	0.5500	0.0195		
111128	1.5448	1.5593	1.5456	1.5490				1.5686	1.5245	1.5679	1.6467	0.0401	0.5500	0.0221		
111129	1.5490	1.5656	1.5466	1.5608				1.5718	1.5317	1.5679	1.6467	0.0365	0.5500	0.0201		
111130	1.5608	1.5779	1.5524	1.5701	BV	1.5704		1.5704	1.5437	1.5864	1.4984	0.0243	0.5500	0.0134		
111201	1.5701	1.5755	1.5635	1.5684				1.5843	1.5479	1.5864	1.4984	0.0331	0.5500	0.0182		
111202	1.5684	1.5722	1.5575	1.5598				1.5875	1.5511	1.5864	1.4984	0.0331	0.5500	0.0182		
111205	1.5598	1.5714	1.5586	1.5638				1.5820	1.5456	1.5864	1.4984	0.0331	0.5500	0.0182		
111206	1.5638	1.5664	1.5559	1.5596				1.5830	1.5466	1.5864	1.4984	0.0331	0.5500	0.0182		
111207	1.5596	1.5722	1.5593	1.5708				1.5767	1.5449	1.5864	1.4984	0.0289	0.5500	0.0159		
111208	1.5708	1.5770	1.5609	1.5630				1.5790	1.5546	1.5864	1.4988	0.0222	0.5500	0.0122		
111209	1.5630	1.5734	1.5583	1.5660				1.5800	1.5556	1.5864	1.4988	0.0222	0.5500	0.0122		
111212	1.5660	1.5657	1.5534	1.5579	SV	1.5537	-559.37	30065.62	-1265.62	1.5781	1.5537	1.5864	1.4988	0.0222	0.5500	0.0122
111212	1.5660	1.5657	1.5534	1.5579	SV	1.5537		1.5781	1.5537	1.5377	1.6257	0.0222	0.5500	0.0122		
111213	1.5579	1.5628	1.5450	1.5468				1.5714	1.5470	1.5377	1.6257	0.0222	0.5500	0.0122		
111214	1.5468	1.5530	1.5407	1.5467				1.5667	1.5383	1.5377	1.6188	0.0258	0.5500	0.0142		
111215	1.5467	1.5529	1.5432	1.5510				1.5634	1.5302	1.5377	1.6187	0.0302	0.5500	0.0166		
111216	1.5510	1.5556	1.5481	1.5520				1.5653	1.5320	1.5377	1.6187	0.0303	0.5500	0.0167		
111219	1.5520	1.5544	1.5463	1.5497				1.5666	1.5372	1.5377	1.6187	0.0267	0.5500	0.0147		
111220	1.5497	1.5701	1.5493	1.5659	BV	1.5641	-362.50	29703.12	-1628.12	1.5641	1.5363	1.5377	1.6187	0.0253	0.5500	0.0139
111220	1.5497	1.5701	1.5493	1.5659	BV	1.5641		1.5641	1.5363	1.5801	1.4921	0.0253	0.5500	0.0139		
111221	1.5659	1.5773	1.5646	1.5676				1.5738	1.5481	1.5801	1.4939	0.0234	0.5500	0.0129		
111222	1.5676	1.5727	1.5648	1.5679				1.5871	1.5535	1.5801	1.4956	0.0306	0.5500	0.0168		
111223	1.5679	1.5707	1.5591	1.5592				1.5854	1.5518	1.5801	1.4959	0.0306	0.5500	0.0168		
111226	1.5592	1.5645	1.5589	1.5629				1.5789	1.5486	1.5801	1.4959	0.0276	0.5500	0.0152		
111227	1.5629	1.5679	1.5594	1.5668				1.5771	1.5468	1.5801	1.4959	0.0276	0.5500	0.0152		
111228	1.5668	1.5690	1.5444	1.5450	SV	1.5491	-506.25	29196.87	-2134.37	1.5795	1.5491	1.5801	1.4959	0.0276	0.5500	0.0152
111228	1.5668	1.5690	1.5444	1.5450	SV	1.5491		1.5795	1.5491	1.5331	1.6211	0.0276	0.5500	0.0152		
111229	1.5450	1.5475	1.5360	1.5416				1.5673	1.5414	1.5331	1.6170	0.0235	0.5500	0.0129		
111230	1.5416	1.5571	1.5400	1.5530				1.5593	1.5242	1.5331	1.6136	0.0319	0.5500	0.0175		
120102	1.5530	1.5545	1.5467	1.5495				1.5670	1.5319	1.5331	1.6136	0.0319	0.5500	0.0175		
120103	1.5495	1.5669	1.5504	1.5643				1.5673	1.5334	1.5331	1.6136	0.0308	0.5500	0.0169		
120104	1.5643	1.5668	1.5579	1.5623				1.5767	1.5428	1.5331	1.6136	0.0308	0.5500	0.0169		
120105	1.5623	1.5629	1.5465	1.5484				1.5793	1.5454	1.5331	1.6136	0.0308	0.5500	0.0169		
120106	1.5484	1.5526	1.5374	1.5424				1.5690	1.5379	1.5331	1.6136	0.0283	0.5500	0.0156		
120109	1.5424	1.5469	1.5394	1.5461				1.5593	1.5297	1.5331	1.6136	0.0269	0.5500	0.0148		
120110	1.5461	1.5500	1.5445	1.5479				1.5585	1.5289	1.5331	1.6136	0.0269	0.5500	0.0148		
120111	1.5479	1.5490	1.5308	1.5327	BP	1.5331	462.50	29659.37	-1671.87	1.5622	1.5326	1.5331	1.6136	0.0269	0.5500	0.0148
120112	1.5327	1.5367	1.5277	1.5335				1.5569	1.5200	1.5331	1.6136	0.0335	0.5500	0.0184		
120113	1.5335	1.5408	1.5233	1.5320				1.5515	1.5134	1.5331	1.6136	0.0346	0.5500	0.0190		
120116	1.5320	1.5352	1.5276	1.5332				1.5458	1.5182	1.5331	1.6136	0.0251	0.5500	0.0138		
120117	1.5332	1.5404	1.5308	1.5322				1.5453	1.5182	1.5331	1.6136	0.0246	0.5500	0.0135		
120118	1.5322	1.5438	1.5326	1.5428				1.5484	1.5214	1.5331	1.6136	0.0246	0.5500	0.0135		
120119	1.5428	1.5487	1.5413	1.5485				1.5526	1.5256	1.5331	1.6136	0.0246	0.5500	0.0135		
120120	1.5485	1.5556	1.5448	1.5554				1.5579	1.5335	1.5331	1.6136	0.0222	0.5500	0.0122		
120123	1.5554	1.5602	1.5515	1.5573				1.5651	1.5374	1.5331	1.6136	0.0252	0.5500	0.0139		
120124	1.5573	1.5616	1.5531	1.5612				1.5716	1.5406	1.5331	1.6136	0.0282	0.5500	0.0155		
120125	1.5612	1.5678	1.5531	1.5666				1.5743	1.5419	1.5331	1.6136	0.0294	0.5500	0.0162		
120126	1.5666	1.5734	1.5648	1.5688				1.5813	1.5421	1.5331	1.6136	0.0356	0.5500	0.0196		
120127	1.5688	1.5739	1.5639	1.5732				1.5859	1.5522	1.5331	1.6136	0.0306	0.5500	0.0168		
120130	1.5732	1.5730	1.5652	1.5686				1.5837	1.5558	1.5331	1.6136	0.0254	0.5500	0.0140		
120131	1.5686	1.5795	1.5696	1.5759				1.5809	1.5571	1.5331	1.6136	0.0217	0.5500	0.0119		
120201	1.5759	1.5882	1.5704	1.5826	BV	1.5870		1.5870	1.5626	1.6030	1.5150	0.0222	0.5500	0.0122		
120202	1.5826	1.5858	1.5792	1.5807				1.5948	1.5651	1.6030	1.5150	0.0270	0.5500	0.0148		
120203	1.5807	1.5860	1.5749	1.5809				1.5940	1.5703	1.6030	1.5150	0.0216	0.5500	0.0119		
120206	1.5809	1.5838	1.5728	1.5825				1.5927	1.5683	1.6030	1.5150	0.0222	0.5500	0.0122		
120207	1.5825	1.5903	1.5786	1.5894				1.5913	1.5669	1.6030	1.5150	0.0222	0.5500	0.0122		
120208	1.5894	1.5928	1.5794	1.5820				1.5974	1.5735	1.6030	1.5174	0.0217	0.5500	0.0119		
120209	1.5820	1.5884	1.5790	1.5817				1.5975	1.5731	1.6030	1.5174	0.0222	0.5500	0.0122		
120210	1.5817	1.5849	1.5728	1.5735				1.5955	1.5711	1.6030	1.5174	0.0222	0.5500	0.0122		
120213	1.5735	1.5827	1.5757	1.5769				1.5900	1.5656	1.6030	1.5174	0.0222	0.5500	0.0122		
1202																

120328	1.5958	1.5964	1.5839	1.5890	SV	1.5846				1.6090	1.5846	1.5686	1.6566	0.0222	0.5500	0.0122
120329	1.5890	1.5942	1.5859	1.5942						1.6021	1.5777	1.5686	1.6566	0.0222	0.5500	0.0122
120330	1.5942	1.6037	1.5948	1.5996	BV	1.6032	-618.75	28415.62	-2915.62	1.6032	1.5788	1.5686	1.6566	0.0222	0.5500	0.0122
120330	1.5942	1.6037	1.5948	1.5996	BV	1.6032				1.6032	1.5788	1.6192	1.5312	0.0222	0.5500	0.0122
120402	1.5996	1.6063	1.5979	1.6033						1.6115	1.5872	1.6192	1.5312	0.0221	0.5500	0.0122
120403	1.6033	1.6046	1.5891	1.5908	SV	1.5901	-446.88	27968.75	-3362.50	1.6145	1.5901	1.6192	1.5313	0.0222	0.5500	0.0122
120403	1.6033	1.6046	1.5891	1.5908	SV	1.5901				1.6145	1.5901	1.5741	1.6621	0.0222	0.5500	0.0122
120404	1.5908	1.5914	1.5833	1.5889						1.6078	1.5834	1.5741	1.6621	0.0222	0.5500	0.0122
120405	1.5889	1.5908	1.5806	1.5822						1.5999	1.5755	1.5741	1.6609	0.0222	0.5500	0.0122
120406	1.5822	1.5891	1.5824	1.5877						1.5975	1.5725	1.5741	1.6542	0.0227	0.5500	0.0125
120409	1.5877	1.5914	1.5835	1.5904						1.5994	1.5729	1.5741	1.6542	0.0241	0.5500	0.0133
120410	1.5904	1.5931	1.5809	1.5869						1.6013	1.5748	1.5741	1.6542	0.0241	0.5500	0.0133
120411	1.5869	1.5938	1.5853	1.5902						1.5995	1.5745	1.5741	1.6542	0.0227	0.5500	0.0125
120412	1.5902	1.5985	1.5909	1.5966						1.6019	1.5775	1.5741	1.6542	0.0222	0.5500	0.0122
120413	1.5966	1.5970	1.5841	1.5843						1.6073	1.5829	1.5741	1.6542	0.0222	0.5500	0.0122
120416	1.5843	1.5911	1.5819	1.5897						1.6015	1.5771	1.5741	1.6542	0.0222	0.5500	0.0122
120417	1.5897	1.5971	1.5863	1.5935						1.5993	1.5749	1.5741	1.6542	0.0222	0.5500	0.0122
120418	1.5935	1.6042	1.5896	1.6021						1.6043	1.5799	1.5741	1.6542	0.0222	0.5500	0.0122
120419	1.6021	1.6078	1.6010	1.6054						1.6101	1.5857	1.5741	1.6542	0.0222	0.5500	0.0122
120420	1.6054	1.6143	1.6039	1.6133						1.6175	1.5917	1.5741	1.6542	0.0235	0.5500	0.0129
120423	1.6133	1.6134	1.6077	1.6130						1.6264	1.5934	1.5741	1.6542	0.0300	0.5500	0.0165
120424	1.6130	1.6164	1.6110	1.6135						1.6283	1.5938	1.5741	1.6542	0.0314	0.5500	0.0173
120425	1.6135	1.6182	1.6082	1.6165						1.6285	1.5988	1.5741	1.6542	0.0270	0.5500	0.0148
120426	1.6165	1.6207	1.6159	1.6196						1.6274	1.6003	1.5741	1.6542	0.0247	0.5500	0.0136
120427	1.6196	1.6280	1.6154	1.6263						1.6308	1.6064	1.5741	1.6542	0.0222	0.5500	0.0122
120430	1.6263	1.6301	1.6218	1.6230						1.6351	1.6102	1.5741	1.6542	0.0226	0.5500	0.0124
120501	1.6230	1.6247	1.6184	1.6221						1.6376	1.6132	1.5741	1.6542	0.0222	0.5500	0.0122
120502	1.6221	1.6239	1.6159	1.6192						1.6339	1.6095	1.5741	1.6542	0.0222	0.5500	0.0122
120503	1.6192	1.6215	1.6159	1.6180						1.6320	1.6076	1.5741	1.6542	0.0222	0.5500	0.0122
120504	1.6180	1.6203	1.6140	1.6150						1.6308	1.6064	1.5741	1.6542	0.0222	0.5500	0.0122
120507	1.6150	1.6199	1.6115	1.6189						1.6289	1.6045	1.5741	1.6542	0.0222	0.5500	0.0122
120508	1.6189	1.6199	1.6122	1.6159						1.6285	1.6041	1.5741	1.6542	0.0222	0.5500	0.0122
120509	1.6159	1.6159	1.6067	1.6141						1.6282	1.6038	1.5741	1.6542	0.0222	0.5500	0.0122
120510	1.6141	1.6182	1.6092	1.6150						1.6241	1.5997	1.5741	1.6542	0.0222	0.5500	0.0122
120511	1.6150	1.6143	1.6059	1.6073						1.6262	1.6018	1.5741	1.6542	0.0222	0.5500	0.0122
120514	1.6073	1.6123	1.6052	1.6097						1.6217	1.5973	1.5741	1.6542	0.0222	0.5500	0.0122
120515	1.6097	1.6114	1.5987	1.5994						1.6211	1.5967	1.5741	1.6542	0.0222	0.5500	0.0122
120516	1.5994	1.5998	1.5889	1.5915						1.6161	1.5917	1.5741	1.6542	0.0222	0.5500	0.0122
120517	1.5915	1.5932	1.5790	1.5799						1.6086	1.5789	1.5741	1.6542	0.0270	0.5500	0.0149
120518	1.5799	1.5838	1.5732	1.5822	BP	1.5741	462.50	28431.25	-2900.00	1.6047	1.5651	1.5741	1.6519	0.0360	0.5500	0.0198
120521	1.5822	1.5841	1.5774	1.5840						1.6022	1.5562	1.5741	1.6519	0.0418	0.5500	0.0230
120522	1.5840	1.5848	1.5739	1.5749						1.6015	1.5613	1.5741	1.6519	0.0365	0.5500	0.0201
120523	1.5749	1.5771	1.5673	1.5702						1.5985	1.5584	1.5741	1.6519	0.0365	0.5500	0.0201
120524	1.5702	1.5727	1.5639	1.5664						1.5895	1.5541	1.5741	1.6519	0.0321	0.5500	0.0177
120525	1.5664	1.5700	1.5629	1.5657						1.5831	1.5527	1.5741	1.6519	0.0276	0.5500	0.0152
120528	1.5657	1.5717	1.5659	1.5684						1.5785	1.5541	1.5741	1.6519	0.0222	0.5500	0.0122
120529	1.5684	1.5717	1.5605	1.5641						1.5809	1.5565	1.5741	1.6519	0.0222	0.5500	0.0122
120530	1.5641	1.5638	1.5475	1.5485	SV	1.5528				1.5786	1.5528	1.5368	1.6248	0.0235	0.5500	0.0129
120531	1.5485	1.5526	1.5361	1.5422	BP	1.5368	462.50	28893.75	-2437.50	1.5693	1.5391	1.5368	1.6205	0.0274	0.5500	0.0151
120601	1.5422	1.5438	1.5269	1.5358						1.5627	1.5252	1.5368	1.6205	0.0341	0.5500	0.0188
120604	1.5358	1.5415	1.5343	1.5387						1.5583	1.5126	1.5368	1.6205	0.0415	0.5500	0.0228
120605	1.5387	1.5408	1.5322	1.5373						1.5609	1.5152	1.5368	1.6205	0.0415	0.5500	0.0228
120606	1.5373	1.5515	1.5374	1.5497						1.5595	1.5138	1.5368	1.6205	0.0415	0.5500	0.0228
120607	1.5497	1.5601	1.5431	1.5539						1.5660	1.5250	1.5368	1.6205	0.0372	0.5500	0.0205
120608	1.5539	1.5537	1.5404	1.5467						1.5654	1.5387	1.5368	1.6205	0.0243	0.5500	0.0134
120611	1.5467	1.5582	1.5470	1.5487						1.5618	1.5321	1.5368	1.6205	0.0270	0.5500	0.0148
120612	1.5487	1.5590	1.5455	1.5570						1.5652	1.5385	1.5368	1.6205	0.0243	0.5500	0.0134
120613	1.5570	1.5598	1.5512	1.5515						1.5657	1.5407	1.5368	1.6205	0.0228	0.5500	0.0125
120614	1.5515	1.5562	1.5473	1.5548						1.5672	1.5422	1.5368	1.6205	0.0228	0.5500	0.0125
120615	1.5548	1.5725	1.5477	1.5688	BV	1.5646				1.5646	1.5402	1.5806	1.4926	0.0222	0.5500	0.0122
120618	1.5688	1.5790	1.5633	1.5668						1.5760	1.5477	1.5806	1.4968	0.0258	0.5500	0.0142
120619	1.5668	1.5757	1.5616	1.5739						1.5880	1.5525	1.5806	1.4968	0.0323	0.5500	0.0178
120620	1.5739	1.5777	1.5652	1.5692						1.5864	1.5530	1.5806	1.5019	0.0303	0.5500	0.0167
120621	1.5692	1.5734	1.5577	1.5587						1.5861	1.5559	1.5806	1.5019	0.0275	0.5500	0.0151
120622	1.5587	1.5634	1.5557	1.5583						1.5793	1.5491	1.5806	1.5019	0.0275	0.5500	0.0151
120625	1.5583	1.5595	1.5539	1.5572						1.5737	1.5449	1.5806	1.5019	0.0262	0.5500	0.0144
120626	1.5572	1.5651	1.5564	1.5645						1.5690	1.5446	1.5806	1.5019	0.0222	0.5500	0.0122
120627	1.5645	1.5641	1.5546	1.5566						1.5737	1.5493	1.5806	1.5019	0.0222	0.5500	0.0122
120628	1.5566	1.5624	1.5483	1.5512						1.5710	1.5466	1.5806	1.5019	0.0222	0.5500	0.0122
120629	1.5512	1.5707	1.5510	1.5671						1.5667	1.5423	1.5806	1.5019	0.0222	0.5500	0.0122
120702	1.5671	1.5722	1.5642	1.5695						1.5743	1.5499	1.5806	1.5019	0.0222	0.5500	0.0122
120703	1.5695	1.5713	1.5658	1.5691						1.5807	1.5563	1.5806	1.5019	0.0222	0.5500	0.0122
120704	1.5691	1.5690	1.5575	1.5603						1.5803	1.5570	1.5806	1.5019	0.0212	0.5500	0.0117
120705	1.5603	1.5623	1.5500	1.5527	SV	1.5510	-462.50	28431.25	-2900.00	1.5743	1.5510	1.5806	1.5019	0.0212	0.5500	0.0117
120705	1.5603	1.5623	1.5500	1.5527	SV	1.5510				1.5743	1.5510	1.5350	1.6230	0.0212	0.5500	0.0117
120706	1.5527	1.5551	1.5459	1.5483						1.5671	1.5438	1.5350	1.6230	0.0212	0.5500	0.0117
120709	1.5483	1.5531	1.5468	1.5522						1.5630	1.5371	1.5350	1.6203	0.0236	0.5500	0.0130
120710	1.5522	1.5549	1.													

120829	1.5822	1.5856	1.5800	1.5833					1.5923	1.5679	1.5806	1.5057	0.0222	0.5500	0.0122	
120830	1.5833	1.5833	1.5833	1.5793					1.5951	1.5707	1.5806	1.5057	0.0222	0.5500	0.0122	
120831	1.5793	1.5896	1.5779	1.5881					1.5938	1.5694	1.5806	1.5057	0.0222	0.5500	0.0122	
120903	1.5881	1.5899	1.5847	1.5881					1.5968	1.5724	1.5806	1.5057	0.0222	0.5500	0.0122	
120904	1.5886	1.5910	1.5855	1.5877					1.5998	1.5754	1.5806	1.5057	0.0222	0.5500	0.0122	
120905	1.5877	1.5934	1.5822	1.5906					1.6003	1.5759	1.5806	1.5057	0.0222	0.5500	0.0122	
120906	1.5906	1.5943	1.5881	1.5937					1.6006	1.5762	1.5806	1.5057	0.0222	0.5500	0.0122	
120907	1.5937	1.6034	1.5920	1.5999					1.6039	1.5795	1.5806	1.5057	0.0222	0.5500	0.0122	
120910	1.5999	1.6019	1.5956	1.5990					1.6114	1.5849	1.5806	1.5057	0.0241	0.5500	0.0133	
120911	1.5990	1.6084	1.5988	1.6067					1.6110	1.5866	1.5806	1.5057	0.0222	0.5500	0.0122	
120912	1.6067	1.6131	1.6060	1.6105					1.6164	1.5920	1.5806	1.5057	0.0222	0.5500	0.0122	
120913	1.6105	1.6174	1.6071	1.6154					1.6237	1.5958	1.5806	1.5057	0.0254	0.5500	0.0140	
120914	1.6154	1.6256	1.6141	1.6230					1.6276	1.5981	1.5806	1.5057	0.0268	0.5500	0.0147	
120917	1.6230	1.6273	1.6209	1.6236					1.6380	1.6029	1.5806	1.5057	0.0319	0.5500	0.0175	
120918	1.6236	1.6267	1.6219	1.6240					1.6396	1.6084	1.5806	1.5057	0.0283	0.5500	0.0156	
120919	1.6240	1.6271	1.6181	1.6221					1.6398	1.6087	1.5806	1.5057	0.0283	0.5500	0.0156	
120920	1.6221	1.6236	1.6160	1.6217					1.6347	1.6103	1.5806	1.5057	0.0222	0.5500	0.0122	
120921	1.6217	1.6309	1.6211	1.6250					1.6324	1.6080	1.5806	1.5057	0.0222	0.5500	0.0122	
120924	1.6250	1.6249	1.6179	1.6216					1.6380	1.6136	1.5806	1.5057	0.0222	0.5500	0.0122	
120925	1.6216	1.6267	1.6191	1.6198					1.6336	1.6092	1.5806	1.5057	0.0222	0.5500	0.0122	
120926	1.6198	1.6209	1.6138	1.6156					1.6345	1.6101	1.5806	1.5057	0.0222	0.5500	0.0122	
120927	1.6156	1.6244	1.6166	1.6237					1.6292	1.6048	1.5806	1.5057	0.0222	0.5500	0.0122	
120928	1.6237	1.6272	1.6112	1.6126					1.6333	1.6089	1.5806	1.5057	0.0222	0.5500	0.0122	
121001	1.6126	1.6175	1.6110	1.6126					1.6301	1.6057	1.5806	1.5057	0.0222	0.5500	0.0122	
121002	1.6126	1.6187	1.6125	1.6142					1.6261	1.6017	1.5806	1.5057	0.0222	0.5500	0.0122	
121003	1.6142	1.6142	1.6065	1.6073					1.6275	1.6031	1.5806	1.5057	0.0222	0.5500	0.0122	
121004	1.6073	1.6202	1.6078	1.6182					1.6219	1.5975	1.5806	1.5057	0.0222	0.5500	0.0122	
121005	1.6182	1.6217	1.6121	1.6126					1.6270	1.6026	1.5806	1.5057	0.0222	0.5500	0.0122	
121008	1.6126	1.6142	1.6018	1.6036	SV	1.6038			1.6282	1.6038	1.5878	1.6758	0.0222	0.5500	0.0122	
121009	1.6036	1.6046	1.5974	1.5989					1.6193	1.5949	1.5878	1.6756	0.0222	0.5500	0.0122	
121010	1.5989	1.6034	1.5977	1.6009					1.6128	1.5884	1.5878	1.6709	0.0222	0.5500	0.0122	
121011	1.6009	1.6054	1.5985	1.6047					1.6132	1.5881	1.5878	1.6709	0.0228	0.5500	0.0125	
121012	1.6047	1.6097	1.6019	1.6076					1.6150	1.5900	1.5878	1.6709	0.0228	0.5500	0.0125	
121015	1.6076	1.6082	1.6021	1.6071					1.6187	1.5936	1.5878	1.6709	0.0228	0.5500	0.0125	
121016	1.6071	1.6132	1.6061	1.6111					1.6177	1.5933	1.5878	1.6709	0.0222	0.5500	0.0122	
121017	1.6111	1.6178	1.6113	1.6149					1.6221	1.5977	1.5878	1.6709	0.0222	0.5500	0.0122	
121018	1.6149	1.6171	1.6046	1.6055					1.6268	1.6024	1.5878	1.6709	0.0222	0.5500	0.0122	
121019	1.6055	1.6067	1.5995	1.6007					1.6220	1.5976	1.5878	1.6709	0.0222	0.5500	0.0122	
121022	1.6007	1.6052	1.5991	1.6006					1.6148	1.5904	1.5878	1.6709	0.0222	0.5500	0.0122	
121023	1.6006	1.6024	1.5910	1.5946					1.6140	1.5896	1.5878	1.6709	0.0222	0.5500	0.0122	
121024	1.5946	1.6048	1.5937	1.6029					1.6094	1.5831	1.5878	1.6666	0.0239	0.5500	0.0131	
121025	1.6029	1.6144	1.6027	1.6125	BV	1.6131	-328.12	28262.50	-3068.75	1.6131	1.5868	1.5878	1.6666	0.0239	0.5500	0.0131
121025	1.6029	1.6144	1.6027	1.6125	BV	1.6131			1.6131	1.5868	1.6291	1.5411	0.0239	0.5500	0.0131	
121026	1.6125	1.6141	1.6079	1.6090					1.6225	1.5962	1.6291	1.5411	0.0239	0.5500	0.0131	
121029	1.6090	1.6123	1.6003	1.6029					1.6224	1.5988	1.6291	1.5411	0.0215	0.5500	0.0118	
121030	1.6029	1.6085	1.6022	1.6071					1.6174	1.5938	1.6291	1.5411	0.0215	0.5500	0.0118	
121031	1.6071	1.6039	1.5965	1.6029					1.6175	1.5939	1.6291	1.5411	0.0215	0.5500	0.0118	
121101	1.6029	1.6175	1.6118	1.6122					1.6129	1.5885	1.6291	1.5411	0.0222	0.5500	0.0122	
121102	1.6122	1.6133	1.6004	1.6018	SV	1.6020	-384.37	27878.12	-3453.12	1.6264	1.6020	1.6291	1.5411	0.0222	0.5500	0.0122
121102	1.6122	1.6133	1.6004	1.6018	SV	1.6020			1.6264	1.6020	1.5860	1.6740	0.0222	0.5500	0.0122	
121105	1.6018	1.6039	1.5956	1.5978					1.6180	1.5936	1.5860	1.6738	0.0222	0.5500	0.0122	
121106	1.5978	1.6008	1.5963	1.5994					1.6116	1.5872	1.5860	1.6698	0.0222	0.5500	0.0122	
121107	1.5994	1.6042	1.5953	1.5991					1.6109	1.5865	1.5860	1.6698	0.0222	0.5500	0.0122	
121108	1.5991	1.6005	1.5926	1.5977					1.6118	1.5874	1.5860	1.6698	0.0222	0.5500	0.0122	
121109	1.5977	1.6019	1.5887	1.5899					1.6090	1.5846	1.5860	1.6697	0.0222	0.5500	0.0122	
121112	1.5899	1.5915	1.5861	1.5880					1.6071	1.5813	1.5860	1.6619	0.0235	0.5500	0.0129	
121113	1.5880	1.5916	1.5858	1.5875	BP	1.5860	462.50	28340.62	-2990.62	1.6008	1.5764	1.5860	1.6600	0.0222	0.5500	0.0122
121114	1.5875	1.5902	1.5837	1.5841					1.6007	1.5763	1.5860	1.6600	0.0222	0.5500	0.0122	
121115	1.5841	1.5879	1.5826	1.5849					1.5986	1.5742	1.5860	1.6600	0.0222	0.5500	0.0122	
121116	1.5849	1.5901	1.5835	1.5885					1.5974	1.5730	1.5860	1.6600	0.0222	0.5500	0.0122	
121119	1.5885	1.5923	1.5883	1.5900					1.5993	1.5749	1.5860	1.6600	0.0222	0.5500	0.0122	
121120	1.5900	1.5936	1.5892	1.5920					1.6024	1.5780	1.5860	1.6600	0.0222	0.5500	0.0122	
121121	1.5920	1.5955	1.5883	1.5953					1.6037	1.5793	1.5860	1.6600	0.0222	0.5500	0.0122	
121122	1.5953	1.5978	1.5924	1.5930					1.6048	1.5804	1.5860	1.6600	0.0222	0.5500	0.0122	
121123	1.5930	1.6051	1.5926	1.6040					1.6069	1.5825	1.5860	1.6600	0.0222	0.5500	0.0122	
121126	1.6040	1.6038	1.5996	1.6025					1.6121	1.5877	1.5860	1.6600	0.0222	0.5500	0.0122	
121127	1.6025	1.6056	1.6010	1.6013					1.6141	1.5897	1.5860	1.6600	0.0222	0.5500	0.0122	
121128	1.6013	1.6025	1.5958	1.6011					1.6151	1.5907	1.5860	1.6600	0.0222	0.5500	0.0122	
121129	1.6011	1.6048	1.6002	1.6039					1.6117	1.5873	1.5860	1.6600	0.0222	0.5500	0.0122	
121130	1.6039	1.6062	1.5987	1.6024					1.6150	1.5906	1.5860	1.6600	0.0222	0.5500	0.0122	
121203	1.6024	1.6116	1.6004	1.6091					1.6146	1.5902	1.5860	1.6600	0.0222	0.5500	0.0122	
121204	1.6091	1.6131	1.6084	1.6103					1.6188	1.5944	1.5860	1.6600	0.0222	0.5500	0.0122	
121205	1.6103	1.6118	1.6079	1.6089					1.6229	1.5985	1.5860	1.6600	0.0222	0.5500	0.0122	
121206	1.6089	1.6128	1.6040	1.6052					1.6219	1.5975	1.5860	1.6600	0.0222	0.5500	0.0122	
121207	1.6052	1.6061	1.6003	1.6038					1.6200	1.5956	1.5860	1.6600	0.0222	0.5500	0.0122	
121210	1.6038	1.6096	1.6014	1.6069					1.6155	1.5911	1.5860	1.6600	0.0222	0.5500	0.0122	
121211	1.6069	1.6122	1.6070	1.6111					1.6180	1.5936	1.5860	1.6600	0.0222	0.5500	0.0122	
121212	1.6111	1.6172	1.6096	1.6140					1.6221	1.5977	1.5860	1.6600	0.0222	0.5500	0.0122	
121213	1.6140	1.6153	1.6085	1.6107					1.6257	1.6013	1.5860	1.6600	0.0222	0.5500	0.0122	
121214	1.6107	1.6178	1.6104	1.6156					1.6239	1.5995	1.5860	1.6600	0.0			

130204	1.5705	1.5772	1.5684	1.5762					1.5894	1.5650	1.5549	1.6425	0.0222	0.5500	0.0122
130205	1.5762	1.5804	1.5631	1.5659					1.5857	1.5613	1.5549	1.6425	0.0222	0.5500	0.0122
130206	1.5659	1.5678	1.5632	1.5667					1.5831	1.5581	1.5549	1.6379	0.0227	0.5500	0.0125
130207	1.5667	1.5768	1.5646	1.5703					1.5782	1.5533	1.5549	1.6379	0.0227	0.5500	0.0125
130208	1.5703	1.5844	1.5706	1.5795 BV	1.5831	-418.75	28384.37	-2946.87	1.5831	1.5581	1.5549	1.6379	0.0227	0.5500	0.0125
130208	1.5703	1.5844	1.5706	1.5795 BV	1.5831				1.5831	1.5581	1.5991	1.5111	0.0227	0.5500	0.0125
130211	1.5795	1.5810	1.5653	1.5663 SV	1.5654	-590.63	27793.75	-3537.50	1.5904	1.5654	1.5991	1.5111	0.0227	0.5500	0.0125
130211	1.5795	1.5810	1.5653	1.5663 SV	1.5654				1.5904	1.5654	1.5494	1.6374	0.0227	0.5500	0.0125
130212	1.5663	1.5670	1.5568	1.5652					1.5840	1.5596	1.5494	1.6374	0.0222	0.5500	0.0122
130213	1.5652	1.5689	1.5522	1.5537					1.5750	1.5501	1.5494	1.6372	0.0227	0.5500	0.0125
130214	1.5537	1.5543	1.5472	1.5489 BP	1.5494	462.50	28256.25	-3075.00	1.5742	1.5442	1.5494	1.6257	0.0273	0.5500	0.0150
130215	1.5489	1.5550	1.5462	1.5516					1.5681	1.5326	1.5494	1.6257	0.0323	0.5500	0.0178
130218	1.5516	1.5509	1.5438	1.5463					1.5703	1.5313	1.5494	1.6257	0.0355	0.5500	0.0195
130219	1.5463	1.5504	1.5413	1.5425					1.5668	1.5275	1.5494	1.6257	0.0357	0.5500	0.0196
130220	1.5425	1.5451	1.5193	1.5245 SV	1.5314				1.5589	1.5314	1.5154	1.6034	0.0250	0.5500	0.0137
130221	1.5245	1.5273	1.5132	1.5249 BP	1.5154	462.50	28718.75	-2612.50	1.5559	1.5054	1.5154	1.5965	0.0459	0.5500	0.0252
130222	1.5249	1.5321	1.5234	1.5246					1.5435	1.4989	1.5154	1.5965	0.0405	0.5500	0.0223
130225	1.5246	1.5199	1.5072	1.5195					1.5482	1.5060	1.5154	1.5965	0.0384	0.5500	0.0211
130226	1.5195	1.5219	1.5113	1.5123					1.5392	1.4903	1.5154	1.5965	0.0444	0.5500	0.0244
130227	1.5123	1.5188	1.5081	1.5156					1.5372	1.4942	1.5154	1.5965	0.0391	0.5500	0.0215
130228	1.5156	1.5221	1.5148	1.5158					1.5333	1.4945	1.5154	1.5965	0.0353	0.5500	0.0194
130301	1.5158	1.5186	1.4985	1.5025 SV	1.5057				1.5301	1.5057	1.4897	1.5777	0.0222	0.5500	0.0122
130304	1.5025	1.5117	1.5000	1.5108					1.5219	1.4928	1.4897	1.5745	0.0264	0.5500	0.0145
130305	1.5108	1.5199	1.5095	1.5117					1.5212	1.4925	1.4897	1.5745	0.0261	0.5500	0.0144
130306	1.5117	1.5155	1.5017	1.5033					1.5263	1.5019	1.4897	1.5745	0.0222	0.5500	0.0122
130307	1.5033	1.5082	1.4967	1.5013					1.5197	1.4953	1.4897	1.5745	0.0222	0.5500	0.0122
130308	1.5013	1.5047	1.4886	1.4918 BP	1.4897	462.50	29181.25	-2150.00	1.5144	1.4900	1.4897	1.5733	0.0222	0.5500	0.0122
130311	1.4918	1.4944	1.4866	1.4917					1.5106	1.4807	1.4897	1.5733	0.0272	0.5500	0.0150
130312	1.4917	1.4919	1.4832	1.4905					1.5062	1.4753	1.4897	1.5733	0.0281	0.5500	0.0155
130313	1.4905	1.4981	1.4893	1.4928					1.5038	1.4725	1.4897	1.5733	0.0285	0.5500	0.0157
130314	1.4928	1.5119	1.4915	1.5083 BV	1.5092				1.5092	1.4778	1.5252	1.4372	0.0285	0.5500	0.0157
130315	1.5083	1.5177	1.5069	1.5095					1.5148	1.4912	1.5252	1.4372	0.0214	0.5500	0.0118
130318	1.5095	1.5146	1.5073	1.5093					1.5267	1.4968	1.5252	1.4375	0.0272	0.5500	0.0150
130319	1.5093	1.5144	1.5073	1.5098					1.5256	1.4957	1.5252	1.4375	0.0272	0.5500	0.0150
130320	1.5098	1.5186	1.5027	1.5109					1.5256	1.4957	1.5252	1.4378	0.0272	0.5500	0.0150
130321	1.5109	1.5209	1.5089	1.5177					1.5262	1.4952	1.5252	1.4389	0.0281	0.5500	0.0155
130322	1.5177	1.5248	1.5167	1.5238					1.5309	1.5000	1.5252	1.4457	0.0281	0.5500	0.0155
130325	1.5238	1.5261	1.5142	1.5181 SP	1.5252	462.50	29643.75	-1687.50	1.5336	1.5092	1.5252	1.4518	0.0222	0.5500	0.0122
130326	1.5181	1.5208	1.5133	1.5159					1.5319	1.5075	1.5252	1.4518	0.0222	0.5500	0.0122
130327	1.5159	1.5181	1.5089	1.5124					1.5290	1.5046	1.5252	1.4518	0.0222	0.5500	0.0122
130328	1.5124	1.5200	1.5112	1.5190					1.5255	1.5011	1.5252	1.4518	0.0222	0.5500	0.0122
130329	1.5190	1.5219	1.5179	1.5189					1.5285	1.5041	1.5252	1.4518	0.0222	0.5500	0.0122
130401	1.5189	1.5242	1.5178	1.5229					1.5319	1.5075	1.5252	1.4518	0.0222	0.5500	0.0122
130402	1.5229	1.5259	1.5099	1.5105					1.5336	1.5092	1.5252	1.4518	0.0222	0.5500	0.0122
130403	1.5105	1.5158	1.5076	1.5146					1.5286	1.5042	1.5252	1.4518	0.0222	0.5500	0.0122
130404	1.5146	1.5245	1.5034	1.5234 BV	1.5245				1.5245	1.5001	1.5405	1.4525	0.0222	0.5500	0.0122
130405	1.5234	1.5364	1.5200	1.5336					1.5280	1.5036	1.5405	1.4525	0.0222	0.5500	0.0122
130408	1.5336	1.5351	1.5241	1.5245					1.5435	1.5150	1.5405	1.4616	0.0259	0.5500	0.0142
130409	1.5245	1.5342	1.5251	1.5319					1.5452	1.5120	1.5405	1.4616	0.0302	0.5500	0.0166
130410	1.5319	1.5343	1.5293	1.5324					1.5467	1.5135	1.5405	1.4616	0.0302	0.5500	0.0166
130411	1.5324	1.5411	1.5319	1.5391 SP	1.5405	462.50	30106.25	-1225.00	1.5485	1.5153	1.5405	1.4616	0.0302	0.5500	0.0166
130412	1.5391	1.5410	1.5339	1.5352					1.5536	1.5204	1.5405	1.4616	0.0302	0.5500	0.0166
130415	1.5352	1.5385	1.5270	1.5282					1.5492	1.5248	1.5405	1.4616	0.0222	0.5500	0.0122
130416	1.5282	1.5379	1.5274	1.5373					1.5440	1.5196	1.5405	1.4616	0.0222	0.5500	0.0122
130417	1.5373	1.5370	1.5215	1.5237					1.5458	1.5214	1.5405	1.4616	0.0222	0.5500	0.0122
130418	1.5237	1.5313	1.5218	1.5278					1.5403	1.5159	1.5405	1.4616	0.0222	0.5500	0.0122
130419	1.5278	1.5368	1.5225	1.5229					1.5390	1.5146	1.5405	1.4616	0.0222	0.5500	0.0122
130422	1.5229	1.5292	1.5204	1.5286					1.5405	1.5161	1.5405	1.4616	0.0222	0.5500	0.0122
130423	1.5286	1.5298	1.5197	1.5243					1.5378	1.5134	1.5405	1.4616	0.0222	0.5500	0.0122
130424	1.5243	1.5287	1.5227	1.5269					1.5369	1.5125	1.5405	1.4616	0.0222	0.5500	0.0122
130425	1.5269	1.5480	1.5266	1.5430 BV	1.5381				1.5381	1.5137	1.5541	1.4661	0.0222	0.5500	0.0122
130426	1.5430	1.5499	1.5417	1.5485					1.5522	1.5246	1.5541	1.4710	0.0251	0.5500	0.0138
130429	1.5485	1.5546	1.5478	1.5493 SP	1.5541	462.50	30568.75	-762.50	1.5612	1.5315	1.5541	1.4765	0.0270	0.5500	0.0149
130430	1.5493	1.5568	1.5468	1.5533					1.5683	1.5334	1.5541	1.4765	0.0317	0.5500	0.0174
130501	1.5533	1.5606	1.5527	1.5558					1.5700	1.5342	1.5541	1.4765	0.0325	0.5500	0.0179
130502	1.5558	1.5591	1.5494	1.5536					1.5764	1.5365	1.5541	1.4765	0.0363	0.5500	0.0200
130503	1.5536	1.5602	1.5479	1.5563					1.5727	1.5356	1.5541	1.4765	0.0337	0.5500	0.0185
130506	1.5563	1.5598	1.5519	1.5542					1.5667	1.5423	1.5541	1.4765	0.0222	0.5500	0.0122
130507	1.5542	1.5552	1.5445	1.5479					1.5677	1.5433	1.5541	1.4765	0.0222	0.5500	0.0122
130508	1.5479	1.5592	1.5471	1.5537					1.5617	1.5373	1.5541	1.4765	0.0222	0.5500	0.0122
130509	1.5537	1.5587	1.5423	1.5446					1.5655	1.5411	1.5541	1.4765	0.0222	0.5500	0.0122
130510	1.5446	1.5458	1.5310	1.5359 SV	1.5371				1.5615	1.5371	1.5211	1.6091	0.0222	0.5500	0.0122
130513	1.5359	1.5385	1.5275	1.5296					1.5518	1.5240	1.5211	1.6079	0.0253	0.5500	0.0139
130514	1.5296	1.5331	1.5217	1.5227					1.5482	1.5165	1.5211	1.6016	0.0288	0.5500	0.0158
130515	1.5227	1.5272	1.5171	1.5221 BP	1.5211	462.50	31031.25	-300.00	1.5443	1.5086	1.5211	1.5947	0.0325	0.5500	0.0179
130516	1.5221	1.5322	1.5198	1.5269					1.5423	1.5020	1.5211	1.5947	0.0366	0.5500	0.0201
130517	1.5269	1.5281	1.5158	1.5162					1.5463	1.5060	1.5211	1.5947	0.0366	0.5500	0.0201
130520	1.5162	1.5281	1.5167	1.5259					1.5366	1.5050	1.5211	1.5947	0.0288	0.5500	0.0158
130521	1.5259	1.5277	1.5111	1.5155											

130710	1.4875	1.4994	1.4846	1.4930				1.5150	1.4634	1.4904	1.5784	0.0469	0.5500	0.0258		
130711	1.4930	1.5222	1.5034	1.5205	BV	1.5180		1.5180	1.4664	1.5340	1.4460	0.0469	0.5500	0.0258		
130712	1.5205	1.5189	1.5075	1.5103				1.5401	1.4885	1.5340	1.4485	0.0469	0.5500	0.0258		
130715	1.5103	1.5129	1.5023	1.5107				1.5342	1.4910	1.5340	1.4485	0.0393	0.5500	0.0216		
130716	1.5107	1.5169	1.5045	1.5151				1.5298	1.4866	1.5340	1.4485	0.0393	0.5500	0.0216		
130717	1.5151	1.5267	1.5079	1.5212				1.5332	1.4900	1.5340	1.4485	0.0393	0.5500	0.0216		
130718	1.5212	1.5242	1.5158	1.5217				1.5396	1.4965	1.5340	1.4492	0.0392	0.5500	0.0216		
130719	1.5217	1.5282	1.5197	1.5269				1.5389	1.5018	1.5340	1.4497	0.0337	0.5500	0.0185		
130722	1.5269	1.5384	1.5259	1.5351	SP	1.5340	462.50	32853.12	0.00	1.5367	1.5123	1.5340	1.4549	0.0222	0.5500	0.0122
130723	1.5351	1.5394	1.5324	1.5377				1.5482	1.5173	1.5340	1.4549	0.0281	0.5500	0.0155		
130724	1.5377	1.5390	1.5287	1.5312				1.5531	1.5194	1.5340	1.4549	0.0306	0.5500	0.0168		
130725	1.5312	1.5435	1.5264	1.5424				1.5497	1.5169	1.5340	1.4549	0.0298	0.5500	0.0164		
130726	1.5424	1.5417	1.5354	1.5389				1.5487	1.5242	1.5340	1.4549	0.0223	0.5500	0.0123		
130729	1.5389	1.5414	1.5325	1.5352				1.5511	1.5261	1.5340	1.4549	0.0227	0.5500	0.0125		
130730	1.5352	1.5357	1.5222	1.5245	SV	1.5244		1.5488	1.5244	1.5084	1.5964	0.0222	0.5500	0.0122		
130731	1.5245	1.5254	1.5127	1.5211				1.5403	1.5159	1.5084	1.5964	0.0222	0.5500	0.0122		
130801	1.5211	1.5243	1.5109	1.5120				1.5358	1.5031	1.5084	1.5931	0.0297	0.5500	0.0163		
130802	1.5120	1.5309	1.5103	1.5279				1.5338	1.4992	1.5084	1.5840	0.0315	0.5500	0.0173		
130805	1.5279	1.5379	1.5259	1.5353				1.5397	1.5044	1.5084	1.5840	0.0321	0.5500	0.0177		
130806	1.5353	1.5392	1.5330	1.5354				1.5487	1.5164	1.5084	1.5840	0.0294	0.5500	0.0162		
130807	1.5354	1.5531	1.5205	1.5493	BV	1.5509	-865.63	31987.50	-865.63	1.5509	1.5210	1.5084	1.5840	0.0272	0.5500	0.0150
130807	1.5354	1.5531	1.5205	1.5493	BE	1.5509		1.5509	1.5210	1.5669	1.4789	0.0272	0.5500	0.0150		
130808	1.5493	1.5574	1.5485	1.5534				1.5619	1.5167	1.5669	1.4789	0.0411	0.5500	0.0226		
130809	1.5534	1.5559	1.5498	1.5511				1.5780	1.5281	1.5669	1.4814	0.0454	0.5500	0.0250		
130812	1.5511	1.5522	1.5459	1.5469				1.5775	1.5275	1.5669	1.4814	0.0454	0.5500	0.0250		
130813	1.5469	1.5512	1.5426	1.5454				1.5667	1.5305	1.5669	1.4814	0.0329	0.5500	0.0181		
130814	1.5454	1.5547	1.5423	1.5508				1.5647	1.5285	1.5669	1.4814	0.0329	0.5500	0.0181		
130815	1.5508	1.5652	1.5502	1.5646				1.5671	1.5309	1.5669	1.4814	0.0329	0.5500	0.0181		
130816	1.5646	1.5657	1.5603	1.5620				1.5713	1.5469	1.5669	1.4926	0.0222	0.5500	0.0122		
130819	1.5620	1.5673	1.5610	1.5653	SP	1.5669	462.50	32450.00	-790.63	1.5751	1.5505	1.5669	1.4926	0.0223	0.5500	0.0123
130820	1.5653	1.5696	1.5629	1.5672				1.5766	1.5521	1.5669	1.4926	0.0223	0.5500	0.0123		
130821	1.5672	1.5717	1.5647	1.5679				1.5797	1.5531	1.5669	1.4926	0.0242	0.5500	0.0133		
130822	1.5679	1.5660	1.5563	1.5583				1.5826	1.5537	1.5669	1.4926	0.0263	0.5500	0.0145		
130823	1.5583	1.5638	1.5538	1.5583				1.5728	1.5484	1.5669	1.4926	0.0222	0.5500	0.0122		
130826	1.5583	1.5612	1.5557	1.5582				1.5709	1.5465	1.5669	1.4926	0.0222	0.5500	0.0122		
130827	1.5582	1.5592	1.5478	1.5543				1.5706	1.5462	1.5669	1.4926	0.0222	0.5500	0.0122		
130828	1.5543	1.5552	1.5430	1.5526				1.5659	1.5415	1.5669	1.4926	0.0222	0.5500	0.0122		
130829	1.5526	1.5548	1.5479	1.5504				1.5635	1.5361	1.5669	1.4926	0.0249	0.5500	0.0137		
130830	1.5504	1.5528	1.5460	1.5493				1.5649	1.5375	1.5669	1.4926	0.0249	0.5500	0.0137		
130902	1.5493	1.5593	1.5503	1.5532				1.5616	1.5372	1.5669	1.4926	0.0222	0.5500	0.0122		
130903	1.5532	1.5604	1.5518	1.5566				1.5667	1.5423	1.5669	1.4926	0.0222	0.5500	0.0122		
130904	1.5566	1.5648	1.5556	1.5627				1.5684	1.5440	1.5669	1.4926	0.0222	0.5500	0.0122		
130905	1.5627	1.5667	1.5573	1.5588				1.5729	1.5485	1.5669	1.4926	0.0222	0.5500	0.0122		
130906	1.5588	1.5680	1.5562	1.5630				1.5736	1.5492	1.5669	1.4926	0.0222	0.5500	0.0122		
130909	1.5630	1.5733	1.5608	1.5697				1.5745	1.5501	1.5669	1.4926	0.0222	0.5500	0.0122		
130910	1.5697	1.5744	1.5683	1.5732				1.5808	1.5544	1.5669	1.4926	0.0240	0.5500	0.0132		
130911	1.5732	1.5829	1.5719	1.5822				1.5834	1.5601	1.5669	1.4926	0.0212	0.5500	0.0117		
130912	1.5822	1.5840	1.5777	1.5805				1.5928	1.5639	1.5669	1.4926	0.0263	0.5500	0.0145		
130913	1.5805	1.5884	1.5777	1.5875				1.5951	1.5665	1.5669	1.4926	0.0260	0.5500	0.0143		
130916	1.5875	1.5963	1.5871	1.5899				1.6002	1.5677	1.5669	1.4926	0.0296	0.5500	0.0163		
130917	1.5899	1.5936	1.5882	1.5903				1.6097	1.5730	1.5669	1.4926	0.0333	0.5500	0.0183		
130918	1.5903	1.6163	1.5893	1.6146	BV	1.6054		1.6054	1.5761	1.6214	1.5334	0.0266	0.5500	0.0146		
130919	1.6146	1.6147	1.6019	1.6036				1.6289	1.5815	1.6214	1.5426	0.0431	0.5500	0.0237		
130920	1.6036	1.6067	1.5984	1.6017				1.6277	1.5871	1.6214	1.5426	0.0369	0.5500	0.0203		
130923	1.6017	1.6073	1.5993	1.6051				1.6227	1.5821	1.6214	1.5426	0.0369	0.5500	0.0203		
130924	1.6051	1.6044	1.5956	1.6004				1.6195	1.5878	1.6214	1.5426	0.0288	0.5500	0.0158		
130925	1.6004	1.6088	1.5980	1.6084				1.6146	1.5856	1.6214	1.5426	0.0264	0.5500	0.0145		
130926	1.6084	1.6096	1.6000	1.6032				1.6187	1.5901	1.6214	1.5426	0.0260	0.5500	0.0143		
130927	1.6032	1.6146	1.6030	1.6144				1.6167	1.5923	1.6214	1.5426	0.0222	0.5500	0.0122		
130930	1.6144	1.6203	1.6096	1.6183				1.6221	1.5977	1.6214	1.5426	0.0222	0.5500	0.0122		
131001	1.6183	1.6260	1.6179	1.6204	SP	1.6214	462.50	32912.50	-328.13	1.6278	1.6034	1.6214	1.5463	0.0222	0.5500	0.0122
131002	1.6204	1.6251	1.6159	1.6229				1.6357	1.6076	1.6214	1.5463	0.0256	0.5500	0.0141		
131003	1.6229	1.6241	1.6151	1.6157				1.6351	1.6069	1.6214	1.5463	0.0256	0.5500	0.0141		
131004	1.6157	1.6178	1.6017	1.6023	SV	1.6062		1.6314	1.6062	1.5902	1.6782	0.0229	0.5500	0.0126		
131007	1.6023	1.6100	1.6021	1.6088				1.6208	1.5957	1.5902	1.6743	0.0228	0.5500	0.0125		
131008	1.6088	1.6124	1.6016	1.6085				1.6196	1.5936	1.5902	1.6743	0.0237	0.5500	0.0130		
131009	1.6085	1.6122	1.5912	1.5955				1.6203	1.5943	1.5902	1.6743	0.0237	0.5500	0.0130		
131010	1.5955	1.5979	1.5909	1.5975				1.6179	1.5830	1.5902	1.6675	0.0317	0.5500	0.0174		
131011	1.5975	1.6001	1.5919	1.5955				1.6126	1.5774	1.5902	1.6675	0.0320	0.5500	0.0176		
131014	1.5955	1.6018	1.5950	1.5990				1.6095	1.5823	1.5902	1.6675	0.0248	0.5500	0.0136		
131015	1.5990	1.6011	1.5911	1.5995				1.6107	1.5863	1.5902	1.6675	0.0222	0.5500	0.0122		
131016	1.5995	1.6058	1.5890	1.5948	BP	1.5902	462.50	33375.00	0.00	1.6090	1.5846	1.5902	1.6675	0.0222	0.5500	0.0122
131017	1.5948	1.6172	1.5937	1.6160	BV	1.6091		1.6091	1.5847	1.6251	1.5371	0.0222	0.5500	0.0122		
131018	1.6160	1.6225	1.6139	1.6165				1.6199	1.5952	1.6251	1.5440	0.0224	0.5500	0.0123		
131021	1.6165	1.6181	1.6127	1.6146				1.6331	1.6026	1.6251	1.5445	0.0277	0.5500	0.0152		
131022	1.6146	1.6248	1.6112	1.6229				1.6305	1.6000	1.6251	1.5445	0.0277	0.5500	0.0152		
131023	1.6229	1.6257	1.6116	1.6168	SP	1.6251	462.50	33837.50	0.00	1.6355	1.6025	1.6251	1.5509	0.0300	0.5500	0.0165
131024	1.6168	1.6223	1.6133	1.6203				1.6369	1.5996	1.6251	1.5509	0.0339	0.5500	0.0186		
131025	1.6203	1.6247	1.6146	1.6179				1.6353	1.6013	1.6251	1.5509	0.0309	0.5500	0.0170		
131028	1.6179	1.6208	1.6120	1.6157				1.6315	1.6071	1.6251	1.5509	0.0222	0.5500	0.0122		
131029	1.6157	1.6144	1.6019	1.6038	SV	1.6041		1.6285	1.6041	1.5881	1.6761	0.0222	0.5500			

131217	1.6304	1.6336	1.6213	1.6269					1.6436	1.6192	1.6465	1.5708	0.0222	0.5500	0.0122
131218	1.6269	1.6484	1.6266	1.6385 BV	1.6401				1.6401	1.6146	1.6561	1.5681	0.0232	0.5500	0.0128
131219	1.6385	1.6396	1.6331	1.6370					1.6505	1.6249	1.6561	1.5681	0.0232	0.5500	0.0128
131220	1.6370	1.6395	1.6311	1.6341					1.6483	1.6247	1.6561	1.5681	0.0215	0.5500	0.0118
131223	1.6341	1.6375	1.6321	1.6350					1.6469	1.6232	1.6561	1.5681	0.0215	0.5500	0.0118
131224	1.6350	1.6381	1.6317	1.6372					1.6467	1.6230	1.6561	1.5681	0.0215	0.5500	0.0118
131225	1.6372	1.6362	1.6296	1.6298					1.6472	1.6235	1.6561	1.5681	0.0215	0.5500	0.0118
131226	1.6298	1.6438	1.6345	1.6418					1.6441	1.6205	1.6561	1.5681	0.0215	0.5500	0.0118
131227	1.6418	1.6578	1.6401	1.6467 SP	1.6561	462.50	35687.50	0.00	1.6519	1.6275	1.6561	1.5698	0.0222	0.5500	0.0122
131230	1.6467	1.6533	1.6455	1.6506					1.6639	1.6331	1.6561	1.5698	0.0280	0.5500	0.0154
131231	1.6506	1.6578	1.6470	1.6569					1.6650	1.6342	1.6561	1.5698	0.0280	0.5500	0.0154
140101	1.6569	1.6556	1.6543	1.6543					1.6687	1.6379	1.6561	1.5698	0.0280	0.5500	0.0154
140102	1.6543	1.6603	1.6409	1.6426					1.6702	1.6394	1.6561	1.5698	0.0280	0.5500	0.0154
140103	1.6426	1.6474	1.6391	1.6411					1.6658	1.6322	1.6561	1.5698	0.0305	0.5500	0.0168
140106	1.6411	1.6434	1.6333	1.6401					1.6550	1.6306	1.6561	1.5698	0.0222	0.5500	0.0122
140107	1.6401	1.6438	1.6370	1.6407					1.6517	1.6257	1.6561	1.5698	0.0236	0.5500	0.0130
140108	1.6407	1.6472	1.6374	1.6454					1.6534	1.6275	1.6561	1.5698	0.0236	0.5500	0.0130
140109	1.6454	1.6497	1.6438	1.6480					1.6559	1.6299	1.6561	1.5698	0.0236	0.5500	0.0130
140110	1.6480	1.6517	1.6375	1.6481					1.6592	1.6348	1.6561	1.5698	0.0222	0.5500	0.0122
140113	1.6481	1.6508	1.6343	1.6385					1.6575	1.6331	1.6561	1.5698	0.0222	0.5500	0.0122
140114	1.6385	1.6464	1.6363	1.6442					1.6539	1.6295	1.6561	1.5698	0.0222	0.5500	0.0122
140115	1.6442	1.6464	1.6362	1.6368					1.6541	1.6297	1.6561	1.5698	0.0222	0.5500	0.0122
140116	1.6368	1.6383	1.6312	1.6357					1.6526	1.6282	1.6561	1.5698	0.0222	0.5500	0.0122
140117	1.6357	1.6459	1.6305	1.6406					1.6471	1.6227	1.6561	1.5698	0.0222	0.5500	0.0122
140120	1.6406	1.6452	1.6394	1.6423					1.6509	1.6265	1.6561	1.5698	0.0222	0.5500	0.0122
140121	1.6423	1.6486	1.6395	1.6470					1.6545	1.6301	1.6561	1.5698	0.0222	0.5500	0.0122
140122	1.6470	1.6587	1.6446	1.6580 BV	1.6568				1.6568	1.6324	1.6728	1.5848	0.0222	0.5500	0.0122
140123	1.6580	1.6636	1.6554	1.6630					1.6656	1.6403	1.6728	1.5860	0.0230	0.5500	0.0127
140124	1.6630	1.6668	1.6475	1.6500					1.6755	1.6449	1.6728	1.5910	0.0279	0.5500	0.0153
140127	1.6500	1.6587	1.6472	1.6580					1.6736	1.6378	1.6728	1.5910	0.0325	0.5500	0.0179
140128	1.6580	1.6625	1.6533	1.6578					1.6684	1.6395	1.6728	1.5910	0.0262	0.5500	0.0144
140129	1.6578	1.6607	1.6521	1.6559					1.6714	1.6444	1.6728	1.5910	0.0245	0.5500	0.0135
140130	1.6559	1.6564	1.6440	1.6478 SV	1.6441	-434.37	35253.12	-434.37	1.6685	1.6441	1.6728	1.5910	0.0222	0.5500	0.0122
140130	1.6559	1.6564	1.6440	1.6478 SV	1.6441				1.6685	1.6441	1.6281	1.7161	0.0222	0.5500	0.0122
140131	1.6478	1.6498	1.6422	1.6434					1.6619	1.6375	1.6281	1.7161	0.0222	0.5500	0.0122
140203	1.6434	1.6441	1.6286	1.6311					1.6577	1.6333	1.6281	1.7154	0.0222	0.5500	0.0122
140204	1.6311	1.6345	1.6253	1.6324 BP	1.6281	462.50	35715.62	-165.62	1.6515	1.6191	1.6281	1.7031	0.0294	0.5500	0.0162
140205	1.6324	1.6341	1.6248	1.6308					1.6484	1.6124	1.6281	1.7031	0.0327	0.5500	0.0180
140206	1.6308	1.6349	1.6268	1.6321					1.6479	1.6116	1.6281	1.7031	0.0330	0.5500	0.0181
140207	1.6321	1.6418	1.6299	1.6415					1.6482	1.6140	1.6281	1.7031	0.0311	0.5500	0.0171
140210	1.6415	1.6427	1.6379	1.6399					1.6496	1.6243	1.6281	1.7031	0.0230	0.5500	0.0127
140211	1.6399	1.6488	1.6388	1.6450					1.6524	1.6280	1.6281	1.7031	0.0222	0.5500	0.0122
140212	1.6450	1.6600	1.6421	1.6592 BV	1.6562				1.6562	1.6318	1.6722	1.5842	0.0222	0.5500	0.0122
140213	1.6592	1.6674	1.6596	1.6658					1.6687	1.6366	1.6722	1.5872	0.0292	0.5500	0.0161
140214	1.6658	1.6748	1.6640	1.6746 SP	1.6722	462.50	36178.12	0.00	1.6841	1.6438	1.6722	1.5938	0.0366	0.5500	0.0201
140217	1.6746	1.6822	1.6691	1.6701					1.6939	1.6470	1.6722	1.5938	0.0427	0.5500	0.0235
140218	1.6701	1.6741	1.6651	1.6680					1.6978	1.6513	1.6722	1.5938	0.0423	0.5500	0.0233
140219	1.6680	1.6734	1.6632	1.6689					1.6925	1.6460	1.6722	1.5938	0.0423	0.5500	0.0233
140220	1.6689	1.6700	1.6621	1.6654					1.6889	1.6480	1.6722	1.5938	0.0372	0.5500	0.0205
140221	1.6654	1.6725	1.6608	1.6638					1.6786	1.6533	1.6722	1.5938	0.0230	0.5500	0.0127
140224	1.6638	1.6679	1.6579	1.6661					1.6783	1.6539	1.6722	1.5938	0.0222	0.5500	0.0122
140225	1.6661	1.6727	1.6639	1.6675					1.6757	1.6513	1.6722	1.5938	0.0222	0.5500	0.0122
140226	1.6675	1.6702	1.6617	1.6664					1.6803	1.6559	1.6722	1.5938	0.0222	0.5500	0.0122
140227	1.6664	1.6699	1.6614	1.6681					1.6782	1.6538	1.6722	1.5938	0.0222	0.5500	0.0122
140228	1.6681	1.6769	1.6672	1.6747					1.6783	1.6539	1.6722	1.5938	0.0222	0.5500	0.0122
140303	1.6747	1.6751	1.6649	1.6654					1.6848	1.6604	1.6722	1.5938	0.0222	0.5500	0.0122
140304	1.6654	1.6716	1.6638	1.6670					1.6813	1.6569	1.6722	1.5938	0.0222	0.5500	0.0122
140305	1.6670	1.6742	1.6653	1.6720					1.6798	1.6554	1.6722	1.5938	0.0222	0.5500	0.0122
140306	1.6720	1.6777	1.6682	1.6735					1.6824	1.6580	1.6722	1.5938	0.0222	0.5500	0.0122
140307	1.6735	1.6786	1.6703	1.6722					1.6853	1.6609	1.6722	1.5938	0.0222	0.5500	0.0122
140310	1.6722	1.6741	1.6618	1.6638 SV	1.6618				1.6862	1.6618	1.6458	1.7338	0.0222	0.5500	0.0122
140311	1.6638	1.6653	1.6592	1.6621					1.6793	1.6549	1.6458	1.7338	0.0222	0.5500	0.0122
140312	1.6621	1.6636	1.6564	1.6620					1.6744	1.6500	1.6458	1.7338	0.0222	0.5500	0.0122
140313	1.6620	1.6718	1.6604	1.6614					1.6726	1.6482	1.6458	1.7338	0.0222	0.5500	0.0122
140314	1.6614	1.6645	1.6583	1.6632					1.6774	1.6530	1.6458	1.7334	0.0222	0.5500	0.0122
140317	1.6632	1.6666	1.6600	1.6631					1.6740	1.6496	1.6458	1.7334	0.0222	0.5500	0.0122
140318	1.6631	1.6648	1.6542	1.6591					1.6755	1.6511	1.6458	1.7334	0.0222	0.5500	0.0122
140319	1.6591	1.6654	1.6505	1.6529					1.6716	1.6472	1.6458	1.7311	0.0222	0.5500	0.0122
140320	1.6529	1.6569	1.6476	1.6497					1.6691	1.6447	1.6458	1.7249	0.0222	0.5500	0.0122
140321	1.6497	1.6520	1.6471	1.6495					1.6639	1.6395	1.6458	1.7217	0.0222	0.5500	0.0122
140324	1.6495	1.6536	1.6461	1.6502					1.6617	1.6373	1.6458	1.7215	0.0222	0.5500	0.0122
140325	1.6502	1.6549	1.6476	1.6531					1.6621	1.6377	1.6458	1.7215	0.0222	0.5500	0.0122
140326	1.6531	1.6597	1.6505	1.6590					1.6638	1.6394	1.6458	1.7215	0.0222	0.5500	0.0122
140327	1.6590	1.6647	1.6551	1.6610					1.6681	1.6437	1.6458	1.7215	0.0222	0.5500	0.0122
140328	1.6610	1.6651	1.6595	1.6641					1.6723	1.6479	1.6458	1.7215	0.0222	0.5500	0.0122
140331	1.6641	1.6684	1.6609	1.6673					1.6749	1.6505	1.6458	1.7215	0.0222	0.5500	0.0122
140401	1.6673	1.6675	1.6613	1.6631					1.6774	1.6530	1.6458	1.7215	0.0222	0.5500	0.0122
140402	1.6631	1.6664	1.6618	1.6622					1.6763	1.6519	1.6458	1.7215	0.0222	0.5500	0.0122
140403	1.6622	1.6661	1.6566	1.6594					1.6759	1.6515	1.6458	1.7215	0.0222	0.5500	0.0122
140404	1.6594	1.6606	1.6549	1.6579					1.6732	1.6488	1.645				

140523	1.6864	1.6876	1.6808	1.6828				1.7001	1.6757	1.7148	1.6268	0.0222	0.5500	0.0122		
140526	1.6828	1.6853	1.6815	1.6844				1.6961	1.6717	1.7148	1.6268	0.0222	0.5500	0.0122		
140527	1.6844	1.6882	1.6778	1.6807				1.6958	1.6714	1.7148	1.6268	0.0222	0.5500	0.0122		
140528	1.6807	1.6816	1.6693	1.6711	SV	1.6703	-928.12	35362.50	-1200.00	1.6947	1.6703	1.7148	1.6268	0.0222	0.5500	0.0122
140528	1.6807	1.6816	1.6693	1.6711	SV	1.6703				1.6947	1.6703	1.6543	1.7423	0.0222	0.5500	0.0122
140529	1.6711	1.6741	1.6689	1.6713				1.6868	1.6624	1.6543	1.7423	0.0222	0.5500	0.0122		
140530	1.6713	1.6777	1.6712	1.6761				1.6832	1.6597	1.6543	1.7423	0.0213	0.5500	0.0117		
140602	1.6761	1.6770	1.6720	1.6744				1.6870	1.6626	1.6543	1.7423	0.0222	0.5500	0.0122		
140603	1.6746	1.6782	1.6726	1.6746				1.6867	1.6623	1.6543	1.7423	0.0222	0.5500	0.0122		
140604	1.6746	1.6769	1.6694	1.6741				1.6874	1.6630	1.6543	1.7423	0.0222	0.5500	0.0122		
140605	1.6741	1.6825	1.6720	1.6811				1.6855	1.6611	1.6543	1.7423	0.0222	0.5500	0.0122		
140606	1.6811	1.6845	1.6776	1.6806				1.6902	1.6658	1.6543	1.7423	0.0222	0.5500	0.0122		
140609	1.6806	1.6832	1.6779	1.6793				1.6932	1.6688	1.6543	1.7423	0.0222	0.5500	0.0122		
140610	1.6793	1.6817	1.6740	1.6756				1.6925	1.6681	1.6543	1.7423	0.0222	0.5500	0.0122		
140611	1.6756	1.6811	1.6737	1.6793				1.6896	1.6652	1.6543	1.7423	0.0222	0.5500	0.0122		
140612	1.6793	1.6860	1.6784	1.6832				1.6900	1.6656	1.6543	1.7423	0.0222	0.5500	0.0122		
140613	1.6832	1.6992	1.6918	1.6968	BV	1.6946	-796.87	34565.62	-1996.87	1.6946	1.6702	1.6543	1.7423	0.0222	0.5500	0.0122
140613	1.6832	1.6992	1.6918	1.6968	BV	1.6946				1.6946	1.6702	1.7106	1.6226	0.0222	0.5500	0.0122
140616	1.6968	1.7011	1.6955	1.6981				1.7087	1.6828	1.7106	1.6248	0.0236	0.5500	0.0130		
140617	1.6981	1.6989	1.6934	1.6957				1.7123	1.6842	1.7106	1.6261	0.0255	0.5500	0.0140		
140618	1.6957	1.7002	1.6918	1.6988				1.7101	1.6820	1.7106	1.6261	0.0255	0.5500	0.0140		
140619	1.6988	1.7063	1.6980	1.7035				1.7106	1.6825	1.7106	1.6268	0.0255	0.5500	0.0140		
140620	1.7035	1.7061	1.6999	1.7013				1.7173	1.6876	1.7106	1.6315	0.0270	0.5500	0.0149		
140623	1.7013	1.7049	1.6997	1.7025				1.7154	1.6900	1.7106	1.6315	0.0231	0.5500	0.0127		
140624	1.7025	1.7032	1.6961	1.6978				1.7145	1.6901	1.7106	1.6315	0.0222	0.5500	0.0122		
140625	1.6978	1.7005	1.6948	1.6979				1.7115	1.6871	1.7106	1.6315	0.0222	0.5500	0.0122		
140626	1.6979	1.7040	1.6967	1.7022				1.7099	1.6855	1.7106	1.6315	0.0222	0.5500	0.0122		
140627	1.7022	1.7051	1.7002	1.7031				1.7129	1.6885	1.7106	1.6315	0.0222	0.5500	0.0122		
140630	1.7031	1.7115	1.7004	1.7114	SP	1.7106	462.50	35028.12	-1534.37	1.7149	1.6905	1.7106	1.6315	0.0222	0.5500	0.0122
140701	1.7114	1.7166	1.7091	1.7152				1.7192	1.6948	1.7106	1.6315	0.0222	0.5500	0.0122		
140702	1.7152	1.7177	1.7135	1.7165				1.7255	1.7011	1.7106	1.6315	0.0222	0.5500	0.0122		
140703	1.7165	1.7165	1.7097	1.7147				1.7280	1.7036	1.7106	1.6315	0.0222	0.5500	0.0122		
140704	1.7147	1.7180	1.7127	1.7149				1.7256	1.7012	1.7106	1.6315	0.0222	0.5500	0.0122		
140707	1.7149	1.7168	1.7104	1.7128				1.7275	1.7031	1.7106	1.6315	0.0222	0.5500	0.0122		
140708	1.7128	1.7148	1.7081	1.7131				1.7256	1.7012	1.7106	1.6315	0.0222	0.5500	0.0122		
140709	1.7131	1.7161	1.7090	1.7152				1.7240	1.6996	1.7106	1.6315	0.0222	0.5500	0.0122		
140710	1.7152	1.7168	1.7101	1.7136				1.7253	1.7009	1.7106	1.6315	0.0222	0.5500	0.0122		
140711	1.7136	1.7151	1.7095	1.7115				1.7257	1.7013	1.7106	1.6315	0.0222	0.5500	0.0122		
140714	1.7115	1.7144	1.7065	1.7080				1.7243	1.6999	1.7106	1.6315	0.0222	0.5500	0.0122		
140715	1.7080	1.7191	1.7055	1.7144				1.7222	1.6978	1.7106	1.6315	0.0222	0.5500	0.0122		
140716	1.7144	1.7151	1.7115	1.7135				1.7249	1.7005	1.7106	1.6315	0.0222	0.5500	0.0122		
140717	1.7135	1.7144	1.7086	1.7109				1.7255	1.7011	1.7106	1.6315	0.0222	0.5500	0.0122		
140718	1.7109	1.7117	1.7037	1.7085				1.7236	1.6992	1.7106	1.6315	0.0222	0.5500	0.0122		
140721	1.7085	1.7099	1.7056	1.7075				1.7201	1.6957	1.7106	1.6315	0.0222	0.5500	0.0122		
140722	1.7075	1.7083	1.7042	1.7061				1.7199	1.6955	1.7106	1.6315	0.0222	0.5500	0.0122		
140723	1.7061	1.7095	1.7025	1.7032				1.7184	1.6940	1.7106	1.6315	0.0222	0.5500	0.0122		
140724	1.7032	1.7053	1.6966	1.6985				1.7176	1.6932	1.7106	1.6315	0.0222	0.5500	0.0122		
140725	1.6985	1.6998	1.6962	1.6977				1.7127	1.6883	1.7106	1.6315	0.0222	0.5500	0.0122		
140728	1.6977	1.7001	1.6973	1.6983				1.7101	1.6857	1.7106	1.6315	0.0222	0.5500	0.0122		
140729	1.6983	1.6995	1.6934	1.6944				1.7108	1.6864	1.7106	1.6315	0.0222	0.5500	0.0122		
140730	1.6944	1.6955	1.6890	1.6909				1.7082	1.6838	1.7106	1.6315	0.0222	0.5500	0.0122		
140731	1.6909	1.6926	1.6857	1.6883				1.7042	1.6798	1.7106	1.6315	0.0222	0.5500	0.0122		
140801	1.6883	1.6893	1.6814	1.6823				1.7012	1.6768	1.7106	1.6315	0.0222	0.5500	0.0122		
140804	1.6823	1.6859	1.6814	1.6858				1.6969	1.6725	1.7106	1.6315	0.0222	0.5500	0.0122		
140805	1.6858	1.6888	1.6845	1.6877				1.6963	1.6719	1.7106	1.6315	0.0222	0.5500	0.0122		
140806	1.6877	1.6884	1.6822	1.6852				1.6991	1.6747	1.7106	1.6315	0.0222	0.5500	0.0122		
140807	1.6852	1.6864	1.6824	1.6835				1.6975	1.6731	1.7106	1.6315	0.0222	0.5500	0.0122		
140808	1.6835	1.6834	1.6767	1.6777				1.6964	1.6720	1.7106	1.6315	0.0222	0.5500	0.0122		
140811	1.6777	1.6796	1.6771	1.6788				1.6918	1.6674	1.7106	1.6315	0.0222	0.5500	0.0122		
140812	1.6788	1.6815	1.6757	1.6811				1.6906	1.6662	1.7106	1.6315	0.0222	0.5500	0.0122		
140813	1.6811	1.6844	1.6686	1.6688				1.6913	1.6669	1.7106	1.6315	0.0222	0.5500	0.0122		
140814	1.6688	1.6697	1.6657	1.6688				1.6872	1.6628	1.7106	1.6315	0.0222	0.5500	0.0122		
140815	1.6688	1.6702	1.6677	1.6694				1.6801	1.6557	1.7106	1.6315	0.0222	0.5500	0.0122		
140818	1.6694	1.6738	1.6713	1.6728				1.6812	1.6568	1.7106	1.6315	0.0222	0.5500	0.0122		
140819	1.6728	1.6728	1.6612	1.6619				1.6848	1.6604	1.7106	1.6315	0.0222	0.5500	0.0122		
140820	1.6619	1.6679	1.6591	1.6601				1.6782	1.6538	1.7106	1.6315	0.0222	0.5500	0.0122		
140821	1.6601	1.6601	1.6564	1.6581				1.6752	1.6504	1.7106	1.6315	0.0225	0.5500	0.0124		
140822	1.6581	1.6597	1.6562	1.6573				1.6704	1.6460	1.7106	1.6315	0.0222	0.5500	0.0122		
140825	1.6573	1.6598	1.6518	1.6580				1.6700	1.6456	1.7106	1.6315	0.0222	0.5500	0.0122		
140826	1.6580	1.6595	1.6544	1.6547				1.6684	1.6440	1.7106	1.6315	0.0222	0.5500	0.0122		
140827	1.6547	1.6605	1.6537	1.6577				1.6687	1.6443	1.7106	1.6315	0.0222	0.5500	0.0122		
140828	1.6577	1.6614	1.6568	1.6589				1.6694	1.6450	1.7106	1.6315	0.0222	0.5500	0.0122		
140829	1.6589	1.6613	1.6563	1.6601				1.6713	1.6469	1.7106	1.6315	0.0222	0.5500	0.0122		
140901	1.6601	1.6644	1.6586	1.6618				1.6713	1.6469	1.7106	1.6315	0.0222	0.5500	0.0122		
140902	1.6618	1.6615	1.6473	1.6475	SV	1.6494		1.6738	1.6494	1.6334	1.7214	0.0222	0.5500	0.0122		
140903	1.6475	1.6498	1.6440	1.6455				1.6652	1.6408	1.6334	1.7195	0.0222	0.5500	0.0122		
140904	1.6455	1.6466	1.6333	1.6342	BP	1.6334	462.50	35490.62	-1071.87	1.6588	1.6344	1.6334	1.7175	0.0222	0.5500	0.0122
140905	1.6342	1.6340	1.6283	1.6328				1.6545	1.6231	1.6334	1.7175	0.0285	0.5500	0.0157		
140908	1.6328	1.6233	1.6103	1.6110	SV	1.6131		1.6499	1.6131	1.5971	1.6851	0.0335	0.5500	0.0184		
140909	1.6110	1.6157	1.6060	1.6107				1.6440	1.5873	1.5971	1.6830	0.0515	0.5500	0.0283		
140910	1.6107	1.6230	1.6052	1.6194				1.6415	1.5801	1.5971	1.6827	0.0558	0.5500	0.0307		
140911	1.6194	1.6270	1.6186	1.6220												

141027	1.6084	1.6147	1.6080	1.6126					1.6185	1.5941	1.5887	1.6628	0.0222	0.5500	0.0122	
141028	1.6126	1.6182	1.6088	1.6136					1.6238	1.5994	1.5887	1.6628	0.0222	0.5500	0.0122	
141029	1.6136	1.6161	1.6007	1.6008	SV	1.6013			1.6257	1.6013	1.5853	1.6733	0.0222	0.5500	0.0122	
141030	1.6008	1.6038	1.5952	1.6006					1.6191	1.5947	1.5853	1.6728	0.0222	0.5500	0.0122	
141031	1.6006	1.6011	1.5943	1.5995					1.6119	1.5875	1.5853	1.6726	0.0222	0.5500	0.0122	
141103	1.5995	1.6023	1.5927	1.5982					1.6103	1.5859	1.5853	1.6715	0.0222	0.5500	0.0122	
141104	1.5982	1.6016	1.5966	1.5997					1.6098	1.5854	1.5853	1.6702	0.0222	0.5500	0.0122	
141105	1.5997	1.6022	1.5869	1.5972					1.6114	1.5870	1.5853	1.6702	0.0222	0.5500	0.0122	
141106	1.5972	1.6002	1.5834	1.5837	BP	1.5853	462.50	34046.87	-2515.62	1.6098	1.5804	1.5853	1.6692	0.0267	0.5500	0.0147
141107	1.5837	1.5886	1.5791	1.5876					1.6024	1.5780	1.5853	1.6692	0.0222	0.5500	0.0122	
141110	1.5876	1.5917	1.5846	1.5846					1.5964	1.5728	1.5853	1.6692	0.0215	0.5500	0.0118	
141111	1.5846	1.5945	1.5836	1.5920					1.5996	1.5752	1.5853	1.6692	0.0222	0.5500	0.0122	
141112	1.5920	1.5940	1.5776	1.5785					1.6018	1.5774	1.5853	1.6692	0.0222	0.5500	0.0122	
141113	1.5785	1.5781	1.5695	1.5715	SV	1.5722			1.5965	1.5722	1.5562	1.6442	0.0221	0.5500	0.0122	
141114	1.5715	1.5712	1.5593	1.5672					1.5886	1.5581	1.5562	1.6435	0.0277	0.5500	0.0152	
141117	1.5672	1.5736	1.5620	1.5641					1.5836	1.5477	1.5562	1.6392	0.0377	0.5500	0.0180	
141118	1.5641	1.5679	1.5631	1.5634					1.5850	1.5491	1.5562	1.6361	0.0327	0.5500	0.0180	
141119	1.5634	1.5721	1.5590	1.5670					1.5831	1.5471	1.5562	1.6354	0.0327	0.5500	0.0180	
141120	1.5670	1.5737	1.5632	1.5695					1.5840	1.5477	1.5562	1.6354	0.0330	0.5500	0.0181	
141121	1.5695	1.5714	1.5626	1.5649					1.5809	1.5565	1.5562	1.6354	0.0222	0.5500	0.0122	
141124	1.5649	1.5715	1.5629	1.5707					1.5788	1.5544	1.5562	1.6354	0.0222	0.5500	0.0122	
141125	1.5707	1.5736	1.5649	1.5711					1.5801	1.5557	1.5562	1.6354	0.0222	0.5500	0.0122	
141126	1.5711	1.5806	1.5680	1.5798					1.5818	1.5574	1.5562	1.6354	0.0222	0.5500	0.0122	
141127	1.5798	1.5826	1.5717	1.5724					1.5876	1.5632	1.5562	1.6354	0.0222	0.5500	0.0122	
141128	1.5724	1.5739	1.5615	1.5626					1.5884	1.5640	1.5562	1.6354	0.0222	0.5500	0.0122	
141201	1.5626	1.5764	1.5586	1.5738					1.5789	1.5545	1.5562	1.6346	0.0222	0.5500	0.0122	
141202	1.5738	1.5743	1.5632	1.5637					1.5804	1.5571	1.5562	1.6346	0.0212	0.5500	0.0117	
141203	1.5637	1.5719	1.5620	1.5685					1.5794	1.5561	1.5562	1.6346	0.0212	0.5500	0.0117	
141204	1.5685	1.5726	1.5644	1.5672					1.5789	1.5556	1.5562	1.6346	0.0212	0.5500	0.0117	
141205	1.5672	1.5695	1.5571	1.5579					1.5799	1.5566	1.5562	1.6346	0.0212	0.5500	0.0117	
141208	1.5579	1.5679	1.5541	1.5653	BP	1.5562	462.50	34509.37	-2053.12	1.5744	1.5500	1.5562	1.6299	0.0222	0.5500	0.0122
141209	1.5653	1.5717	1.5627	1.5662					1.5741	1.5497	1.5562	1.6299	0.0222	0.5500	0.0122	
141210	1.5662	1.5719	1.5648	1.5713					1.5792	1.5548	1.5562	1.6299	0.0222	0.5500	0.0122	
141211	1.5713	1.5757	1.5653	1.5713					1.5811	1.5567	1.5562	1.6299	0.0222	0.5500	0.0122	
141212	1.5713	1.5746	1.5695	1.5720					1.5829	1.5585	1.5562	1.6299	0.0222	0.5500	0.0122	
141215	1.5720	1.5747	1.5601	1.5652					1.5842	1.5598	1.5562	1.6299	0.0222	0.5500	0.0122	
141216	1.5652	1.5785	1.5613	1.5730					1.5792	1.5548	1.5562	1.6299	0.0222	0.5500	0.0122	
141217	1.5730	1.5754	1.5541	1.5576	SV	1.5583			1.5827	1.5583	1.5423	1.6303	0.0222	0.5500	0.0122	
141218	1.5576	1.5677	1.5550	1.5669					1.5755	1.5511	1.5423	1.6296	0.0222	0.5500	0.0122	
141219	1.5669	1.5682	1.5606	1.5636					1.5747	1.5503	1.5423	1.6296	0.0222	0.5500	0.0122	
141222	1.5636	1.5665	1.5574	1.5574					1.5764	1.5520	1.5423	1.6296	0.0222	0.5500	0.0122	
141223	1.5574	1.5608	1.5487	1.5509					1.5732	1.5488	1.5423	1.6294	0.0222	0.5500	0.0122	
141224	1.5509	1.5561	1.5505	1.5557					1.5673	1.5406	1.5423	1.6229	0.0243	0.5500	0.0134	
141225	1.5557	1.5575	1.5537	1.5571					1.5673	1.5403	1.5423	1.6229	0.0245	0.5500	0.0135	
141226	1.5571	1.5568	1.5538	1.5553					1.5681	1.5437	1.5423	1.6229	0.0222	0.5500	0.0122	
141229	1.5553	1.5586	1.5508	1.5510					1.5675	1.5431	1.5423	1.6229	0.0222	0.5500	0.0122	
141230	1.5510	1.5573	1.5501	1.5553					1.5662	1.5418	1.5423	1.6229	0.0222	0.5500	0.0122	
141231	1.5553	1.5620	1.5550	1.5583					1.5662	1.5418	1.5423	1.6229	0.0222	0.5500	0.0122	
150101	1.5583	1.5584	1.5552	1.5550					1.5707	1.5463	1.5423	1.6229	0.0222	0.5500	0.0122	
150102	1.5550	1.5587	1.5328	1.5333	BP	1.5423	462.50	34971.87	-1590.62	1.5686	1.5442	1.5423	1.6229	0.0222	0.5500	0.0122
150105	1.5333	1.5333	1.5182	1.5259	SV	1.5292			1.5573	1.5292	1.5132	1.6012	0.0255	0.5500	0.0140	
150106	1.5259	1.5275	1.5149	1.5153					1.5478	1.5037	1.5132	1.5979	0.0401	0.5500	0.0221	
150107	1.5153	1.5155	1.5055	1.5106	BP	1.5132	462.50	35434.37	-1128.12	1.5439	1.4961	1.5132	1.5873	0.0434	0.5500	0.0239
150108	1.5106	1.5118	1.5035	1.5084					1.5396	1.4815	1.5132	1.5873	0.0528	0.5500	0.0290	
150109	1.5084	1.5176	1.5078	1.5164					1.5379	1.4777	1.5132	1.5873	0.0548	0.5500	0.0301	
150112	1.5164	1.5194	1.5099	1.5176					1.5418	1.4851	1.5132	1.5873	0.0515	0.5500	0.0283	
150113	1.5176	1.5192	1.5078	1.5157					1.5316	1.4988	1.5132	1.5873	0.0298	0.5500	0.0164	
150114	1.5157	1.5269	1.5146	1.5227	BV	1.5263			1.5263	1.5016	1.5423	1.4543	0.0224	0.5500	0.0123	
150115	1.5227	1.5267	1.5151	1.5180					1.5333	1.5089	1.5423	1.4543	0.0222	0.5500	0.0122	
150116	1.5180	1.5235	1.5075	1.5153	SV	1.5081	-606.25	34828.12	-1734.37	1.5325	1.5081	1.5423	1.4543	0.0222	0.5500	0.0122
150116	1.5180	1.5235	1.5075	1.5153	SV	1.5081			1.5325	1.5081	1.4921	1.5801	0.0222	0.5500	0.0122	
150119	1.5153	1.5179	1.5108	1.5113					1.5277	1.5033	1.4921	1.5801	0.0222	0.5500	0.0122	
150120	1.5113	1.5200	1.5058	1.5156					1.5259	1.5015	1.4921	1.5801	0.0222	0.5500	0.0122	
150121	1.5156	1.5179	1.5077	1.5135					1.5256	1.5012	1.4921	1.5801	0.0222	0.5500	0.0122	
150122	1.5135	1.5212	1.4984	1.4989					1.5251	1.5007	1.4921	1.5801	0.0222	0.5500	0.0122	
150123	1.4989	1.5036	1.4951	1.4991					1.5210	1.4943	1.4921	1.5709	0.0243	0.5500	0.0134	
150126	1.4991	1.5100	1.4985	1.5079					1.5128	1.4858	1.4921	1.5709	0.0246	0.5500	0.0135	
150127	1.5079	1.5224	1.5060	1.5196	BV	1.5172	-321.88	34506.25	-2056.25	1.5172	1.4927	1.4921	1.5709	0.0223	0.5500	0.0123
150127	1.5079	1.5224	1.5060	1.5196	BV	1.5172			1.5172	1.4927	1.5332	1.4452	0.0223	0.5500	0.0123	
150128	1.5196	1.5219	1.5136	1.5152					1.5282	1.5024	1.5332	1.4476	0.0245	0.5500	0.0129	
150129	1.5152	1.5163	1.5019	1.5066	SV	1.5038	-456.25	34050.00	-2512.50	1.5307	1.5038	1.5332	1.4476	0.0245	0.5500	0.0135
150129	1.5152	1.5163	1.5019	1.5066	SV	1.5038			1.5307	1.5038	1.4878	1.5758	0.0245	0.5500	0.0135	
150130	1.5066	1.5096	1.4989	1.5059					1.5221	1.4951	1.4878	1.5758	0.0245	0.5500	0.0135	
150202	1.5059	1.5100	1.5006	1.5031					1.5181	1.4911	1.4878	1.5758	0.0245	0.5500	0.0135	
150203	1.5031	1.5198	1.4988	1.5163	BV	1.5177	-471.88	33578.12	-2984.37	1.5177	1.4920	1.4878	1.5751	0.0233	0.5500	0.0128
150203	1.5031	1.5198	1.4988	1.5163	BV	1.5177			1.5177	1.4920	1.5337	1.4457	0.0233	0.5500	0.0128	
150204	1.5163	1.5251	1.5140	1.5205					1.5229	1.4985	1.5337	1.4457	0.0222	0.5500	0.0122	
150205	1.5205	1.5344	1.5167	1.5334	SP	1.5337	462.50	34040.62	-2521.87	1.5318	1.5076	1.5337	1.4485	0.0220	0.5500	0.0121

